

## Infanti FIX 360 (Model 232MFR01GRY)

# Infanti FIX 360 Car Seat Instruction Manual

Model: FIX 360 (232MFR01GRY)

## 1. INTRODUCTION

Thank you for choosing the Infanti FIX 360 Car Seat. This car seat is designed to provide safety and comfort for your child from birth up to 36 kg, covering Group 0+, 1, 2, and 3 stages. It features a 360-degree rotation mechanism, ISOFIX installation, and multiple recline positions to adapt to your child's growth and needs.

Please read this manual carefully before installation and use to ensure proper operation and maximum safety for your child. Keep this manual in a safe place for future reference.

## 2. SAFETY INFORMATION

**WARNING: Failure to follow these instructions can result in serious injury or death.**

- Always secure your child in the car seat, even for short journeys.
- Ensure the car seat is correctly installed in your vehicle according to the instructions.
- Never leave your child unattended in the car seat.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage. Internal damage may compromise its safety.
- Regularly check that the harness straps are correctly adjusted and not twisted.
- Do not modify the car seat or use accessories not approved by Infanti.
- The car seat must be installed on a vehicle seat equipped with ISOFIX anchors and a Top Tether anchor point for optimal safety.

## 3. SETUP AND INSTALLATION

The Infanti FIX 360 Car Seat offers versatile installation options to accommodate different child stages.

### 3.1. Components Overview

FIX<sup>360°</sup>

Lifestyle  
by  
infanti®

AUTOASIENTO



Sistema de instalación  
I-Size y Top Tether



Arnés con 5  
puntos de sujeción



Soporte de  
cabeza ajustable

**Comodidad y versatilidad**  
Desde recién nacido hasta 36 kg

Image: Overview of the Infanti FIX 360 Car Seat highlighting key features like I-Size and Top Tether installation, 5-point harness, and adjustable head support.

# FIX<sup>360</sup>

Lifestyle  
by  
infanti®

## AUTOASIENTO



Desde 0 meses  
hasta 36 kg

Soporte de cabeza  
con altura ajustable

Arnés de 5 puntos  
de sujeción

4 reclinaciones  
ajustables

Sistema de protección  
contra impacto lateral



Image: Detailed view of the car seat showing adjustable headrest, 5-point harness, 4 recline positions, and side impact protection.

### 3.2. Installation with ISOFIX and Top Tether

1. **Prepare the Car Seat:** Ensure the car seat is in the correct orientation for your child's weight group (rear-facing for 0-13 kg, forward-facing for 9-36 kg).
2. **Locate ISOFIX Anchors:** Find the ISOFIX anchor points in your vehicle's back seat.
3. **Extend ISOFIX Connectors:** Press the release buttons on the car seat's ISOFIX connectors and extend them.
4. **Attach ISOFIX Connectors:** Push the ISOFIX connectors onto the vehicle's anchor points until you hear a click and the indicators turn green.
5. **Push Car Seat Firmly:** Push the car seat firmly against the vehicle seat back to remove any slack.
6. **Attach Top Tether:** Locate the Top Tether strap at the back of the car seat. Extend it and attach the hook to the designated Top Tether anchor point in your vehicle. Tighten the strap until the indicator turns green (if applicable) and the strap is taut.

### 3.3. Rear-Facing Installation (Newborn to 13 kg)

For infants from newborn up to 13 kg (Group 0+), the car seat must be installed in a rear-facing position.

Use the ISOFIX and Top Tether system as described above. Ensure the recline position is suitable for a newborn, typically the most reclined setting.

### 3.4. Forward-Facing Installation (9 kg to 36 kg)

For children from 9 kg up to 36 kg (Group 1, 2, 3), the car seat can be installed in a forward-facing position. Use the ISOFIX and Top Tether system. Adjust the headrest and harness height to match your child's shoulders.



Image: Side view of the Infanti FIX 360 Car Seat, illustrating its recline capability and compliance with European safety standard ECE R44/04 for enhanced side impact protection.

## 4. OPERATING INSTRUCTIONS

### 4.1. Securing Your Child

1. **Place Child:** With the car seat rotated to face you (if using the 360-degree function), place your child in the seat.
2. **Harness Placement:** Bring the two shoulder straps over your child's shoulders and connect the two buckle tongues into the central buckle until you hear a click.

3. **Tighten Harness:** Pull the harness adjustment strap located at the front of the seat until the harness is snug against your child's body. Ensure you can only fit one finger between the harness and your child's collarbone.
4. **Check Crotch Strap:** Ensure the crotch strap is positioned correctly between your child's legs.

## 4.2. 360-Degree Rotation

FIX<sup>360</sup>

Lifestyle  
by  
infanti®

DISEÑO GIRATORIO



Simplifica la entrada y salida del bebé,  
permitiendo una rotación fácil para mayor comodidad.

Image: The Infanti FIX 360 Car Seat showcasing its 360-degree swivel design, which simplifies placing and removing the child by allowing easy rotation for greater convenience.

The FIX 360 Car Seat features a convenient 360-degree rotation mechanism. To rotate the seat:

1. Ensure the car seat is not under tension from the Top Tether (if applicable, slightly loosen it before rotation and re-tighten after).
2. Locate the rotation lever, usually at the front base of the seat.
3. Press the lever and rotate the seat to the desired position (e.g., facing the car door for easy access, or to the correct driving orientation).
4. Release the lever and ensure the seat locks securely into place.

**Note: The 360-degree rotation function is primarily designed for ease of access when placing or removing your child. For children above 13 kg installed with the vehicle's seat belt, the rotation function may be limited or unavailable due to the belt path.**

### 4.3. Adjusting Headrest and Harness Height

The headrest and harness system adjust simultaneously. To adjust:

1. Locate the headrest adjustment lever, typically at the top of the headrest.
2. Squeeze the lever and slide the headrest up or down until the shoulder straps are at or just below your child's shoulders for rear-facing, or at or just above for forward-facing.
3. Release the lever to lock the headrest in position.

### 4.4. Recline Positions

The car seat offers 4 recline positions. To adjust the recline:

1. Locate the recline adjustment lever, usually at the front or side of the seat base.
2. Press the lever and adjust the seat to the desired recline angle.
3. Release the lever and ensure the seat locks securely in the chosen position.

## 5. MAINTENANCE

---

### 5.1. Cleaning the Fabric Covers

The fabric covers are 100% polyester and are removable for cleaning.

- Refer to the care label on the fabric for specific washing instructions.
- Typically, machine wash on a delicate cycle with cold water and mild detergent.
- Do not bleach, iron, or tumble dry. Air dry only.

### 5.2. Cleaning the Plastic Parts

Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

### 5.3. Harness Care

Wipe the harness straps with a damp cloth. Do not machine wash or submerge the harness straps, as this can weaken the material.

## 6. TROUBLESHOOTING

---

### 6.1. Car Seat Feels Loose After Installation

- Ensure ISOFIX connectors are fully engaged and indicators are green.
- Push the car seat firmly against the vehicle seat back to remove any gaps.
- Verify the Top Tether strap is securely attached and tightened.

### 6.2. Difficulty Tightening Harness

- Check that the harness straps are not twisted.
- Ensure the buckle tongues are fully inserted into the central buckle.

- Pull the adjustment strap smoothly and firmly.

### 6.3. 360-Degree Rotation Not Working Smoothly

- Ensure the rotation lever is fully engaged when attempting to rotate.
- Check for any obstructions around the base of the car seat.
- If the car seat is installed with the vehicle's seat belt for older children, the rotation function may be restricted.

### 6.4. Crotch Strap Appears Too Short

- Ensure the crotch strap is routed correctly through the seat pad.
- The crotch strap length is fixed for safety standards. If it consistently feels too short, ensure your child is within the recommended weight and height limits for the seat.

## 7. SPECIFICATIONS



Image: Front and side views of the Infanti FIX 360 Car Seat, displaying its assembled dimensions of 62 x 48.5 x 57 cm.

Feature	Detail
Model Number	232MFR01GRY
Weight Recommendation	Newborn to 36 kg
Minimum Height Recommendation	50 cm
Maximum Height Recommendation	150 cm
Material Type	Plastic, 100% Polyester Fabric
Recline Positions	4
Harness Type	5-point harness
Installation Type	ISOFIX, Top Tether
Rear-Facing Weight Limit	Up to 13 kg
Forward-Facing Weight Limit	9 kg to 36 kg
Product Dimensions (L x W x H)	43 x 52 x 60 cm
Product Weight	9 kg
Special Features	360° Rotation, Adjustable Headrest, Side Impact Protection

## 8. WARRANTY INFORMATION

---

Infanti products are manufactured to high-quality standards and are covered by a manufacturer's warranty against defects in materials and workmanship. The specific warranty period and terms may vary by region. Please retain your proof of purchase for warranty claims.

For detailed warranty information, please refer to the warranty card included with your product or visit the official Infanti website.

## 9. CUSTOMER SUPPORT

---

If you have any questions, concerns, or require assistance with your Infanti FIX 360 Car Seat, please contact Infanti customer service.

- **Online Support:** Visit the official Infanti website for FAQs, product registration, and support contact forms.
- **Contact Information:** Refer to the packaging or the Infanti website for local customer service phone numbers and email addresses.