

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VECELO](#) /

› [VECELO Twin Size Upholstered Platform Bed Frame TB09-BGE User Manual](#)

VECELO TB09-BGE

VECELO Twin Size Upholstered Platform Bed Frame User Manual

Model: TB09-BGE | Brand: VECELO

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your VECELO Twin Size Upholstered Platform Bed Frame. Please read all instructions carefully before assembly and use to ensure proper setup and safe operation. Keep this manual for future reference.

SAFETY INFORMATION

- Do not exceed the product's maximum weight capacity of 600 lbs.
- Ensure all parts are firmly connected before use. Regularly check and tighten all bolts and screws.
- Keep small parts away from children during assembly to prevent choking hazards.
- Assemble the bed frame on a soft, clean surface to prevent scratches or damage.
- Two people are recommended for assembly to ensure safety and ease.

PARTS LIST

Please verify that all components listed below are included in your package:

- 1x Bed frame
- 1x Installation package (hardware and tools)
- 1x Instruction manual
- Upholstered Headboard
- Wooden Slats
- Support Legs

Refer to the included installation package for a detailed list of hardware components (screws, washers, Allen wrench).

SETUP AND ASSEMBLY

Follow these steps for easy assembly. All necessary tools are included.

Step 1: Attach Headboard Legs

Attach the support legs to the upholstered headboard using the provided screws and washers. Ensure they are securely fastened.



Image: Adjustable headboard with attached support legs. The headboard height can be adjusted during this step to accommodate different mattress thicknesses.

Step 2: Assemble Side Rails

Connect the side rails to the headboard and footboard. Use the provided hardware to secure all connections. The side rails feature a warm-toned wood finish.



Image: Close-up of a side rail connection point, showing the secure fastening mechanism.

Step 3: Install Center Support Bar and Legs

Install the metal center support bar and its adjustable legs. This provides crucial stability and prevents mattress sagging.



Image: View of the sturdy wooden slats and metal center support bar, designed for noise-free operation.

Step 4: Place Wooden Slats

Unroll and place the wooden slats across the bed frame. Secure them according to the instructions to ensure a stable foundation for your mattress. No box spring is needed with this platform design.



Image: Close-up of the wooden slats securely placed within the bed frame.

Assembly Video

For a visual guide to the assembly process, please watch the official VECELO assembly video:

Your browser does not support the video tag.

Video: Official VECELO Bed Frame Assembly Guide. This video demonstrates the step-by-step process of assembling the bed frame, including attaching the headboard, side rails, and slats.

OPERATING INSTRUCTIONS


Mattress Placement

Place your twin-size mattress directly onto the wooden slats. The platform design eliminates the need for a box spring.

Headboard Height Adjustment

The upholstered headboard is height-adjustable, ranging from 39.3" to 47.2". To adjust the height, loosen the screws connecting the headboard to its support legs, slide the headboard to the desired position, and then re-tighten the screws securely. This allows for optimal mattress fit and comfort.

Twin Size



600 LB
Weight Capacity



4-12" Mattress
Recommend



Easy to Assemble

Image: Diagram illustrating the dimensions of the VECELO Twin Size Bed Frame, highlighting the adjustable headboard height and under-bed clearance.

MAINTENANCE

Cleaning the Upholstered Headboard

The cotton and linen upholstered headboard should be dry cleaned only. Avoid using liquid cleaners or harsh chemicals, as these may damage the fabric.

Frame Care

Wipe the wooden frame with a soft, damp cloth. Avoid abrasive cleaners. Regularly check all connections and tighten any loose screws to maintain stability.

Under-Bed Clearance

The bed frame provides 5.9 inches of under-bed clearance, allowing for easy cleaning and additional storage space.



Image: A view showing the 5.9-inch under-bed clearance, suitable for robot vacuums or storage containers.

TROUBLESHOOTING

Squeaking Noises

If the bed frame produces squeaking noises, check all bolts and screws. Tighten any loose connections. Ensure the wooden slats are properly seated and not rubbing against the frame.

Instability

If the bed frame feels unstable, re-verify that all assembly steps have been completed correctly and all hardware is securely tightened. Ensure the bed is placed on a flat, even surface.

SPECIFICATIONS

Feature	Detail
Model Number	TB09-BGE
Size	Twin

Product Dimensions	76.3"L x 42.3"W x 39.3"/47.2"H
Material	Wood, Cotton and Linen Upholstery
Color	Beige
Weight Capacity	Up to 600 Lbs
Special Features	Adjustable Headboard, Squeak Resistant, No Box Spring Needed
Assembly Required	Yes (Easy Assembly)
Item Weight	52.8 pounds

WARRANTY AND SUPPORT

VECELO products are designed for quality and durability. For any questions, concerns, or assistance with your bed frame, please contact VECELO customer support. Refer to your purchase documentation for specific warranty details and contact information.

If you encounter issues, please contact us for assistance.