

[Manuals.plus](#) /

› [JEDELEOS](#) /

› JEDELEOS Lower Hose Replacement Manual for Shark Rocket HV300, HV302, HV320, HV321, HV322 Series

JEDELEOS HV300, HV302, HV320, HV321, HV322

JEDELEOS Lower Hose Replacement Manual

For Shark Rocket HV300, HV302, HV320, HV321, HV322 Upright Vacuum Cleaner Series

INTRODUCTION

This manual provides detailed instructions for the installation, maintenance, and troubleshooting of your JEDELEOS Lower Hose replacement for Shark Rocket upright vacuum cleaners. This replacement hose is designed to restore optimal performance to your vacuum cleaner by replacing a worn or damaged lower nozzle hose.

Compatibility

The JEDELEOS Lower Hose is compatible with the following Shark Rocket DeluxePro Ultra-Light Vacuum Cleaner models:

- HV300 Series
- HV302 Series
- HV320 Series
- HV321 Series
- HV322 Series

UNIVERSAL COMPATIBILITY

✓ For Shark Rocket Upright Vacuum Cleaner

HV300/HV301/HV302/HV305/HV308/HV320/HV322/HV380 Series



*The display of the vacuum cleaners is only to illustrate the compatibility of the belts.

Figure 1: Universal Compatibility for Shark Rocket Upright Vacuum Cleaner models.

PACKAGE CONTENTS

Each package contains the following items:

- 2 x Replacement Lower Dust Hoses (6" x 1.25")
- 1 x Cleaning Brush



Figure 2: Contents of the JEDELEOS Lower Hose replacement package.


INSTALLATION INSTRUCTIONS

Follow these steps to replace the lower hose on your Shark Rocket vacuum cleaner. It is recommended to consult your vacuum cleaner's original manual for specific disassembly instructions if needed.

1. **Prepare the Vacuum:** Ensure the vacuum cleaner is unplugged from the power outlet before beginning any maintenance or installation.
2. **Access the Hose Area:** Unlock all switches and remove screws from the bottom of the vacuum cleaner head to take the cover off. Note that some models may require specialized security screwdrivers for disassembly.
3. **Remove Old Hose:** Carefully pull the broken or old hose out until it is completely removed from both ends.
4. **Clean Threaded Parts:** Thoroughly clean any built-up dirt and dust from the threaded parts where the hose connects to the vacuum cleaner. An old toothbrush and electrical contact spray (safe for plastics) can be used for this.

5. **Apply Lubricant (Optional):** For easier installation, apply a light smear of anti-seize lubricant (available at auto parts or hardware stores) onto the threaded sections and the outside of both new hose ends.
6. **Install New Hose - First End:** Place one end of the new hose into the tubing and screw it in. Ensure proper alignment. Some users find it easier to loosely fit both ends together first, then spin the hose into place. Be aware that one end might have a reverse thread.
7. **Install New Hose - Second End:** Place the other end of the hose into the remaining part of the vacuum head, ensuring it is correctly aligned and screwed in. The hose must be inserted in a particular position to avoid premature strain.
8. **Reassemble:** Put the cover back on and secure all screws.
9. **Test:** Reassemble your floor head and test that the vacuum operates correctly.

EASY TO REPLACE



- 1 **Unlock all of the switch and screw from the bottom of vacuum cleaner head and take the cover off.**
- 2 **Take (pull) the broken hose out until it comes out all the way.**
- 3 **Place the hose into the tubing and screw it, then place it into the other end of the vacuum head.**
- 4 **Put the cover back on, lock all the screw then finish installtion.**

*The display of the vacuum cleaners is only to illustrate the compatibility of the belts.

Figure 3: Visual guide for replacing the lower nozzle hose.

OPERATION

After successful installation of the JEDELEOS Lower Hose, your Shark Rocket vacuum cleaner should operate as intended. The new hose is designed to provide efficient airflow and maintain the vacuum's suction power. No special operating procedures are required beyond the standard use of your vacuum cleaner.

MAINTENANCE

Regular maintenance of your vacuum's lower hose can extend its lifespan and ensure efficient cleaning performance.

- **Hose Cleaning:** Use the included cleaning brush to regularly clean the inner wall of the hose. This helps remove accumulated debris and prevents blockages.
- **Gentle Cleaning:** When cleaning the hose, use a mild, non-abrasive cleaner and be gentle with the plastic material.
- **Storage:** Always store your vacuum cleaner in a way that the lower hose is not kept in a bent or strained position. Storing the vacuum upright on its hanger, allowing the floor head to hang straight down, can prevent premature splitting of the hose.

TROUBLESHOOTING

If you encounter issues after installing the replacement hose, consider the following:

- **Hose Does Not Fit:**
 - Double-check that your vacuum cleaner model is listed in the compatibility section (HV300, HV302, HV320, HV321, HV322 Series).
 - Ensure the threaded parts of the vacuum and hose are clean and free of debris.
 - Confirm that you are screwing the hose in correctly. One end may have a reverse thread. Do not force the hose if it feels overly stiff; ensure proper alignment.
 - Some models, like the Shark True Pet HV322, might have specific coil requirements. Verify the original hose's coil thickness if experiencing difficulty.
- **Reduced Suction or Airflow:**
 - Check that both ends of the hose are securely attached and fully screwed into place, preventing air leaks.
 - Inspect the hose for any kinks or blockages. Use the cleaning brush to clear any obstructions.
 - Ensure all vacuum cleaner covers and components are correctly reassembled and secured.
- **Difficulty During Installation:**
 - As mentioned in the installation steps, some vacuum models require specialized security screwdrivers for disassembly.
 - Applying a small amount of anti-seize lubricant to the threads can aid in easier installation.


SPECIFICATIONS

Brand	JEDELEOS
Material	Acrylonitrile Butadiene Styrene (ABS), Steel
Color	Black
Product Dimensions (L x W)	7"L x 1.25"W
Item Weight	0.1 Kilograms
Outside Diameter	1.25 Inches
Nominal Wall Thickness	0.0625 Inches

STANDARD SIZE

- Fit For Shark Rocket Vacuum as perfectly as the original

7in



PREMIUM MADE

- Made of high-quality ABS and Steel Wire material




Figure 4: Detailed view of the hose dimensions and material.

WARRANTY INFORMATION

Specific warranty details for the JEDELEOS Lower Hose replacement are not provided in this manual. Please refer to the product packaging or contact JEDELEOS customer support for information regarding warranty coverage and terms.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding your JEDELEOS Lower Hose, please contact JEDELEOS customer service through the retailer where the product was purchased or visit the official JEDELEOS website if available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question