

Tbest Tbest 698945 (Compatible with Briggs & Stratton 285707, 289707, 28B705, 28M707)

Tbest 698945 Carburetor Instruction Manual

For Briggs & Stratton Engines: 285707, 289707, 28B705, 28M707

1. INTRODUCTION AND OVERVIEW

This manual provides essential information for the installation, operation, maintenance, and troubleshooting of your Tbest 698945 replacement carburetor. This carburetor is designed as a direct replacement part for various Briggs & Stratton engine models, ensuring optimal fuel-air mixture for smooth engine performance.

The Tbest 698945 carburetor is compatible with Briggs & Stratton engine models 285707, 289707, 28B705, and 28M707. It is engineered to meet original equipment specifications for reliable performance in lawn mowers and similar outdoor power equipment.

Key Features:

- Direct replacement for Briggs & Stratton carburetor part number 698945.
- Precisely fits Briggs & Stratton engine models 285707, 289707, 28B705, and 28M707.
- Includes necessary gasket for installation.
- Engineered for optimal fuel and air mixture, promoting smooth engine operation and efficiency.

2. SAFETY PRECAUTIONS

Always prioritize safety when working with engine components and fuel systems. Failure to follow these precautions may result in injury or damage.

- **Disconnect Spark Plug:** Before beginning any work, always disconnect the spark plug wire to prevent accidental engine starting.
- **Work in a Well-Ventilated Area:** Fuel fumes can be hazardous. Ensure adequate ventilation.
- **Avoid Open Flames:** Keep all ignition sources, such as sparks, open flames, and smoking materials, away from the work area.
- **Wear Protective Gear:** Use safety glasses and gloves to protect against fuel splashes and sharp edges.

- **Handle Fuel Carefully:** Drain fuel into an approved container. Clean up any spills immediately.
- **Allow Engine to Cool:** Do not work on a hot engine. Allow sufficient time for the engine to cool down before servicing.

3. PACKAGE CONTENTS

Verify that all items are present in the package before proceeding with installation.

- 1 x Tbest 698945 Carburetor
- 1 x Gasket
- 1 x Accessory (as pictured)



Image 1: The Tbest 698945 carburetor shown with its accompanying gasket and a small accessory, ready for installation.

4. INSTALLATION INSTRUCTIONS

Follow these steps carefully to install the new carburetor. Refer to your engine's specific service manual for detailed instructions on removing the old carburetor, as procedures may vary slightly by engine model.

Required Tools (Not Included):

- Socket wrench set

- Screwdriver set
- Pliers
- Fuel line clamp
- Clean rags

Installation Steps:

1. **Prepare the Engine:** Ensure the engine is cool and the spark plug wire is disconnected. Drain the fuel tank into an approved container.
2. **Remove Air Filter Assembly:** Carefully detach the air filter housing and any associated components to gain access to the carburetor.
3. **Disconnect Fuel Line:** Use a fuel line clamp to pinch off the fuel line, then disconnect it from the old carburetor. Be prepared for minor fuel spills.
4. **Disconnect Linkages:** Detach the throttle and choke linkages from the old carburetor. Note their positions for correct reattachment.
5. **Remove Old Carburetor:** Unbolt the old carburetor from the engine manifold. Remove and discard the old gasket.
6. **Clean Mounting Surfaces:** Thoroughly clean the engine manifold and air filter housing mounting surfaces to ensure a proper seal with the new gasket.
7. **Install New Gasket:** Place the new gasket provided with the Tbest carburetor onto the engine manifold. Ensure it is correctly aligned.
8. **Mount New Carburetor:** Position the new Tbest 698945 carburetor onto the gasket and secure it with the mounting bolts. Tighten bolts evenly to prevent warping.
9. **Reconnect Linkages:** Reattach the throttle and choke linkages to the new carburetor in their original positions. Verify smooth operation.
10. **Reconnect Fuel Line:** Remove the fuel line clamp and securely connect the fuel line to the new carburetor. Check for leaks.
11. **Reinstall Air Filter Assembly:** Reattach the air filter housing and any other components removed earlier.
12. **Refill Fuel Tank:** Add fresh fuel to the tank.
13. **Reconnect Spark Plug:** Reconnect the spark plug wire.
14. **Test Engine:** Start the engine and check for proper operation, smooth idling, and responsiveness. Adjust as necessary.



Image 2: A detailed front view of the Tbest 698945 carburetor, highlighting its main body and fuel inlet.

Fits for Briggs & Stratton 285707, 289707, 28B705, 28M707.



Image 3: A side view of the Tbest 698945 carburetor, showing the throttle linkage and adjustment screws.

5. CARBURETOR FUNCTION AND OPERATION

The carburetor is a crucial component in internal combustion engines, responsible for mixing air and fuel in the correct ratio for combustion. It atomizes fuel and mixes it with air before it enters the engine's cylinders.

When the engine is running, air is drawn into the carburetor through the air filter. Fuel is supplied from the fuel tank to the carburetor's float bowl. Inside the carburetor, a venturi creates a low-pressure area, drawing fuel from the bowl through jets and mixing it with the incoming air. The throttle plate controls the amount of air-fuel mixture entering the engine, thereby regulating engine speed. The choke plate, typically used during cold starts, restricts airflow to create a richer fuel mixture, aiding in ignition.

6. MAINTENANCE GUIDELINES

Regular maintenance of your carburetor ensures optimal engine performance and extends its lifespan. Always refer to your engine's service manual for specific maintenance schedules.

- **Fuel Quality:** Use fresh, clean fuel. Stale or contaminated fuel can clog carburetor jets and passages. Consider using a fuel stabilizer if the equipment will be stored for extended periods.
- **Air Filter:** Regularly inspect and clean or replace the air filter. A dirty air filter can restrict airflow, leading to a rich fuel mixture and poor engine performance.

- **Fuel Filter:** Check and replace the inline fuel filter periodically to prevent debris from reaching the carburetor.
- **Carburetor Cleaning:** If performance issues arise, the carburetor may need cleaning. This typically involves disassembling the carburetor, cleaning jets and passages with carburetor cleaner, and replacing gaskets. This procedure should only be performed by individuals with appropriate mechanical knowledge.
- **Inspection:** Periodically inspect fuel lines, gaskets, and linkages for wear, cracks, or damage. Replace any worn components.

7. TROUBLESHOOTING COMMON ISSUES

This section provides solutions for common problems you might encounter with your carburetor. For complex issues, consult a qualified service technician.

Problem	Possible Cause	Solution
Fuel Leakage from Carburetor	<ul style="list-style-type: none"> • Damaged or improperly seated bowl gasket. • Stuck float or needle valve. • Loose mounting bolts. 	<ul style="list-style-type: none"> • Inspect and replace the bowl gasket if damaged. Ensure it is seated correctly. • Clean or replace the float and needle valve. • Check and tighten carburetor mounting bolts evenly.
Engine Not Starting or Hard to Start	<ul style="list-style-type: none"> • Clogged fuel filter or fuel line. • Clogged carburetor jets. • Improper choke operation. • Stale fuel. 	<ul style="list-style-type: none"> • Check and replace fuel filter. Clear fuel line. • Clean carburetor jets and passages. • Verify choke linkage is functioning correctly. • Drain old fuel and refill with fresh fuel.
Engine Runs Rough or Surges	<ul style="list-style-type: none"> • Partially clogged carburetor jets. • Dirty air filter. • Incorrect fuel-air mixture. • Vacuum leak. 	<ul style="list-style-type: none"> • Clean carburetor jets. • Clean or replace air filter. • Adjust carburetor mixture screws (if applicable and accessible). • Inspect manifold gaskets and fuel lines for leaks.

8. PRODUCT SPECIFICATIONS

Brand	Tbest
Model Number	Tbestzsoqf4gbei (Equivalent to Briggs & Stratton 698945)

Compatible Engine Models	Briggs & Stratton 285707, 289707, 28B705, 28M707
Material	Metal
Weight (Approx.)	289g / 10.2 oz
Recommended Use	Lawn Mower

9. SUPPORT AND WARRANTY INFORMATION

For technical assistance, replacement parts, or warranty inquiries, please contact the manufacturer, Tbest, through their official support channels. Keep your purchase receipt as proof of purchase.

Warranty terms and conditions may vary. Please refer to the documentation provided at the time of purchase or contact Tbest customer service for detailed warranty information.

For additional resources, you may visit the [Tbest Store on Amazon](#).

© 2026 Tbest. All rights reserved.

This manual is for informational purposes only. Always follow safety guidelines and consult a professional if unsure.