

[Manuals.plus](#) /

› [SHEJIO](#) /

› SHEJIO Seamless Portable Compact Dryer Blower Fan Belt Instruction Manual for COSTWAYS EP23598, EP23598us Dryers

SHEJIO EP23598

SHEJIO Seamless Portable Compact Dryer Blower Fan Belt Instruction Manual

Compatible with COSTWAYS EP23598, EP23598us Dryers

1. PRODUCT OVERVIEW

This manual provides essential information for the SHEJIO seamless portable compact dryer blower fan belt. This replacement belt is designed for compatibility with COSTWAYS EP23598 and EP23598us portable compact dryers, specifically those with a 10 Lbs/Pounds capacity and 850W power rating. The belt is a green, rough, and seamless component crucial for the dryer's operation.



Image 1.1: The SHEJIO seamless green dryer belt, designed for durability and smooth operation.

Key Features:

- **Seamless Design:** Engineered without a joint for enhanced strength and longer service life.
- **High Quality Material:** Constructed from a green rough material, offering good toughness, softness, and wear resistance.
- **Optimal Performance:** Designed for high concentricity to ensure quiet and efficient dryer operation.



- **Good toughness**
- **Good softness**
- **High concentricity**


Image 1.2: Demonstrating the belt's flexibility and robust construction, highlighting good toughness, softness, and high concentricity.



- Good wear resistance
- Not easy to crack
- Eamless round belt


Image 1.3: Illustrating the belt's wear resistance and seamless round design, indicating it is not prone to cracking.

Ours



VS

Others



- Seamless
- Higher intensity
- The service life is longer



- Obvious interface
- The joint is easy to break
- High post-maintenance costs



Image 1.4: A visual comparison highlighting the seamless design of the SHEJIO belt versus a typical belt with a joint, emphasizing increased intensity and longer service life.

2. SAFETY INFORMATION

Before attempting any repair or installation on an appliance, please observe the following safety precautions:

- **Disconnect Power:** Always unplug the dryer from the electrical outlet before beginning any work to prevent electric shock.
- **Wear Protective Gear:** Use appropriate personal protective equipment, such as gloves, to protect your hands.
- **Consult Professional:** If you are unsure about any step or procedure, consult a qualified appliance technician.
- **Handle with Care:** Be cautious when handling internal components, as some may have sharp edges.

3. PRODUCT SPECIFICATIONS

Specification	Detail
Brand	SHEJIO
Model Number	EP23598

Compatible Devices	COSTWAYS EP23598, EP23598us Portable Compact Dryers (10 Lbs/Pounds Capacity, 850W)
Material	Green Rough
Belt Style	Seamless Round Belt
Product Dimensions	6 x 4 x 0.4 inches
Item Weight	1.06 ounces (0.03 Kilograms)

4. INSTALLATION GUIDE

Follow these steps carefully to install the dryer blower fan belt. Ensure the dryer is unplugged from the power source before proceeding.

- 1. Prepare the Dryer:** Remove the back metal plate of the dryer.
- 2. Loosen Drum Support:** Loosen all screws on the vertical bracket that supports the dryer drum.
- 3. Support the Drum:** Place a piece of wood or a suitable support under the bracket to maintain the drum's installation height. This prevents the drum from dropping too low.
- 4. Position the Belt:** Grasp the new belt and place it onto the loose support. Stretch it downward to wrap it around the loose bottom support. At this point, the belt should be on the idler pulley.
- 5. Install on Drive Pulley:** Carefully stretch the belt further to position it onto the drive pulley. Ensure the belt is seated correctly and securely on both pulleys.
- 6. Verify and Reassemble:** Once the belt is properly installed, remove the temporary support, tighten all screws on the vertical bracket, and reattach the back metal plate of the dryer.

After installation, manually rotate the dryer drum a few times to ensure the belt moves freely and is correctly aligned before restoring power.

5. CARE AND MAINTENANCE

The SHEJIO seamless dryer belt is designed for durability. To ensure its longevity and optimal performance:

- **Regular Inspection:** Periodically inspect the belt for signs of wear, fraying, or cracking. Replace if any damage is observed.
- **Avoid Overloading:** Do not overload the dryer, as excessive weight can put undue stress on the belt and other components.
- **Cleanliness:** Keep the dryer interior, especially around the drum and pulleys, free from lint and debris, which can interfere with belt operation.

6. TROUBLESHOOTING

If your dryer is experiencing issues after belt replacement, consider the following:

- **Dryer Not Spinning:** Ensure the belt is correctly seated on both the motor pulley and the idler pulley. A loose or improperly installed belt will prevent the drum from turning.
- **Unusual Noises:** Check for any obstructions around the belt or pulleys. Ensure all screws are tightened

and components are properly aligned.

- **Belt Slipping:** Verify that the belt tension is adequate. If the belt feels too loose, re-check the installation steps.

If problems persist, refer to your dryer's original service manual or contact customer support.

7. CUSTOMER SUPPORT

For any questions, concerns, or assistance regarding your SHEJIO dryer blower fan belt, please contact our customer support team.

If you have any dissatisfaction or are unsure whether this product is suitable for your device, please contact us instantly via email. We are committed to finding the most satisfactory solution for you.

Contact Information: Please refer to the seller's contact details on your purchase platform or product packaging for direct assistance.