

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [TRUE MODS](#) /

› [TRUE MODS Black HD Harley Davidson Tail Light Base Plate Replacement \(Part# 68296-99A\) Instruction Manual](#)

TRUE MODS ACCBKT3091-BK

TRUE MODS Black HD Harley Davidson Tail Light Base Plate Replacement (Part# 68296-99A) Instruction Manual

Model: ACCBKT3091-BK | Brand: TRUE MODS

1. INTRODUCTION

This instruction manual provides comprehensive guidance for the installation, operation, and maintenance of your TRUE MODS Black HD Harley Davidson Tail Light Base Plate Replacement. Designed as a direct alternative to OEM Part 68296-99A, this base plate is crafted from durable ABS material and features a glossy finish. It includes a protective foam pad to prevent scratches during and after installation, ensuring a secure and aesthetically pleasing upgrade for your motorcycle.

Please read this manual thoroughly before beginning installation to ensure proper fitment and functionality.

2. COMPATIBILITY

This tail light base plate is designed to be a perfect alternative for OEM Part 68296-99A on 2000-2023 Harley Davidson OEM Fenders. It is compatible with various models including Sportster, Dyna, Road King, Electra Glide, Heritage, and Softail from 2000 onwards.

Important Note: This product DOES NOT fit 2018-2023 Softail models or 2012-2016 Dyna Switchback (FLD) models.

FLAWLESS RIDE, PERSONALIZED LOOK





Image: Compatibility details for the tail light base plate, illustrating models that fit and those that do not.

3. PACKAGE CONTENTS

Verify that all items are present and undamaged upon opening the package:

- 1x Tail Light Base Plate Replacement (Black or Chrome, depending on selection)
- Stainless Steel Screws (for tail light and circuit board)
- Protective Foam Pad



L1	M1	H1
5-7/16"	4-13/16"	4"

W1	W2
13/16"	3-9/16"

Image: The TRUE MODS Tail Light Base Plate Replacement and included stainless steel screws.

4. SETUP AND INSTALLATION

Before starting, ensure your motorcycle is turned off and cooled down. Gather necessary tools such as a screwdriver.

- Remove Existing Tail Light:** Carefully remove the two screws securing your existing tail light to the fender. Gently pull the tail light assembly away from the fender.
- Disconnect Wiring:** Unhook the pigtail connector from the existing tail light.
- Prepare New Base Plate:** Attach the protective foam pad to the back of the new TRUE MODS base plate.
- Connect Wiring (if applicable):** If your new tail light (not included with base plate) requires wiring, connect the corresponding lines to each hole and insert the adapter into the hole of the lamp. (Refer to specific tail light instructions for wiring details).
- Install New Base Plate:** Align the new base plate with the mounting holes on your Harley Davidson OEM fender.
- Secure Base Plate:** Use the provided stainless steel screws to securely fasten the new base plate. Ensure it is snug but do not overtighten.

7. **Re-connect Tail Light:** Re-connect the tail light's pigtail connector to the motorcycle's wiring harness.
8. **Test Functionality:** Turn on your motorcycle and test the running light, brake light, and turn signals to ensure all functions are operational.



Image: Protective foam pad on the base plate for scratch-free installation.




Image: Installation of the base plate with included stainless steel screws.

Installation Video (Example for a similar tail light, general steps apply):

Your browser does not support the video tag.

Video: Installation guide for a similar LED Strobe Brake Tail Light. This video demonstrates general installation steps for tail lights on Harley Davidson motorcycles, including removal of the factory light and wiring connections. (Creator: NTHREEAUTO)

Your browser does not support the video tag.

Video: Demonstration of an LED Tail Light, showing running light, brake light, and turn signal functions. This video provides a visual reference for expected light behavior after installation. (Creator: MOVOTOR)

5. OPERATION

The TRUE MODS Tail Light Base Plate Replacement functions as a mounting bracket for your Harley Davidson tail light. Its operation is directly tied to the tail light assembly it supports.

- **Running Light:** When your motorcycle's ignition is on, the tail light will illuminate, providing constant rear visibility.

- **Brake Light:** When the brake lever or pedal is engaged, the tail light will illuminate brighter to signal braking.
- **Turn Signals:** If your tail light assembly integrates turn signals, they will flash when activated, indicating your intended direction.



Durability Upgrade

Our glossy-coated baseplate replacement, crafted with durable ABS material, adds a touch of premium quality. Stand out on the road with confidence and True Mods' exceptional craftsmanship.

Image: Installed black tail light base plate on a Harley Davidson motorcycle.

6. MAINTENANCE

To ensure the longevity and optimal performance of your tail light base plate, follow these maintenance guidelines:

- **Regular Cleaning:** Clean the base plate regularly with a soft cloth and mild soap to remove dirt and grime. Avoid abrasive cleaners that could damage the glossy finish.
- **Inspect Fasteners:** Periodically check the stainless steel screws to ensure they remain tight. Vibrations from riding can sometimes loosen fasteners over time.
- **Check Foam Pad:** Inspect the protective foam pad for any signs of wear or damage. Replace if necessary to maintain scratch protection.

- **Avoid Harsh Chemicals:** Do not use harsh chemicals or solvents on the base plate, as this can degrade the ABS material and finish.

7. TROUBLESHOOTING

If you encounter any issues after installing the tail light base plate, consider the following:

Problem	Possible Cause	Solution
Tail light not illuminating	Loose wiring connection, faulty tail light bulb/LED, incorrect wiring.	Check all wiring connections for tightness. Ensure the tail light bulb/LED is functional. Verify wiring matches the tail light's instructions.
Tail light flickers	Loose connection, intermittent electrical issue.	Inspect wiring for loose connections or damaged insulation. Consult a professional if the issue persists.
Base plate feels loose	Mounting screws are not tight.	Tighten the stainless steel mounting screws. Do not overtighten.
Scratches on fender after installation	Protective foam pad not installed correctly or damaged.	Remove base plate, inspect foam pad for proper placement and condition. Replace if damaged.

8. SPECIFICATIONS

Feature	Detail
Model Number	ACCBKT3091-BK
Brand	TRUE MODS (Manufacturer: ONLINE LED STORE)
Color	Black (Also available in Chrome)
Material	Durable ABS Plastic
Dimensions (L x W x H)	7.75 x 5 x 1.13 inches
Item Weight	3.52 ounces
OEM Part Alternative	68296-99A
Special Features	Durability Upgrade, Protective Foam Pad



Compatibility

Perfect alternative of OEM Part 68296-99A on 2000-2023 Harley-Davidson OEM Fenders with PN 68296-99A. **DOES NOT Fit 2018-2023 Softail models or 2012-2016 Dyna Switchback (FLD).**

Image: Dimensional drawing of the tail light base plate.



Perfect Fit

Effortlessly upgrade your Harley bikes with our baseplate replacement. stainless screws to secure the tail light and circuit board are included, ensuring a seamless install experience and getting you on the road faster with style.

Image: Available color options: Black and Chrome.

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact the manufacturer, TRUE MODS, or the seller, OnlineLEDStore, directly through their official channels. Refer to your purchase documentation for specific warranty terms and contact details.

OnlineLEDStore's Amazon Store: [Visit Store](#)