

## SISESOL 73"H -Wheels

# SISESOL 73"H -Wheels Metal Garage Storage Cabinet Instruction Manual

Model: 73"H -Wheels

## 1. INTRODUCTION

---

Thank you for choosing the SISESOL 73"H -Wheels Metal Garage Storage Cabinet. This manual provides essential information for the safe assembly, operation, and maintenance of your new storage cabinet. Please read these instructions carefully before use and retain them for future reference.

## 2. SAFETY INFORMATION

---

**WARNING: Failure to follow these safety instructions may result in injury or damage to the product.**

- Do not exceed the maximum weight capacity of 600 lbs for the entire cabinet. Each adjustable shelf has a maximum capacity of 180 lbs.
- Ensure the cabinet is stable and properly secured before loading items.
- Keep all keys out of reach of children to prevent unauthorized access to stored items.
- Always lock the wheels when the cabinet is in a stationary position to prevent accidental movement.
- Assemble the cabinet on a flat, stable surface to prevent tipping.
- Use appropriate personal protective equipment (e.g., gloves) during assembly to avoid cuts or pinches.

## 3. PRODUCT OVERVIEW

---

The SISESOL 73"H -Wheels Metal Garage Storage Cabinet is designed for versatile storage in various environments such as garages, home offices, workshops, and utility rooms. It features a robust cold-rolled steel construction, adjustable shelving, a lockable drawer, and mobile wheels for easy relocation.

## Key Features:

- **Overall Dimensions:** 15.8"D x 31.5"W x 73"H
- **Material:** Cold-rolled Steel with Powder Coated Finish
- **Weight Capacity:** 600 lbs total; 180 lbs per shelf
- **Shelves:** 2 adjustable shelves
- **Drawer:** 1 lockable drawer for small items
- **Locking System:** 3-point locking system with 2 keys for secure storage
- **Mobility:** 4 durable wheels for easy movement
- **Door Features:** Magnetic door closures to keep doors securely shut, pull-out handles for easy opening.

## LARGE CAPACITY, INCREASE SPACE

71" all-in-one model, made of cold-rolled steel forging, more storage and safer



Figure 1: Key features of the SISESOL 73"H -Wheels Metal Garage Storage Cabinet, highlighting magnetic doors, lock with keys, 180 lbs shelf capacity, and 4 wheels.

# Can Tall Items Fit? You Bet

1PC Drawer for Small Items

2PC Adjustable Shelves for Different size

3PC Locks for Keeping Your Valuables Safe

4PC Wheels for Moving Easily



Figure 2: Close-up of cabinet features, showing noise pads for quiet operation, ergonomic pull-out door handles, adjustable shelves for flexible storage, and the secure locking mechanism.

## 4. SETUP AND ASSEMBLY

The SISESOL storage cabinet is designed for straightforward assembly. It comes with easy-to-follow instructions and numbered parts. A screwdriver is included for your convenience. Assembly typically takes approximately 30 minutes.

### Assembly Steps:

1. **Unpack and Inspect:** Carefully unpack all components and lay them out. Verify that all parts are present and undamaged according to the parts list provided in the packaging.
2. **Assemble the Base:** Attach the 4 wheels to the bottom panel of the cabinet using the provided screws. Ensure that the locking wheels are positioned at the front for easy access.
3. **Construct the Frame:** Connect the side panels, back panel, and top panel using the designated fasteners. Follow the numbered parts and diagrams in the included instruction manual for correct orientation.
4. **Install Drawer and Shelves:** Insert the drawer slides and assemble the drawer. Place the adjustable shelves into the desired positions using the shelf pegs. The shelves can be repositioned later as needed.
5. **Attach Doors:** Mount the cabinet doors to the frame, ensuring they swing freely and align correctly.
6. **Final Checks:** Once assembled, ensure all screws are tightened, and the cabinet is stable. Test the door magnets and locking mechanisms.

Video 1: This video demonstrates the assembly process, including attaching the wheels and installing shelves, for the SISESOL Metal Storage Cabinet.



Figure 3: Illustration of attaching the wheels to the cabinet base during assembly.

## 5. OPERATING INSTRUCTIONS

### Adjusting Shelves:

To adjust the height of the shelves, remove all items from the shelf. Carefully lift the shelf and remove the four shelf pegs from their current slots. Reinsert the pegs into the desired slots at the new height, ensuring they are level, then place the shelf back onto the pegs. This allows for flexible storage of items of varying sizes.

### Using the Locking Mechanism:

The cabinet features a 3-point locking system for the main doors and a separate lock for the drawer. Insert the corresponding key into the lock and turn to secure or unlock. Always ensure the doors and drawer are fully closed before locking. Keep the spare key in a safe, accessible location.

### Moving the Cabinet:

To move the cabinet, ensure all items are securely placed and doors/drawer are closed. Unlock the wheels by flipping the lever on each wheel. Carefully push or pull the cabinet to its new location. Once in position,

lock all wheels to prevent unintended movement.



Figure 4: Interior of the cabinet demonstrating the adjustable shelves and drawer for organized storage.

Video 3: This video highlights the storage capacity and locking features of the SISESOL Metal Cabinet.

## 6. MAINTENANCE

---

### Cleaning:

To clean the cabinet, simply wipe surfaces with a damp cloth. Avoid using abrasive cleaners or harsh chemicals, as these may damage the powder-coated finish.

### Regular Inspection:

Periodically check all fasteners to ensure they remain tight. Inspect the wheels for smooth operation and ensure the locking mechanism functions correctly. Lubricate moving parts like door hinges and drawer slides if necessary.

## 7. TROUBLESHOOTING

---

### Cabinet is unstable or wobbles:

- Ensure all assembly screws are fully tightened.
- Verify the cabinet is placed on a level surface. Adjust the leveling feet (if present) or reposition the cabinet.
- Distribute stored items evenly to maintain balance.

### Doors do not close properly or are misaligned:

- Check for any obstructions preventing the doors from closing.
- Inspect hinges for damage or loose screws. Tighten or adjust as needed.
- Ensure the cabinet frame is square and not twisted from uneven assembly.

### Wheels do not lock effectively:

- Ensure the locking lever on each wheel is fully engaged.
- Check for debris or damage to the wheel locking mechanism. Clean or replace if necessary.
- For added stability, especially with heavy loads, consider placing weights in the bottom of the cabinet when stationary.

## 8. SPECIFICATIONS

Feature	Detail
Brand	SISESOL
Model	73"H -Wheels
Color	Black
Material	Cold-rolled Steel
Product Dimensions (D x W x H)	15.8" x 31.5" x 73"
Weight Capacity (Total)	600 lbs
Weight Capacity (Per Shelf)	180 lbs
Number of Shelves	2 (Adjustable)
Number of Drawers	1
Lock Type	Key (3-point locking system)
Mobility	4 Wheels (Lockable)
Assembly Required	Yes
Recommended Uses	Files & Folders, Home Storage, Tools

## 9. WARRANTY AND SUPPORT

SISESOL is committed to providing quality products and customer satisfaction. If you encounter any issues

with your storage cabinet, please contact our online customer service. We aim to resolve your concerns within 24 hours.

For specific warranty details, please refer to the documentation included with your purchase or contact SISESOL customer support directly.

© 2026 SISESOL. All rights reserved.