

Waterdrop WD-EDFA

Waterdrop WD-EDFA Alkaline Filter Replacement Instruction Manual

Model: WD-EDFA

INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Waterdrop WD-EDFA Alkaline Filter Replacement. Please read these instructions carefully before use to ensure optimal performance and longevity of your product.

PRODUCT OVERVIEW

The Waterdrop WD-EDFA Alkaline Filter is designed to replace filters in compatible Waterdrop Electric Pitcher models. It features advanced filtration technology to improve water quality and increase pH levels.

Key Features

- **Alkaline Filtration:** Provides a prolonged slow release for pH balancing, increasing initial pH by 1.5-2.5.
- **Contaminant Reduction:** Effectively reduces over 30 contaminants, including chlorine, PFOA/PFOS, lead, and other impurities.
- **Material Safety:** Constructed from BPA-free and Lead-free materials.
- **Filter Life:** Each filter lasts up to 3 months or 200 gallons, whichever occurs first.

Compatible Models

This filter is compatible with the following Waterdrop Electric Water Filter Pitcher models:

- WD-ED01AW
- WD-ED01AB
- WD-ED01B
- WD-ED01W

- WD-EDC01W
- WD-ED02W
- WD-ED02B
- WD-ED04W-L
- WD-ED04B-L

SPECIFICATIONS

Property	Value
Material	Carbon Fiber
Product Dimensions	2.36"D x 2.36"W x 5.12"H
External Testing Certification	ANSI (NSF/ANSI 42 & 372)
Filter Life	Up to 3 months or 200 gallons
Flow Rate	Up to 0.21 GPM (0.8 LPM)
Temperature Range	33-101 °F / 1-38 °C
Item Weight	5.3 ounces

SETUP AND INSTALLATION

Initial Preparation

Before installing the new filter, ensure your Waterdrop Electric Pitcher is clean and empty.

Filter Installation Steps

1. Remove the water pumping unit from the pitcher.
2. Pinch the buckles on both sides of the existing filter and pull it out. Allow any remaining water to drain from the old filter.
3. Insert the new Waterdrop WD-EDFA filter into the water pumping unit. Align the buckles to the notches and push until a "click" sound is heard, indicating it is securely in place.
4. Place the water pumping unit back into the pitcher.
5. Fill the pitcher with tap water up to the MAX fill line.
6. Tap the "Drop" button once to activate the pitcher. Press and hold the "Drop" button for 3 seconds. When the button turns blue, the filter is successfully replaced and ready for use.



This image illustrates the five-step process for replacing the filter: 1. Pull out the water pumping unit. 2. Push the filter inwards and pull it out. 3. Align buckles and insert new filter. 4. Listen for a 'click'. 5. Tap and hold the 'Drop' button to activate.

OPERATING INSTRUCTIONS

To dispense filtered water, ensure the pitcher is filled and the filter is correctly installed.

1. Place a glass or container under the dispenser spout.
2. Double-tap the "Drop" button on the top of the water pumping unit to start water flow.
3. Single-tap the "Drop" button to stop water flow.

The indicator light on the water pumping unit will show the operational status of the pitcher.

MAINTENANCE

Filter Replacement

For optimal performance and water quality, it is recommended to replace the filter after filtering 200 gallons of water or every 3 months, whichever occurs first. Local water quality may affect filter life.

Refer to the "Filter Installation Steps" in the Setup and Installation section for detailed replacement instructions.



Waterdrop

Filter Model: WD-EDFA



Specifications

Compatible Model WD-ED01W, WD-ED01B,
WD-ED01AW, WD-ED01AB, WD-EDC01W,
WD-EDC01B, WD-ED02W, WD-ED02B,
WD-ED04W-L, WD-ED04B-L

Temperature 33-101 °F / 1-38 °C

Flow Rate Up to 0.21 GPM (0.8 LPM)

Filter Life: Up to 3 months or 200 gallons.
(which may vary according to local water quality)

Qingdao Ecopure Filter Co., Ltd.

Tel: 1-888-352-3558 (U.S.)

E-mail: service@waterdropfilter.com

Add.: No.13, Yishengbai Road Jimo, Qingdao, China



Made in China V002

EPA Est. No. 95301-CHN-1

This image displays the Waterdrop WD-EDFA filter, highlighting its model number, compatible pitcher models, operating temperature range, flow rate, and recommended filter life of up to 3 months or 200 gallons.

Cleaning

Regularly clean the pitcher and water pumping unit with mild soap and water. Do not use abrasive cleaners. Ensure all parts are thoroughly rinsed before reassembly.

TROUBLESHOOTING

Slow Water Flow

- Check if the filter needs replacement. A clogged filter can reduce flow rate.
- Ensure the filter is correctly seated in the water pumping unit.

Water Taste or Odor Issues

- Replace the filter if it has exceeded its recommended lifespan.
- Ensure the pitcher and filter unit are clean.

Indicator Light Not Functioning

- Check if the unit's battery is charged. Connect the USB charging cable.
- Ensure the water pumping unit is properly seated in the pitcher.

WARRANTY AND SUPPORT






For warranty information or technical support, please refer to the official Waterdrop website or contact Waterdrop customer service directly.

Email: service@waterdropfilter.com

Phone: 1-888-352-3558 (U.S.)

Related Documents - WD-EDFA

<div><p>Waterdrop Replacement Filter Installation Manual Model: WD-EDF</p><p>Replacement for the following water filtration systems: Waterdrop Filter Series (Flash, Power, and Pureit Series) Whisper Series (Whisper, Whisper Pro, and Whisper Pro Max)</p><p>Filter life: Up to 6 months or 500 gallons (whichever comes first, depending on water quality). ⚠️ Warning: Do not use this filter for drinking water. It is designed for use in water dispensers only. Do not use this filter for drinking water. It is designed for use in water dispensers only. Do not use this filter for drinking water. It is designed for use in water dispensers only.</p><p>Filter Replacement Guide:</p><p>Figure 1: Remove the old filter from the water dispenser. Pull the filter out of the water dispenser. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it.</p><p>Figure 2: Insert the new filter into the water dispenser. Push the filter into the water dispenser. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it.</p><p>Figure 3: Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it.</p><p>Figure 4: Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it. The filter will be held in place by a red cap. Turn the cap clockwise to remove it.</p><p>Storage and maintenance: Store the filter in a cool, dry place. Do not use the filter for drinking water. It is designed for use in water dispensers only. Do not use this filter for drinking water. It is designed for use in water dispensers only. Do not use this filter for drinking water. It is designed for use in water dispensers only.</p></div>	<p>Waterdrop WD-EDF Replacement Filter Installation Manual and Performance Data</p> <p>Installation guide and performance data for the Waterdrop WD-EDF replacement filter for Flash Powerful Countertop Water Filtration Systems. Includes filter replacement steps, FAQs, and NSF/ANSI certification details.</p>
---	---

	<p>Waterdrop WD-F1/WD-FIA Replacement Filter Installation Guide</p> <p>Step-by-step instructions for installing the Waterdrop WD-F1/WD-FIA replacement filter for Waterdrop X Series Reverse Osmosis Systems. Includes filter life, storage, maintenance, and FAQs.</p>
	<p>Waterdrop Brand Cooperation Manual: Leading Residential Water Treatment Solutions</p> <p>Explore the Waterdrop Brand Cooperation Manual, detailing their leading position in residential water treatment solutions, product offerings, and distributor support programs. Learn about their innovative technology, global presence, and commitment to quality.</p>
	<p>Waterdrop WD-F1/WD-FIA Filter Replacement Installation Guide</p> <p>Step-by-step instructions for installing Waterdrop WD-F1 and WD-FIA replacement filters for X Series Reverse Osmosis Systems. Includes filter life, maintenance tips, FAQs, and warnings.</p>
	<p>Waterdrop X Series Reverse Osmosis System Filter Replacement Guide</p> <p>Step-by-step instructions for replacing the filter in your Waterdrop X Series Reverse Osmosis System (models WD-X8, WD-X10, WD-X12, WD-X14, WD-X16). Includes installation, maintenance, and FAQ.</p>
	<p>Waterdrop WD-UB Undersink Water Filtration System Installation Instructions</p> <p>Comprehensive installation guide for the Waterdrop WD-UB Quick Connect Undersink Water Filtration System. Includes specifications, step-by-step instructions, troubleshooting FAQs, and performance data.</p>