



Manuals.plus /

› VEVOR /

› VEVOR 20L Mini Fridge User Manual

VEVOR Mini Fridge for Bedroom

VEVOR 20L Mini Fridge User Manual

Model: Mini Fridge for Bedroom (20L Skincare Fridge)

INTRODUCTION

Thank you for choosing the VEVOR 20L Mini Fridge. This compact and versatile appliance is designed for cooling and warming various items, including beverages, food, skincare products, and medicines. Its portable design and dual AC/DC power options make it suitable for home, office, dorm, RV, and car use. Please read this manual thoroughly before operation to ensure proper use and maintenance.



Image: Front view of the VEVOR 20L Mini Fridge, showcasing its sleek black and white design and digital temperature display on the door.

SAFETY INSTRUCTIONS

To prevent injury or damage, always observe the following safety precautions:

- Ensure the power supply matches the voltage specified on the appliance.
- Do not immerse the appliance, cord, or plug in water or other liquids.
- Keep ventilation openings clear and unobstructed.
- Do not use the appliance near water or in excessively humid environments.
- Unplug the appliance when not in use or before cleaning.
- Do not attempt to repair or modify the appliance yourself. Contact qualified service personnel.
- Keep out of reach of children.
- Avoid blocking the internal fan or vents.
- Do not place hot items directly into the fridge when in cooling mode, allow them to cool first.

- When switching between cooling and warming modes, allow the unit to rest for at least 30 minutes to prevent damage to the thermoelectric system.

PRODUCT FEATURES

- **20 Liters Capacity:** Holds up to 22 cans (12oz) or various skincare products, food, and beverages.
- **Cooling & Warming Functions:** Cools to 32-44.6°F (41.4°F below ambient) and warms up to 149°F.
- **Touch Screen Control:** Intuitive digital display for temperature setting and monitoring.
- **Outage Memory Function:** Restores previous temperature settings after a power interruption.
- **Low Noise Operation:** Operates at less than 45dB, suitable for quiet environments.
- **Dual Power Supply:** Includes 120V AC for home/office and 12V DC for car use.
- **Portable Design:** Lightweight at approximately 12.12 lbs with carrying handles.



Image: The VEVOR Mini Fridge positioned on a desk, illustrating its compact size and highlighting key features such as its 20L capacity, ability to cool and warm, low noise operation, and suitability for both home and car use.

SETUP

1. **Unpacking:** Carefully remove the mini fridge from its packaging. Retain packaging for future transport or storage.
2. **Placement:** Place the fridge on a flat, stable surface. Ensure adequate ventilation around the unit (at least 4 inches of space on all sides, especially the back where the fan is located). Avoid direct sunlight or heat sources.
3. **Power Connection:**
 - **For AC (Home/Office Use):** Connect the AC power cord to the fridge's AC input port, then plug the other end into a standard 120V AC wall outlet.
 - **For DC (Car Use):** Connect the DC power cord to the fridge's DC input port, then plug the other end into your vehicle's 12V cigarette lighter socket.
4. **Initial Use:** For optimal performance, allow the fridge to operate empty for at least 2 hours before placing items inside, especially when using the cooling function.

OPERATING INSTRUCTIONS

The VEVOR Mini Fridge features a touch screen control panel for easy operation.

INTELLIGENT TEMPERATURE CONTROL



Image: A hand interacting with the touch screen control panel on the VEVOR Mini Fridge, demonstrating the ease of adjusting settings and viewing the current temperature.

1. **Power On/Off:** Touch the power icon () on the touch screen to turn the unit on or off.
2. **Mode Selection (Cooling/Warming):** Touch the mode icon (often represented by a snowflake/sun or similar symbol) to switch between cooling and warming functions.
 - **Cooling Mode:** The internal temperature will decrease to approximately 32-44.6°F, depending on ambient conditions. It takes about 2 hours to reach the desired temperature.
 - **Warming Mode:** The internal temperature can reach up to 149°F. It takes about 2 hours to reach the desired temperature.



Image: An illustrative diagram of the VEVOR Mini Fridge demonstrating its dual cooling and warming capabilities, with a visual scale indicating the adjustable temperature range from 32°F to 149°F.

3. **Temperature Adjustment:** Use the up (▲) and down (▼) arrows on the touch screen to set your desired temperature. The display will show the current internal temperature.
4. **Outage Memory:** The fridge is equipped with an outage memory function. If power is interrupted, the unit will automatically resume its last set temperature when power is restored.
5. **Internal Organization:** The fridge includes removable shelves and door baskets for organizing contents. Adjust or remove them as needed for different sized items.

MAINTENANCE

Regular cleaning and proper care will extend the life of your VEVOR Mini Fridge.

- **Cleaning:**

- Always unplug the unit before cleaning.
- Wipe the interior and exterior surfaces with a soft cloth dampened with mild soap and water.
- Do not use abrasive cleaners, solvents, or harsh chemicals.
- Ensure the unit is completely dry before plugging it back in.

- **Ventilation:** Periodically check and clean the ventilation openings on the back and sides of the unit to ensure proper airflow. Dust or debris can be removed with a soft brush or vacuum cleaner.
- **Storage:** If storing the fridge for an extended period, ensure it is clean, dry, and unplugged. Store in a cool, dry place.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not power on.	No power supply; loose connection; faulty outlet.	Check power cord connection; try a different outlet; ensure vehicle's 12V socket is working.
Not cooling/warming effectively.	Blocked ventilation; ambient temperature too high/low; door not sealed properly; insufficient time to reach temp.	Ensure vents are clear; allow 2 hours for temperature stabilization; check door seal; avoid placing in extreme temperatures.
Excessive noise.	Fan obstruction; unit not level.	Check for obstructions around the fan; ensure the unit is on a flat, stable surface.
Condensation inside.	Frequent door opening; high humidity; door seal issue.	Minimize door openings; ensure door is closed tightly; wipe away condensation regularly.

If the problem persists after attempting these solutions, please contact VEVOR customer support.

SPECIFICATIONS

Feature	Detail
Brand	VEVOR
Model	Mini Fridge for Bedroom (20L Skincare Fridge)
Capacity	20 Liters (approx. 22 x 12oz cans)
Cooling Temperature	32 - 44.6°F (41.4°F below ambient)
Warming Temperature	Up to 149°F
Power Input	AC 120V, DC 12V
Noise Level	≤ 45 dB
Item Weight	Approx. 12.12 lbs (5.5 kg)
Product Dimensions (L x W x H)	13 x 18 x 15 inches (33 x 45.7 x 38.1 cm)
Included Components	Mini fridge, AC power cord, DC power cord, user manual

Capacity (L):	20 L / 22 Cans
Inner Liner Material:	Aluminum Liner
Power(AC120V, 60Hz):	Cooling: 70W, Heating: 60W
Power(DC12V):	Cooling: 55W, Heating: 50W
Temp Range:	-9°C~65°C / 16~149 °F
Weight:	12.12 lbs / 5.5 kg
Noise:	≤45 dB



Image: A detailed diagram illustrating the physical dimensions of the VEVOR Mini Fridge and a table summarizing its key specifications such as capacity, power consumption, temperature range, weight, and noise level.

WARRANTY AND SUPPORT

VEVOR products come with a standard warranty. For specific warranty details, including duration and coverage, please refer to the warranty card included with your product or visit the official VEVOR website.

For technical support, troubleshooting assistance, or warranty claims, please contact VEVOR customer service:

- **Website:** www.vevor.com
- Refer to your product packaging or included documentation for direct contact information (phone/email).

Please have your model number (Mini Fridge for Bedroom) and purchase date available when contacting support.

