

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [VEVOR](#) /

› [VEVOR Garden Cart Rolling Workseat \(Model: TC4501S-GN\) User Manual](#)

## VEVOR TC4501S-GN

# VEVOR Garden Cart Rolling Workseat (Model: TC4501S-GN) User Manual

Model: TC4501S-GN

## 1. INTRODUCTION

---

Thank you for choosing the VEVOR Garden Cart Rolling Workseat. This manual provides essential information for the safe assembly, operation, and maintenance of your new gardening tool. Please read it thoroughly before use and retain it for future reference.

## 2. SAFETY INSTRUCTIONS

---

- Always ensure the workseat is on a stable, level surface before sitting.
- Do not exceed the maximum weight capacity of 300 lbs (136 kg).
- Keep hands and feet clear of moving wheels and steering mechanisms.
- Avoid using the workseat on excessively steep inclines or uneven terrain to prevent tipping.
- Store the workseat in a dry, protected area to prevent rust and prolong its lifespan.
- Children should only use the product under adult supervision.

## 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning assembly:

- Main Frame Assembly
- Seat (360-degree swivel)
- Extendable Steering Handle
- 10-inch Inflatable Tires (4x)
- Utility Tool Tray
- Metal Storage Basket
- Hardware Kit (bolts, nuts, washers)
- Protective Seat Cover

- Instruction Manual

## 4. SETUP AND ASSEMBLY

---

Assembly typically takes approximately 20-30 minutes. A Phillips screwdriver, box wrenches, or socket tools may be required.

1. **Attach Wheels:** Securely attach the four 10-inch inflatable tires to the main frame using the provided hardware. Ensure all nuts and bolts are tightened.
2. **Install Utility Tool Tray:** Mount the utility tool tray beneath the seat frame. Ensure it is firmly attached.
3. **Attach Metal Storage Basket:** Fasten the metal storage basket to the rear of the main frame.
4. **Assemble Steering Handle:** Connect the extendable steering handle to the front axle assembly. Ensure the handle can extend and rotate freely.
5. **Mount Swivel Seat:** Attach the 360-degree swivel seat to the top of the main frame. Ensure the swivel mechanism operates smoothly.
6. **Final Check:** Verify all connections are secure and the wheels and steering operate correctly before first use.

# HEIGHT ADJUSTABLE GARDEN SEAT

Relieve pressure on lower back and spine



300 lbs



Adjustable Height



360-degree  
Swiveling Seat



*Image: All components of the VEVOR Garden Cart Rolling Workseat laid out for assembly, including the frame, wheels, seat, handle, and storage.*

# ADJUSTABLE STEERING HANDLE

Enhanced maneuverability



**Extendable Length**



**Rotatable Handle**

*Image: A close-up view of the adjustable steering handle, showing its extendable length and rotatable design for enhanced maneuverability.*

# 10" INFLATED ANTISKID TIRES

Suitable for Different Road Conditions

○ Sand Beach

○ Road & Slopes

○ Garden & Lawn



Image: Detailed view of the 10-inch inflatable anti-skid tires, suitable for various terrains like sand, roads, slopes, and grass.

# STURDY METAL STORAGE BASKET

Convenient storage for gardening tools



Storage tray under the seat



Metal Basket on the back



Image: The garden cart showcasing its sturdy metal storage basket at the rear and the convenient utility tool tray located under the seat.

# REINFORCED & DURABLE STEEL

Resistant to cracking



Corrosion-proof



No Deformation



Indoor & Outdoor

Dust-proof, Waterproof Cover



**25mm**  
Steel Frame



*Image: A close-up highlighting the reinforced 25mm cross-sectional steel frame, emphasizing its corrosion-proof, no-deformation, and durable construction for indoor and outdoor use.*

# Specifications

- **Item Model Number:** TC4501S-GN
- **Loading Capacity:** 300 lbs/136 kg
- **Wheel Size:** 10 inch
- **Product Size:** 29.9 x 17.7 x 37.8 in / 760x450x960 mm
- **Seat:** Height Adjustable, Direction Rotatable (Seat Height: 17.71-21.25 in)
- **Type:** All-Metal/Rolling
- **Net Weight:** 31.3 lbs
- **Tire Pressure:** 30 psi MAX
- **Handle:** Height Adjustable 9.84 in
- **Number of Wheels:** 4
- **Metal Frame Dimensions:** 9.21 x 4.44 x 7.75 in



Image: A diagram detailing the specifications and dimensions of the VEVOR Garden Cart, including item model number, loading capacity, wheel size, net weight, tire pressure, handle height, number of wheels, metal frame dimensions, product size, and seat height range.

## 5. OPERATING INSTRUCTIONS

- **Sitting:** Carefully sit on the 360-degree swivel seat. The widened and thickened seat is designed for comfort during extended use.
- **Swiveling:** Rotate the seat to easily access different areas around you without needing to stand up or reposition the entire cart.
- **Moving:** Use the extendable steering handle to pull or push the cart. The 10-inch inflatable tires provide smooth movement across various terrains.
- **Tool Storage:** Utilize the utility tool tray beneath the seat and the metal storage basket at the rear to keep your gardening tools and supplies organized and within reach.
- **Adjusting Handle:** The steering handle can be adjusted for length and angle to suit your preference and task.



*Image: A woman comfortably seated on the VEVOR Garden Cart, demonstrating its use for gardening tasks, highlighting the adjustable height and 360-degree swivel seat.*

## 6. MAINTENANCE

---

- **Cleaning:** Wipe down the metal frame and seat with a damp cloth after each use to remove dirt and debris.
- **Rust Prevention:** Although the steel is reinforced and corrosion-proof, storing the cart in a dry place and using the protective seat cover will further extend its life, especially in humid environments.
- **Tire Pressure:** Periodically check the pressure of the inflatable tires. Maintain appropriate pressure for optimal performance and smooth rolling.
- **Lubrication:** Apply a small amount of lubricant to the swivel mechanism of the seat and wheel axles annually to ensure smooth operation.
- **Hardware Check:** Regularly inspect all bolts, nuts, and connections to ensure they are tight. Retighten as necessary.



Image: The protective seat cover included with the VEVOR Garden Cart, designed to shield the seat from elements when stored outdoors.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Difficulty rolling or steering	Low tire pressure; debris in wheels; loose axle bolts.	Check and inflate tires; clear debris from wheels; tighten axle bolts.
Seat not swiveling smoothly	Lack of lubrication; debris in swivel mechanism.	Apply lubricant to the swivel mechanism; clean any debris.
Cart feels unstable	Loose frame connections; uneven load distribution.	Inspect and tighten all frame bolts; distribute weight evenly on the cart.

## 8. SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Model Number	TC4501S-GN
Brand	VEVOR
Material	Carbon Steel (Frame), Alloy Steel (Handle)
Color	Green
Product Dimensions (L x W x H)	29.9"D x 17.7"W x 17.7"H (760 x 450 x 960 mm)
Item Weight	29.98 lbs (13.6 kg)
Weight Limit	300 lbs (136 kg)
Number of Wheels	4
Tire Type	10-inch Inflatable, Tubeless (30 psi MAX)
Seat Features	Height Adjustable (17.71-21.25 inches), 360-degree Swivel
Handle Features	Extendable, Rotatable
Storage	Utility Tool Tray, Metal Storage Basket

## 9. WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the official VEVOR website or contact their customer service directly. Keep your purchase receipt and model number (TC4501S-GN) handy for any inquiries.

**Online Support:** [www.vevor.com](http://www.vevor.com)

