**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



**PKPOWER 87912EW, 87912EWSRS**

# PKPOWER AC Adapter Charger Instruction Manual

For Moen Georgene Kitchen Faucet Models 87912EW and 87912EWSRS

## 1. Introduction

This manual provides essential instructions for the safe and effective use of your PKPOWER AC Adapter Charger. Please read this manual thoroughly before installation and operation, and retain it for future reference. This adapter is designed to provide power to compatible Moen Georgene Kitchen Faucet models 87912EW and 87912EWSRS.

## 2. Product Overview

The PKPOWER AC Adapter Charger is a reliable power supply unit designed for specific Moen kitchen faucet models. It converts standard AC wall power to the appropriate DC voltage required by your faucet.

### 2.1 What's in the Box

- 2 x PKPOWER AC Adapter Charger

### 2.2 Product Images




**Figure 1:** A front view of the black PKPOWER AC adapter, showing the two-prong plug, the adapter body with 'AC Adapter Input: 100-240VAC 0.3A 50/60Hz' text, and the attached power cord coiled neatly.




**Figure 2:** An angled view of the black PKPOWER AC adapter, highlighting its compact design and the attached power cord.




**Figure 3:** A view of the PKPOWER AC adapter with measurements indicating its length (2.87 inches), width (1.57 inches), and height (1.18 inches).

## 3. Setup Instructions

1. **Verify Compatibility:** Ensure your Moen Georgene Kitchen Faucet model is either 87912EW or 87912EWSRS. This adapter is specifically designed for these models.
2. **Locate Faucet Power Port:** Identify the power input port on your Moen kitchen faucet. Refer to your faucet's instruction manual if you are unsure.
3. **Connect Adapter to Faucet:** Carefully insert the adapter's output connector into the power input port of your faucet. Ensure a secure connection.
4. **Connect Adapter to Power Outlet:** Plug the AC adapter into a standard 100-240V wall outlet.
5. **Test Functionality:** After connecting, test your faucet to ensure it is receiving power and operating correctly.

**Important:** Always ensure the power outlet is easily accessible for quick disconnection if needed.

## 4. Operating Instructions

Once properly connected, the PKPOWER AC Adapter Charger continuously supplies power to your compatible Moen kitchen faucet. No further user interaction with the adapter itself is typically required during operation.

### 4.1 Safety Precautions

- Do not expose the adapter to water or excessive moisture.
- Do not disassemble or attempt to repair the adapter.
- Ensure proper ventilation around the adapter to prevent overheating.
- Disconnect the adapter from the power outlet during electrical storms or when unused for long periods.
- This adapter features **OVP (Over Voltage Output Protection)**, **OCP (Over Current Output Protection)**, and **SCP (Short Circuit Output Protection)** to safeguard your device.

## 5. Maintenance

The PKPOWER AC Adapter Charger requires minimal maintenance.

- Keep the adapter clean by wiping it with a dry, soft cloth.
- Avoid using harsh chemicals or abrasive cleaners.
- Regularly check the power cord for any signs of damage, fraying, or kinks. If damage is observed, discontinue use immediately and replace the adapter.

## 6. Troubleshooting

If you experience issues with your PKPOWER AC Adapter Charger, consider the following:

- **No Power to Faucet:**
  - Ensure the adapter is securely plugged into both the wall outlet and the faucet's power port.
  - Check if the wall outlet is functional by plugging in another device.
  - Inspect the adapter's cord for any visible damage.
- **Intermittent Power:**
  - Ensure all connections are firm and not loose.
  - Avoid bending or stressing the power cord at connection points.

If troubleshooting steps do not resolve the issue, please contact customer support.

## 7. Specifications

| | |
|---|---|
| **Input Voltage** | 100-240V AC, 50-60Hz |
| **Compatibility** | Moen Georgene Kitchen Faucet Models 87912EW, 87912EWSRS |
| **Certifications** | CE / FCC / RoHS certified |
| **Protection Features** | OVP (Over Voltage Output Protection), OCP (Over Current Output Protection), SCP (Short Circuit Output Protection) |
| **Product Dimensions** | 4 x 2 x 0.5 inches (approximate) |
| **Item Weight** | 4 ounces (approximate) |
| **Color** | Black |

## 8. Warranty and Support

PKPOWER products are tested by the manufacturer to match and/or exceed OEM specifications. Our friendly and reliable customer service team is available to assist you with any questions or concerns. You can expect a response within 24 hours for support inquiries.

© 2023 PKPOWER. All rights reserved.

## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

**Open the live page**

**https://manuals.plus/asin/B0CHW2VTH1**

More documents and user manuals: **https://manuals.plus/**