Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Deepwave 679e120d-4378-452a-814b-020bd8d38752

Deepwave 3L Ultrasonic Cool Mist Humidifier

INSTRUCTION MANUAL

1. Introduction

Thank you for choosing the Deepwave 3L Ultrasonic Cool Mist Humidifier. This manual provides essential information for the safe and efficient operation, maintenance, and care of your humidifier. Please read it thoroughly before first use and retain it for future reference.

2. Product Components

The Deepwave 3L Ultrasonic Cool Mist Humidifier includes the following main components:

- Humidifier Base with Control Panel and LCD Display
- Water Tank (3L capacity)
- Top Cover with Mist Nozzle
- Foam Scrub Brush for cleaning
- Water Purification Device
- Aromatherapy Box with Sponge
- Power Cord



Image 1: Deepwave 3L Ultrasonic Cool Mist Humidifier. This image shows the humidifier from the front, with a hand pouring water into the top. The digital display shows '50' and mist is visible from the nozzle.

3. Setup Instructions

1. **Unpacking:** Carefully remove the humidifier from its packaging. Remove any tape securing the water tank to the base and any protective film from the LCD screen.
2. **Remove Internal Packaging:** Lift the water tank off the base. Remove any foam or internal packaging from the base and tank.
3. **Install Mist Nozzle:** Place the mist nozzle onto the top cover. Ensure it clicks into place. The nozzle allows for single or dual mist output by rotating its inner part.

4. **Place Water Purification Device:** The water purification device can be placed anywhere inside the water tank.
5. **Fill Water Tank:** Place the water tank back onto the base. You have two options for filling:
    - **Top-Fill:** Simply lift the top cover and pour clean, cool tap water directly into the tank. Do not pour water into the mist nozzle opening.
    - **Remove Tank:** Lift the tank off the base, fill it from the bottom opening (ensure the valve is closed), and then place it back on the base.

    Ensure the water level does not exceed the maximum fill line.
6. **Connect Power:** Plug the power cord into the humidifier's power port on the backside and then into a suitable electrical outlet.



Image 2: This diagram illustrates the internal components of the humidifier, including filters and the water purification device. It also shows how to remove the sponge foam and clean nebulizer tablets.



Image 3: This composite image highlights the humidifier's user-friendly design, showing direct top-fill, adding essential oils to the aromatherapy box, filling the tank with water, and the ease of cleaning.

4. Operating Instructions

The humidifier features a touch-sensitive control panel with an LCD display.



Image 4: A detailed view of the humidifier's control panel, showing the LCD display and labeled buttons for power, mist level, humidity setting, timer, and sleep mode.

- **Power ON/OFF:** Press the **ON/OFF** button to turn the humidifier on or off.
- **Adjust Mist Level:** Use the **MIST+** and **MIST-** buttons to select one of three mist output levels. The current level will be displayed on the LCD.
- **Set Humidity:** Press the **HUMIDITY** button to set your desired relative humidity (RH) level. You can choose from 40% to 90% RH in 5% increments. The humidifier will automatically maintain this level.
- **Set Timer:** Press the **TIMER** button to set an operating time between 2 and 96 hours. The humidifier will automatically turn off after the set time. If the display shows "--", the humidifier will run continuously.
- **Sleep Mode:** Press the **SLEEP** button to turn off the LCD display while the humidifier continues to operate, ideal for nighttime use. Press any other button to reactivate the display.
- **Aromatherapy:** Open the aromatherapy box on the backside of the humidifier. Add a few drops of your favorite essential oil to the sponge inside. Close the box. The mist will carry the aroma into the room.



Image 5: This image shows three humidifiers operating at different mist levels, illustrating the single output, dual output, and the maximum 380ml/h output covering up to 500 sq ft.

5. Maintenance & Cleaning

Regular cleaning ensures optimal performance and extends the lifespan of your humidifier.

1. **Daily Cleaning:** Empty and rinse the water tank daily. Wipe the base and tank with a clean, damp cloth.
2. **Weekly Cleaning:**
    - **Base:** Lift the water tank off the base. Use the provided foam scrub brush to gently clean the inside of the base, paying attention to the atomizer. Be careful not to damage any internal components.
    - **Tank Filter:** Locate the filter at the bottom of the water tank. It is held in place by pressure. Wiggle it out to remove. You can then remove the small sponge filtration piece inside for deeper cleaning. Clean both parts with water and a soft brush, then reassemble.
    - **Tank Valve:** For a deeper clean, you can remove the valve located underneath the tank filter. Press the spring in

to release the rubber silicone gasket. Clean the components and ensure the cone shape of the gasket is facing forward or towards each other when reassembling.
    - **Aromatherapy Box:** Press the aromatherapy box on the backside to release it. Remove the filter and sponge. Clean them with a damp cloth and allow to dry completely before reinserting.
3. **Descaling (Monthly or as needed):** If mineral deposits build up, fill the tank with a mixture of equal parts white vinegar and water. Let it soak for 30 minutes to an hour, then scrub with the brush and rinse thoroughly.

Always unplug the humidifier before cleaning. Do not immerse the base in water.

6. Troubleshooting

- **No Mist/Low Mist:**
    - Check water level. If low, refill the tank. The LCD display will show a red indicator light when water is low.
    - Ensure the mist nozzle is correctly installed and not blocked.
    - Clean the atomizer in the base as mineral buildup can reduce mist output.
- **Red Indicator Light:** This indicates the humidifier is low on water. Refill the tank to resume operation.
- **Unusual Odor:** Clean the water tank and base thoroughly. Use fresh, clean water.
- **Water Leakage:** Ensure all components, especially the tank and its valve, are correctly assembled and sealed. Do not overfill the tank.

7. Specifications

Brand	Deepwave
Model Number	679e120d-4378-452a-814b-020bd8d38752
Capacity	3 Liters
Operation Mode	Ultrasonic Cool Mist
Max Mist Output	360 ml/h
Coverage Area	Up to 500 sq ft
Humidity Settings	40% - 90% RH (in 5% increments)
Mist Levels	3 Adjustable Levels
Timer	2-96 Hours or Continuous
Special Features	Auto Shut-Off, Quiet Operation, Aromatherapy Diffuser, Top-Fill Design, 360° Dual Nozzles
Product Dimensions	9.05"D x 7.48"W x 8.26"H
Item Weight	3.63 pounds

8. Warranty and Support

For warranty information or product support, please refer to the documentation included with your purchase or contact

Deepwave customer service directly. Contact details are typically found on the product packaging or the official Deepwave website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CHW577BG

More documents and user manuals: **https://manuals.plus/**