



[Manuals.plus](#) /

› [Nania](#) /

› Nania Dune 360° Swivel I-Size Car Seat Instruction Manual (Model 3507460241235)

Nania Dune

Nania Dune 360° Swivel I-Size Car Seat Instruction Manual

Brand: Nania | **Model:** Dune | **Model Number:** 3507460241235

INTRODUCTION

This manual provides essential information for the safe and correct installation, operation, and maintenance of your Nania Dune 360° Swivel I-Size Car Seat. Designed for children from birth up to approximately 12 years (40-150 cm), this car seat offers advanced safety features and comfort. Please read these instructions carefully before first use and keep them for future reference.



Image: The Nania Dune car seat, illustrating its 360-degree swivel capability with circular arrows.

1. SETUP AND INSTALLATION

The Nania Dune car seat is designed for secure installation using ISOFIX connectors and a Top Tether strap. It accommodates children in both rear-facing and forward-facing positions.

1.1 ISOFIX and Top Tether Installation

Ensure your vehicle is equipped with ISOFIX anchor points and a Top Tether attachment point. These provide a rigid and secure connection between the car seat and the vehicle chassis.

1. Locate the ISOFIX anchor points in your vehicle's back seat.
2. Extend the ISOFIX connectors from the car seat base until they click securely into the vehicle's anchor points. Green indicators will confirm correct engagement.

3. Route the Top Tether strap over the back of the vehicle seat and attach it to the designated Top Tether anchor point. Tighten the strap until the indicator shows it is correctly tensioned.



Image: Close-up view of the Nania Dune car seat base, highlighting the extendable ISOFIX connectors and the Top Tether strap for secure vehicle installation.

1.2 Orientation: Rear-Facing and Forward-Facing

- **Rear-Facing (40-105 cm, approximately birth to 4 years):** The car seat must be installed rear-facing for infants and toddlers up to 105 cm in height. This position offers superior protection for the child's head and neck.
- **Forward-Facing (from 76 cm, approximately 15 months to 12 years):** Once your child reaches 76 cm and is at least 15 months old, the car seat can be installed forward-facing.

DUNE



New safety standard i-Size R129



Road back
40-105 cm



Front road
From 76 cm

Image: Comparison of the Nania Dune car seat installed in rear-facing (left, for 40-105 cm) and forward-facing (right, from 76 cm) positions.

1.3 360° Swivel Function

The 360° swivel function is available exclusively when the car seat is installed in the rear-facing position (up to 4 years). This feature simplifies placing and removing your child from the seat.

1. Ensure the car seat is securely installed rear-facing.
2. Locate the swivel release lever (refer to the car seat's base).
3. Activate the lever and rotate the seat towards the car door for easy access.
4. After placing or removing your child, rotate the seat back to its locked rear-facing position until you hear a click. Always ensure the seat is locked in place before driving.

DUNE



360° SWIVEL : Quick and easy to install



Image: The Nania Dune car seat demonstrating its 360-degree swivel feature, with an inset showing a child being secured in the seat.

2. OPERATING INSTRUCTIONS

2.1 Securing Your Child

The Nania Dune car seat features a 5-point harness system for securing infants and toddlers. For older children (when used as a high-back booster), the vehicle's 3-point seat belt is used.

1. Place your child in the car seat.
2. Bring the two shoulder straps over your child's shoulders and connect the buckle tongues into the central buckle.
3. Pull the harness adjustment strap to tighten the harness until it is snug against your child's body, ensuring no more than two fingers can fit between the strap and your child's collarbone.
4. For older children (from 100 cm), remove the internal harness and use the vehicle's 3-point seat belt, ensuring it passes correctly through the designated guides on the car seat and over the child's shoulder and lap.



Image: A child seated in the Nania Dune car seat, with an adult adjusting the 5-point harness for a secure fit. Safety icons are visible in the background.

2.2 Recline Positions

The car seat offers multiple recline positions for your child's comfort, especially during naps or long journeys. Adjust the recline before securing your child or when the vehicle is stationary.

1. Locate the recline adjustment lever, typically found at the front or side of the car seat base.
2. Press the lever and adjust the seat to the desired recline angle.
3. Release the lever and ensure the seat locks firmly into the chosen position.

DUNE



Reclining car seat

For maximum comfort



Image: The Nania Dune car seat shown in various recline positions, indicating its adjustability for comfort.

2.3 Headrest Adjustment

The headrest is adjustable in height to adapt to your child's growth, ensuring optimal head and neck support at all stages.

1. Locate the headrest adjustment handle, usually at the top of the headrest.
2. Squeeze the handle and slide the headrest up or down to the correct height. The shoulder straps will adjust simultaneously.
3. Ensure the headrest is positioned so that the shoulder straps are at or just below your child's shoulders for rear-facing, and at or just above for forward-facing.



Image: The Nania Dune car seat with its headrest shown in different height positions, illustrating the adjustment mechanism.

3. MAINTENANCE

Regular maintenance ensures the longevity and hygiene of your car seat.

- **Cleaning the Fabric Covers:** The fabric covers are removable. They should be hand washed only. Do not machine wash, tumble dry, iron, or dry clean, as this may damage the fabric and compromise safety.
- **Cleaning the Harness and Buckle:** Wipe the harness straps with a damp cloth and mild soap. Do not immerse the buckle in water or use lubricants, as this can affect its performance.
- **Cleaning the Plastic Parts:** Wipe plastic parts with a damp cloth and mild soap. Avoid abrasive cleaners or solvents.
- **Inspection:** Periodically inspect the car seat for any signs of wear, damage, or loose parts. If any damage is found, discontinue use and contact customer support.

4. TROUBLESHOOTING

This section addresses common issues you might encounter with your Nania Dune car seat.


- **Car Seat Does Not Swivel Smoothly:**
Ensure the car seat is correctly installed in the rear-facing position and fully engaged with the ISOFIX anchors. The swivel function is only active in the rear-facing mode. Check for any obstructions beneath the seat or in the swivel mechanism. If the issue persists, ensure the swivel release lever is fully engaged when attempting to rotate.
- **Harness is Difficult to Tighten/Loosen:**
Check that the harness straps are not twisted. Ensure no fabric or clothing is obstructing the harness adjustment mechanism. Pull the adjustment strap smoothly and directly. If the problem continues, inspect the buckle for debris.
- **Car Seat Feels Loose After Installation:**
Re-check the ISOFIX connectors to ensure they are fully engaged and show green indicators. Retighten the Top Tether strap firmly. Push down on the car seat while tightening to remove any slack. Ensure there is minimal movement (less than 1 inch) at the belt path.

5. SPECIFICATIONS

Feature	Detail
Brand	Nania
Model Name	Dune
Model Number	3507460241235
Safety Standard	i-Size R129 (Mandatory since 01/09/2023)
Child Height Range	40 - 150 cm (from birth to approx. 12 years)
Maximum Child Weight	36 kg
Installation Type	ISOFIX + Top Tether
Harness Type	5-point harness (for 40-100 cm), Vehicle 3-point belt (from 100 cm)
Orientation	Rear-facing (40-105 cm), Forward-facing (from 76 cm)
Swivel Function	360° (only in rear-facing position)
Main Material	Plastic
Product Dimensions (L x W x H)	61 x 48 x 47 cm
Product Weight	10 kg
Care Instructions	Hand wash only for fabric covers

DUNE

40-150 CM



10 Kg

Image: Technical diagram illustrating the dimensions (length, width, height) and weight of the Nania Dune car seat.

6. WARRANTY AND SUPPORT

For warranty information, product registration, or technical support, please refer to the warranty card included with your purchase or visit the official Nania website. Keep your proof of purchase for any warranty claims.

Manufacturer: TEAMTEX

© 2025 Nania. All rights reserved.

This manual is for informational purposes only. Always follow local regulations and vehicle manufacturer guidelines.