

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Feit Electric](#) /

› [Feit Electric 46" LED Utility Light Instruction Manual \(Model: SHOP/4/840/MM\)](#)

Feit Electric SHOP/4/840/MM

Feit Electric 46" LED Utility Light Instruction Manual

Model: SHOP/4/840/MM

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Feit Electric 46-inch LED Utility Light. This fixture features a motion sensor, multiple operating modes, a timer, and remote control functionality, designed for use in various indoor environments such as garages, workshops, and storage areas.



Image: The Feit Electric 46-inch LED Utility Light, shown with hanging chains attached.

SAFETY INFORMATION

Please read and understand all safety instructions before installing or operating this product. Failure to do so may result in electric shock, fire, or other hazards.

- Ensure power is disconnected before installation or maintenance.
- This product is intended for indoor use only.
- Do not attempt to modify the fixture.
- Consult a qualified electrician if you are unsure about any part of the installation.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1 x Feit Electric 46" LED Utility Light
- 1 x Remote Control
- Mounting Hardware (chains, screws, anchors)



Image: A collection of mounting hardware including chains, screws, and anchors.



Image: The remote control, a wall mount bracket, and batteries for the utility light.

SPECIFICATIONS

Feature	Specification
Model Number	SHOP/4/840/MM
Dimensions (L x W x H)	46.2" x 2.1" x 2.2"
Wattage	55W
Brightness	5000 Lumens
Color Temperature	4000K Cool White

Voltage	120 Volts
Lifespan	Up to 50,000 hours
Special Features	Motion Sensor, Remote Controlled
Installation Type	Flush Mount, Hanging
Indoor/Outdoor Usage	Indoor
Material	Plastic



Image: Diagram illustrating the 46-inch length, 2-inch width, and 3.35-inch height of the light, along with icons for 55W, 5000 Lumens, 50,000 Hours, 4000K Color Temperature, Link up to 6 Fixtures, 5 Motion Detection Options, 7 Motion Timer Options, Intuitive IR Wireless Remote included, and 10 Adjustable Brightness Levels.

SETUP AND INSTALLATION

The Feit Electric LED Utility Light offers versatile installation options: hanging or flush mount. Ensure the power source is off before installation.

Hanging Installation

1. Attach the hanging chains to the designated points on the fixture.
2. Securely fasten the other end of the chains to a sturdy ceiling structure using the provided hooks and

screws.

3. Adjust the chain length to achieve the desired height.

Flush Mount Installation

1. Position the fixture against the ceiling at the desired location.
2. Mark the mounting points through the fixture's mounting holes.
3. Drill pilot holes and insert wall anchors if necessary.
4. Secure the fixture to the ceiling using the provided screws.

After mounting, plug the 5-ft. cord into a standard electrical outlet.




Image: A visual comparison showing how to perform a flush mount installation with screws and a hanging installation with chains and hooks.

OPERATING INSTRUCTIONS

The utility light can be operated manually or via the included remote control.

Remote Control Functions

The remote control allows for comprehensive management of the light's features:

*Remote included




Image: A detailed diagram of the remote control, labeling buttons for ON/OFF, increasing/decreasing light level, setting to highest brightness, resetting to default, setting lowest light level, motion timer options (30s, 1min, 3min, 5min, 10min, 15min, 30min), and motion range settings (2-5ft, 5-10ft, 10-15ft, 15-25ft, 20-25ft).

- **Power Button:** Turns the unit ON or OFF.
- **Brightness Level:** Use the up/down arrows to increase or decrease light intensity.
- **HIGH/LOW:** Quickly set to highest or lowest brightness. Press and hold HIGH for three seconds to reset to default settings.
- **Motion Timer:** Select from 30 seconds, 1 minute, 3 minutes, 5 minutes, 10 minutes, 15 minutes, or 30 minutes. The light will turn off after the pre-selected time if no motion is detected.
- **Motion Range:** Set the motion sensor detection distance to 2-5ft, 5-10ft, 10-15ft, 15-25ft, or 20-25ft.

Motion Sensor Operation

The built-in PIR motion sensor detects movement and can automatically activate the light. There are 5 convenient lighting modes:

- **Always On:** Light remains on continuously.
- **Motion Sensor On/Off:** Light turns on when motion is detected and off when no motion is detected for a set period.
- **Motion Sensor with Timer:** Light turns on with motion and stays on for the selected timer duration.
- **Dimming Mode:** Light operates at a reduced brightness level.
- **Night Mode:** Specific setting for low-light conditions.




Image: A woman walking in a kitchen, illustrating the motion detection range with options from 2-5ft to 20-25ft.

MAINTENANCE

This LED utility light is designed for long-lasting, maintenance-free operation. To ensure optimal performance:

- **Cleaning:** Disconnect power before cleaning. Wipe the fixture with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners or solvents.
- **Bulb Replacement:** The integrated LEDs are designed to last up to 50,000 hours and are not user-replaceable.
- **Inspection:** Periodically check the mounting hardware for tightness and ensure the power cord is free from damage.

TROUBLESHOOTING

If you experience issues with your utility light, refer to the following common solutions:

Problem	Possible Cause	Solution
Light does not turn on	No power, loose connection, remote battery dead	Check power outlet, ensure cord is securely plugged in, replace remote batteries.
Motion sensor not working	Incorrect motion range setting, obstruction, ambient light too high	Adjust motion range on remote, clear obstructions, ensure sensor is not in direct bright light.
Light flickers or dims unexpectedly	Unstable power supply, faulty unit	Check power source. If problem persists, contact customer support.

WARRANTY

This Feit Electric LED Utility Light is covered by a **5-year manufacturer's warranty**. Please retain your proof of purchase for warranty claims. For detailed warranty information, refer to the official Feit Electric website or contact customer support.

CUSTOMER SUPPORT

For 24/7 customer support and additional resources, please visit the Feit Electric help center:


[feit.com/help](https://www.feit.com/help)








Image: A graphic indicating 24/7 help and directing users to feit.com/help, accompanied by a QR code.

© 2023 Feit Electric. All rights reserved.

Related Documents - SHOP/4/840/MM

	<p>Feit Electric Rechargeable LED Shop Light with Motion Detection - Installation and Safety Guide</p> <p>Comprehensive guide for the Feit Electric 2 ft. Rechargeable LED Shop Light with Motion Detection (Model SHOP2/840/50/MOT/BAT), covering important safety instructions, specifications, parts, installation, and operation.</p>
---	---

 <p>USE AND CARE GUIDE 4FT SHOP LIGHT WITH MOTION AND REMOTE</p> <p>READ BEFORE INSTALLATION</p>	<p>Feit Electric 4ft Shop Light with Motion and Remote - Use and Care Guide</p> <p>Comprehensive guide for the Feit Electric 4ft Shop Light with Motion and Remote, covering installation, usage, and safety instructions. Learn how to set up and operate your motion-activated shop light.</p>
 <p>EXTRA BRIGHT 5,000 LUMENS MOTION ACTIVATED DUAL HEAD LED SECURITY FLOOD LIGHT IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>READ BEFORE INSTALLATION</p>	<p>Feit Electric S10.5DFL/5CCT/MM/BZ: 5000 Lumens Motion Activated Dual Head LED Security Flood Light Installation Guide</p> <p>Comprehensive installation guide and safety instructions for the Feit Electric S10.5DFL/5CCT/MM/BZ motion activated dual head LED security flood light. Learn about setup, operation, troubleshooting, and specifications.</p>
 <p>T24 PLUG AND PLAY LINEAR LAMP IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>SAFETY INFORMATION</p>	<p>Feit Electric T24 Plug and Play Linear LED Lamp: Safety and Installation Guide</p> <p>Comprehensive safety instructions and installation guide for the Feit Electric T24 Plug and Play Linear LED Lamp, designed as a direct replacement for fluorescent tubes. Learn about features, warnings, and installation steps.</p>
 <p>T96 PLUG AND PLAY LINEAR LAMP IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>SAFETY INFORMATION</p>	<p>Feit Electric T96 Plug and Play Linear LED Lamp: Safety Instructions and Installation Guide</p> <p>Comprehensive safety instructions and installation guide for the Feit Electric T96 Plug and Play Linear LED Lamp, covering installation, warranty, and FCC compliance. Learn how to safely replace fluorescent tubes with this LED alternative.</p>
 <p>T12 PLUG AND PLAY LINEAR LAMP IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>SAFETY INFORMATION</p>	<p>Feit Electric T12 Plug and Play LED Lamp Installation Guide & Safety Instructions</p> <p>This guide from Feit Electric provides essential safety information and step-by-step instructions for installing their T12 Plug and Play Linear LED lamps, designed as a direct replacement for fluorescent tubes.</p>



[Feit Electric 4ft Shop Light with Motion and Remote - Use and Care Guide](#)

Comprehensive guide for the Feit Electric 4ft Shop Light with Motion and Remote, covering installation, usage, and safety instructions. Learn how to set up and operate your motion-activated shop light.

lang:en **score:40** filesize: 536.37 K page_count: 6 document date: 2021-12-16



[\[pdf\] Specifications](#)

shop 4 840 mm specsheet Feit Electric feit 2022 04 |||

Office, Garage and Warehouse Benefits Flexible installation options. Hardwire or plug-in for power. ... ay to add extra illumination to garages, basements, workspaces and more Specifications Item Number **SHOP/4/840/MM** Annual Energy Cost 6.62 Est. CRI 80 Dimmable No Input Power Watts Incandescent ...

lang:en **score:30** filesize: 197.58 K page_count: 1 document date: 2022-04-07




[\[pdf\] Specifications](#)

shop 4 840 mm specsheet Feit Electric 1 feit 2022 04 |||

Office, Garage and Warehouse Benefits Flexible installation options. Plug-in for power. Hang or flu ... ay to add extra illumination to garages, basements, workspaces and more Specifications Item Number **SHOP/4/840/MM** Annual Energy Cost 6.62 Est. CRI 80 Dimmable No Input Power Watts Incandescent ...

lang:en **score:30** filesize: 249.36 K page_count: 1 document date: 2022-08-24




[pdf] User Manual Guide Warranty

User manual Feit Electric Company SHOPMM 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE SYW SYWSHOPMM shopmm

SKU #1001 728 970 Model #SHOP/4/840/MM/HD/CAN USE AND CARE GUIDE 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE Questions, problems, missing parts Before returning to the store, call Commercial Electric Customer Service 8 a.m. - 7 p.m., EST, Monday - Friday, 9 a.m. - 6 p.m., EST, Saturday 1-8...

lang:en score:25 filesize: 1.73 M page_count: 17 document date: 2023-09-06

SHOP/4/840/MM




[pdf]

shop 4 840 mm LightingFacts Feit Electric feit 2022 04 |||

SHOP/4/840/MM ...

lang:en score:24 filesize: 256.57 K page_count: 1 document date: 2022-04-07




[pdf] Specifications Warranty

Specsheet Template 4Ft Utility Light 55W With Motion Sensor And Remote Features Flexible installation options Plug in for power Hang or flush mount depending on your space Turn light off manually with included remote control leave automatic mode motion sensors Perfect small larger spaces Link up to six fixtures one junction box Ideal usage Office Garage and Warehouse SHOP 4 840 MM SpecSheet appshopfy feit storage files s |||

4Ft Utility Light 55W With Motion Sensor And Remote Features Flexible installation options. Plug-in ... ixtures with one junction box Ideal usage: Office, Garage and Warehouse Specifications Item Number SHOP/4/840/MM Housing Finish White Color Accuracy CRI 80 Voltage 120 Pack Quantity 1 Hardwire No C...

lang:en score:23 filesize: 97.08 K page_count: 1 document date: 2024-08-30



[pdf] Specifications Label

Specsheet Template Specification Sheet 4Ft Utility Light 55W With Motion Sensor and Remote SHOP 4 840 MM SpecSheet custom app feit storage files s ||| 4Ft Utility Light 55W With Motion Sensor And Remote Features Flexible installation options. Plug-in ... small or larger spaces. Link up to six fixtures with one junction box. Specifications Item Number SHOP/4/840/MM Energy Used WATTAGE 55 Hardwire NO Bulb Shape NA Smart No Lumen Efficiency LPW 90...


lang:en score:22 filesize: 183.05 K page_count: 2 document date: 2023-02-16

FEIT
Electric

4Ft Utility Light 55W With Motion Sensor And Remote

Features

- Flexible installation options. Plug-in for power. Hang or flush mount depending on your space
- Turn light on or off manually with included remote control, or sense on automatic mode with motion sensors
- Perfect for small or larger spaces. Link up to six fixtures with one junction box
- Ideal usage: Office, Garage and Warehouse



Specifications

Item Number	Item Length (in)	Item Width (in)	Housing Finish
SHOP/4/840/MM	46.2	3.3	White
Technology	Brightness (LUMENS)	Lumen Efficiency (LPW)	Color Accuracy (CRI)
LED - SMD	9000	90 LPW	91
Color Temperature (CCT)	Life Hours	Life Years	Voltage
4000	50000	45.7	120
Replacement	Annual Energy Cost	Energy Efficiency	Energy Used (Wattage)
NA	6.62	NA	95
Battery Operated	Peak Quantity	Smart	Portable
NO	1	No	YES
Dimmable	Hardware	Enclosed Fixture Rated	Safety Location
NO	NO	No	Class 2
Energy Star	CEC Compliant		
Yes	True 20		

Feit Electric Company | 4901 Gregg Road | Pico Rivers, CA 95068 | 1ccm

[pdf] Specifications Declaration of Conformity

Specsheet Template 4Ft Utility Light 55W With Motion Sensor And Remote FeaturesFlexible installation options Plug in for power Hang or flush mount depending on your space Turn light off manually with included remoteFeit Electric 103681466 Specification Sheetassets unilogcorp 187 ITEM DOC Feit Sheet |||


4Ft Utility Light 55W With Motion Sensor And Remote Features Flexible installation options. Plug-in ... ixtures with one junction box Ideal usage: Office, Garage and Warehouse Specifications Item Number **SHOP/4/840/MM** Technology LED - SMD Color Temperature CCT 4000 Replacement NA Battery Operated NO D... lang:en score:20 filesize: 97.03 K page_count: 1 document date: 2024-01-04

FEIT
Electric

Model: SHOP/4/840/MM

USE AND CARE GUIDE

4FT SHOP LIGHT WITH MOTION AND REMOTE



READ BEFORE INSTALLATION

SAVE THESE INSTRUCTIONS

Before returning to store, read all warnings for further assistance.

THANK YOU!

We appreciate the trust and confidence you have placed in Feit Electric through the purchase of this product. We strive to continually create quality products designed to enhance your home. We'll continue to work on all line of products available for your home improvement needs. Thank you for choosing Feit Electric!

[pdf] Instructions Guide Warranty Catalog

USE AND CARE GUIDEIf the product fails within warranty period please contact Feit Electric at info@feit visit feit us or call 1 866 326 BULB 2852 for dcbe5c16 225b 4165 b5d8 010edda0a7e0dcbe5c16 010edda0a7e0images thdstatic catalog Images dc dcbe5c16 010edda0a7e0 ||| Model: **SHOP/4/840/MM** USE AND CARE GUIDE 4FT SHOP LIGHT WITH MOTION AND REMOTE READ BEFORE INSTALLATION SAVE THESE INSTRUCTIONS Questions, problems, missing parts Before returning to store, visit feit.com/help for further assistance. VER003 THANK YOU We appreciate the trust and confidence you have p... lang:en score:19 filesize: 536.37 K page_count: 6 document date: 2021-12-16

Page 1 of 37

FCC ID: SYW-SHOPMM Report No.: LC5A091222050EA

FCC TEST REPORT

FOR

Feit Electric Company

4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE

Test Model: SHOP/4/840/MM/HD/CAN

Additional Model No.: HLLEDSHOP-55W(Dm)-MM

Prepared for

Address

Prepared By

Address

Tel

Fax

Web

Email

Date of receipt of test sample

Number of tested samples

Sample No.

Sample Number

Date of Test

Date of Report

Feit Electric Company

4901 Gregg Road Pico Rivers, CA 95068 United States of America

Shenzhen LCS Compliance Testing Laboratory Ltd

101, 201 Bldg A & B 301 Bldg C, 34J Industrial Park, Yantian, Guangdong

Shenzhen Street, Shimen District, Shenzhen, 518109, China

+86755-82591330

+86755-82591332

www.LCS-eint.com

testcenter@LCS-eint.com

October 19, 2022

2

A091222050-1, A091222050-2

1000000

October 19, 2022 - October 21, 2022

October 22, 2022

Shenzhen Sunspring Electronics Co Ltd Keyboard OJWCG107C Violet Wang Test Report FCC 5 8G Feit Electric Company SHOPMM 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE SYW SYWSHOPMM shopmm

Page 1 of 37 FCC ID: SYW-SHOPMM Report No.: LC5A091222050EA FCC TEST REPORT FOR Feit Electric Company 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE Test Model: **SHOP/4/840/MM/HD/CAN** Additional Model No.: HLLEDSHOP-55W Dm -MM Prepared for Address : Feit Electric Company : 4901 Gregg Road Pi... lang:en score:17 filesize: 2.5 M page_count: 37 document date: 2023-09-06



[pdf] Label

Tian Label and Location Feit Electric Company SHOPMM 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE SYW SYWSHOPMM shopmm

Page 1 of 1 FCC ID: SYW-SHOPMM IC: 20416-SHOPMM LABEL AND LOCATION 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE Model:

SHOP/4/840/MM/HD/CAN FCC ID: SYW-SHOPMM IC: 20416-SHOPMM HVIN:

SHOP/4/840/MM/HD/CAN Label Location Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A ...

lang:en score:13 filesize: 838.67 K page_count: 1 document date: 2023-09-04




[pdf] Specifications Catalog

027bba78 8450 4cd7 900d 72ecac971d99images thdstatic catalog Images 02 72ecac971d99 |||

Office, Garage and Warehouse Benefits Flexible installation options. Plug-in for power. Hang or flu ... ay to add extra illumination to garages, basements, workspaces and more Specifications Item Number **SHOP/4/840/MM** Annual Energy Cost 6.62 Est. CRI 80 Dimmable No Input Power Watts Incandescent ...

lang:en score:13 filesize: 249.36 K page_count: 1 document date: 2022-08-24



[pdf] Test Report SAR Rating

User RF Exposure Evaluation FCC Feit Electric Company SHOPMM 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE SYW SYWSHOPMM shopmm

Page 1 of 3 FCC ID: SYW-SHOPMM FCC RF Exposure Evaluation 1. Product Information Product name Te ... iption Exposure category EUT Type Device Type 4FT UTILITY SHOP LIGHT WITH MOTION SENSOR AND REMOTE

SHOP/4/840/MM/HD/CAN, HLLEDSHOP-55W Dm -MM Input: AC 120V, 60Hz, 55W PCB-V3 V0.1 5750MHz - 5870MHz C...

lang:en score:11 filesize: 391.75 K page_count: 3 document date: 2023-09-06