

[Manuals.plus](#) /

› [CHROX](#) /

› CHROX Dashboard Cover Mat Instruction Manual for Lexus ES350/ES240 (2007-2012)

## CHROX ES350/ES240 (2007-2012)

# CHROX Dashboard Cover Mat Instruction Manual

For Lexus ES350 and ES240 (2007-2012)

## 1. PRODUCT OVERVIEW

The CHROX Dashboard Cover Mat is designed to protect your vehicle's dashboard from sun damage, reduce glare, and help regulate interior temperatures. Made from high-quality polyester, this dashmat is engineered to fit specific Lexus ES350 and ES240 models from 2007 to 2012 without shrinking, fading, or distorting.

### Key Features:

- Protects dashboard from UV rays and sun damage.
- Reduces windshield glare for improved driving visibility.
- Helps maintain a cooler interior in summer and warmer in winter.
- Constructed from durable, environmental-friendly polyester material.
- Designed to prevent items from sliding on the dashboard.



*Image 1.1: The CHROX Dashboard Cover Mat, designed for Lexus ES350/ES240 models.*



**For LEXUS ES350 ES240 2007-2011**



*Image 1.2: Example of the dashboard cover mat installed in a Lexus ES350/ES240 vehicle interior.*

## 2. SETUP AND INSTALLATION

Before installation, ensure your vehicle's dashboard is clean and dry. The installation process is designed to be straightforward and typically takes approximately 3 minutes without the need for special tools.

1. **Clean the Dashboard:** Use a clean cloth to wipe down the dashboard surface, removing any dust or debris.
2. **Position the Mat:** Carefully place the CHROX Dashboard Cover Mat onto your dashboard, aligning it with the contours, vents, and sensors.
3. **Secure with Velcro Tabs:** The mat includes Velcro tabs to help secure it in place and prevent slippage. Press down firmly on the mat where the tabs are located to ensure a good adhesion.
4. **Final Adjustment:** Make any minor adjustments to ensure the mat lies flat and covers the entire dashboard surface correctly.

**Note:** If the dashboard cover mat appears wavy upon unboxing, lay it flat on a clean, flat surface for 24 hours to allow it to regain its intended shape before installation.

# Installation Method




Image 2.1: Visual guide demonstrating the four steps for installing the dashboard cover mat.

## 3. OPERATING AND BENEFITS

Once installed, the CHROX Dashboard Cover Mat immediately begins to provide its protective and comfort benefits. It functions passively to enhance your driving experience and preserve your vehicle's interior.

- **Temperature Regulation:** The mat acts as an insulator, helping to keep your vehicle's interior cooler during hot summer months by blocking direct sunlight absorption, and slightly warmer in colder conditions.
- **Glare Reduction:** The non-reflective surface of the mat significantly reduces dangerous glare from the sun reflecting off the dashboard onto the windshield, improving visibility and driving safety.
- **Dashboard Protection:** It shields your dashboard from harmful UV rays, preventing cracking, fading, and aging over time, thus maintaining the aesthetic and resale value of your vehicle.

# 3 Colors Show




Image 3.1: Visual comparison illustrating the benefits of using the dashboard cover mat, including improved visibility and dashboard preservation.

## 4. MAINTENANCE

To ensure the longevity and continued effectiveness of your CHROX Dashboard Cover Mat, follow these simple maintenance guidelines:

- **Regular Cleaning:** Periodically remove the mat and shake off any loose dust or debris.
- **Spot Cleaning:** For minor spills or stains, gently spot clean with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners.
- **Drying:** Allow the mat to air dry completely before placing it back on the dashboard. Do not machine wash or tumble dry.
- **Storage:** If removing the mat for an extended period, roll it loosely to prevent creases and store it in a clean, dry place.

## 5. TROUBLESHOOTING

If you encounter any issues with your dashboard cover mat, refer to the following common solutions:

- **Mat Appears Wavy or Creased:** If the mat has a wavy shape from packaging, lay it flat on a clean, flat surface for 24 hours to allow it to flatten out before installation.
- **Mat Slides on Dashboard:** Ensure the dashboard surface is clean and dry before installation. Re-apply the Velcro tabs firmly to secure the mat. If necessary, additional automotive-grade Velcro strips can be used.
- **Improper Fit:** Double-check that your vehicle model and year match the product's compatibility (Lexus ES350/ES240, 2007-2012). Different dash mats are designed for specific car models.

## 6. SPECIFICATIONS

|                        |                                         |
|------------------------|-----------------------------------------|
| Brand:                 | CHROX                                   |
| Applicable Models:     | Lexus ES350, Lexus ES240 (XV40 chassis) |
| Applicable Years:      | 2007, 2008, 2009, 2010, 2011, 2012      |
| Material:              | High-quality Polyester                  |
| Color (Current Model): | Black                                   |
| Package Includes:      | 1 x Car Dashboard Cover Mat             |

## 7. WARRANTY AND SUPPORT

For any questions regarding your CHROX Dashboard Cover Mat, including compatibility, installation, or product performance, please contact the seller or manufacturer directly through your purchase platform. Please refer to your purchase documentation for specific warranty details, as these may vary.

It is recommended to retain your proof of purchase for any warranty claims or support inquiries.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

