

[Manuals.plus](#) /

› [ORALNER](#) /

› ORALNER 50" Electric Fireplace Instruction Manual - Model HR-10530

## ORALNER HR-10530

# ORALNER 50" Electric Fireplace Instruction Manual

Model: HR-10530

## 1. IMPORTANT SAFETY INFORMATION

---

**Please read all instructions carefully before installation and use. Failure to follow these instructions may result in electric shock, fire, property damage, or personal injury.**

- Ensure the fireplace is connected to a properly grounded outlet.
- Do not operate the fireplace with a damaged cord or plug.
- Keep combustible materials at least 3 feet (0.9 meters) away from the front of the fireplace.
- Do not block air vents. This can lead to overheating.
- This appliance is hot when in use. To avoid burns, do not let bare skin touch hot surfaces.
- Always unplug the fireplace before cleaning or performing maintenance.
- Do not use outdoors. This fireplace is designed for indoor use only.
- This electric fireplace requires no gas, oil, or firewood.
- Features built-in overheat protection that automatically shuts off the heater if the temperature gets too high.

## 2. PACKAGE CONTENTS

---

Verify that all components are present before beginning installation:

- ORALNER 50" Electric Fireplace Unit
- Remote Control
- Instruction Manual
- Log Set
- Decorative Crystals

- Mounting Hardware (screws, wall anchors, brackets)

### 3. SPECIFICATIONS

<b>Brand</b>	ORALNER
<b>Model Name</b>	Electric Fireplace (HR-10530)
<b>Product Dimensions</b>	5.6"D x 50"W x 17.7"H
<b>Item Weight</b>	44.8 Pounds
<b>Material</b>	Metal
<b>Power Source</b>	Corded Electric
<b>Heat Output</b>	5000 British Thermal Units (750W/1500W)
<b>Heating Coverage</b>	Up to 500 square feet
<b>Special Features</b>	8H Timer, 9 Adjustable Flame Colors, 5 Brightness Levels, Safety Shut Off
<b>Installation Type</b>	Wall Mount, Recessed, Freestanding

### 4. INSTALLATION

The ORALNER Electric Fireplace offers three flexible installation options: recessed, wall-mounted, or freestanding. Choose the method that best suits your space.

#### 4.1 General Preparation

- Unpack the fireplace and all components. Retain packaging for future transport or storage.
- Ensure the installation location has a grounded 120V AC outlet.
- Maintain a minimum of 2.5 inches of space between the top of the fireplace and any overhead objects (e.g., TV, mantel).
- Remove the front glass panel and any internal packaging materials (cardboard, foam) before permanent installation. This typically involves unscrewing retaining screws on the sides.
- Decide whether to use the included log set or decorative crystals. Place your chosen media into the fireplace's media tray.

#### 4.2 Wall-Mounted Installation

For wall-mounted installation, secure the provided mounting bracket to a wall stud using appropriate screws. Ensure the bracket is level. Then, carefully lift the fireplace unit and hook it onto the wall bracket. Secure the unit to the wall using additional screws if necessary.

#### 4.3 Recessed Installation

For recessed installation, create an opening in your wall according to the specified dimensions (approximately 48.7" W x 16.9" H). Ensure there are framing studs to secure the fireplace. Slide the fireplace into the opening and secure it to the framing studs using the provided screws.

#### 4.4 Freestanding Installation

For freestanding use, attach the included feet or stand to the bottom of the fireplace unit. Place the unit on a

stable, level surface.

## 3 Installation Options



Figure 4.1: The ORALNER Electric Fireplace can be installed recessed into a wall, mounted directly on a wall, or used freestanding with an optional base.

## 3 Installation Options



### 2 Wall Mounted



### 3 Freestanding



Figure 4.2: Visual representation of the three available installation methods for the fireplace.

# 50 INCH





Figure 4.3: Detailed dimensions of the 50-inch fireplace and the required opening for recessed mounting.

Your browser does not support the video tag.

Video 4.1: This video demonstrates the wall-mounted installation process for the electric fireplace, including unpacking and securing the unit.

## 5. OPERATING INSTRUCTIONS

The fireplace can be operated using the included remote control or the touch screen panel on the unit.

### 5.1 Remote Control Functions

The remote control allows for convenient adjustment of all fireplace settings from a distance. It requires 2 AAA batteries (not included).

- **Power ON/OFF:** Turns the unit on or off.
- **Heat:** Activates or deactivates the heater (750W/1500W settings available).
- **Color A:** Changes the main flame color (9 options).
- **Color B:** Changes the ember bed uplighting color.
- **Dimmer:** Adjusts the flame brightness (5 levels).

- **Speed:** Adjusts the flame speed.
- **Timer:** Sets an automatic shut-off timer from 0.5 to 8 hours.
- **Temperature:** Adjusts the thermostat from 62°F to 82°F.

## 5.2 Touch Screen Panel

The touch screen panel on the fireplace unit provides direct access to all functions. Icons correspond to the remote control functions.



**Touch Screen & Remote Control**

**20 ft Effective Control Distance**  
Require 2 x AAA Batteries (Not Included)

	 <b>Power</b> ON/OFF	 <b>Color</b> 9 Flame Colors	 <b>Flame</b> 5-level Flame Brightness
	 <b>Heater</b> 750W/1500W Heating	 <b>Temperature</b> 62°F-82°F Adjustment	 <b>Timer</b> 1H-8H Time Setting

Figure 5.1: The remote control and the touch screen panel offer comprehensive control over the fireplace settings.




Figure 5.2: Detailed view of the LED control panel and remote, showing buttons for power, flame, heat, and timer settings.

### 5.3 Flame Effects and Heat Output

The fireplace features 9 flame colors and 5 brightness levels. The flame effect can be used independently of the heater for ambiance year-round. The heater provides 750W or 1500W of heat, capable of warming up to 500 sq.ft.

## Choose from 9 Flame Colors

# 9

**Adjustable  
Flame Colors**

**Log Set**

# 5

**Brightness Options**

**Decorative Crystals**

Figure 5.3: Visual guide to the 9 flame colors and 5 brightness levels, along with the log set and decorative crystals.



Figure 5.4: Close-up of the lifelike resin logs and decorative crystals, showcasing the variety of flame colors and brightness settings.



Figure 5.5: The fireplace can provide both visual flame effects and heat simultaneously.



Figure 5.6: The flame effect can be used independently for decorative purposes without heat.

## 6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your fireplace.

- **Cleaning:** Always unplug the unit before cleaning. Use a soft, damp cloth to wipe the exterior surfaces. Do not use abrasive cleaners or sprays.
- **Glass Panel:** Clean the glass panel with a soft cloth and glass cleaner. Avoid harsh chemicals that may damage the finish.
- **Air Vents:** Periodically check and clean the air vents to ensure they are free from dust and debris, which can obstruct airflow and cause overheating.
- **Storage:** If storing the fireplace for an extended period, unplug it and store it in a dry, cool place, preferably in its original packaging.

## 7. TROUBLESHOOTING

---

If you experience issues with your ORALNER Electric Fireplace, refer to the following common solutions:

- **No Power:** Ensure the power cord is securely plugged into a grounded outlet. Check the circuit breaker.
- **No Heat:** Verify that the heater function is activated via the remote or touch panel. Check the thermostat setting; it may be set lower than the room temperature.
- **Flames Not Working:** Ensure the flame effect is turned on. Check the brightness level.
- **Remote Not Working:** Replace the batteries in the remote control. Ensure there are no obstructions between the remote and the fireplace sensor.
- **Unit Overheating:** The built-in overheat protection will shut off the unit. Unplug the fireplace, allow it to cool, and check for any blocked air vents before restarting.

## 8. WARRANTY AND SUPPORT

---

This ORALNER Electric Fireplace comes with a limited warranty. Please refer to the warranty card included in your package for specific terms and conditions.

For customer support, please contact the seller GORELAX through your purchase platform or refer to the contact information provided in the warranty documentation.