

[Manuals.plus](#) /

> [KUAFU](#) /

> KUAFU Universal ATV Windshield Instruction Manual, Model GO-2601

KUAFU GO-2601

KUAFU Universal ATV Windshield Instruction Manual

Model: GO-2601




Figure 1.0: KUAFU Universal ATV Windshield.

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your KUAFU Universal ATV Windshield, Model GO-2601. This windshield is designed to offer protection and enhance visibility during ATV operation.

The KUAFU ATV Windshield is universally compatible with various ATV models, including Polaris, Arctic Cat, Honda, Yamaha, Can-Am, Kawasaki, and Harley Davidson. Please verify the dimensions (Width: 35-1/2 inches; Height: 20-3/4 inches) to ensure compatibility with your specific vehicle before proceeding with installation.

2. SAFETY INFORMATION

- Always wear appropriate safety gear, including a helmet and eye protection, when operating an ATV.
- Ensure all mounting hardware is securely tightened before each ride. Loose components can lead to instability and potential hazards.
- Do not over-tighten mounting clamps, as this may cause damage to the hardware or the ATV's handlebars.
- Regularly inspect the windshield for cracks, damage, or loose fittings. Replace damaged parts immediately.
- Maintain a clear field of vision. Clean the windshield regularly to remove dirt, dust, and debris.
- Operating an ATV with a windshield may alter wind dynamics. Exercise caution until accustomed to the change.

3. PACKAGE CONTENTS

Verify that all components listed below are present in your package:

- 1x Transparent Black Bottom Windshield
- 2x Mounting Arms (with adjustable joints)
- 2x Handlebar Clamps
- Assorted Bolts, Washers, and Nuts for assembly
- Hex Wrenches for installation



Figure 3.1: All included components.

4. SETUP AND INSTALLATION

The KUAFU ATV Windshield features a bolt-on installation. While some adjustments may be necessary for optimal fit, follow these general steps:

4.1 Prepare Your ATV

1. Park your ATV on a level surface and ensure the engine is off and cooled.
2. Clean the handlebar area where the clamps will be attached.

4.2 Attach Handlebar Clamps

1. Identify the two handlebar clamps. These typically consist of two halves that secure around the handlebar.
2. Position one clamp on each side of your ATV's handlebars, ensuring they are evenly spaced and allow for comfortable grip and control.
3. Secure the clamps loosely with the provided bolts. Do not fully tighten at this stage.



Figure 4.1: Handlebar clamp detail.

4.3 Assemble Mounting Arms

1. Attach the lower end of each mounting arm to the handlebar clamps using the appropriate bolts and nuts.
2. Ensure the adjustable joints on the mounting arms are facing the correct direction to allow for windshield angle adjustment.



Figure 4.2: Mounting arm assembly.

4.4 Attach Windshield to Mounting Arms

1. Align the pre-drilled holes on the windshield with the upper attachment points on the mounting arms.
2. Secure the windshield to the arms using the remaining bolts, washers, and nuts. Do not fully tighten yet.



Figure 4.3: Windshield attachment points.

4.5 Adjust and Final Tighten

1. Once the windshield is loosely assembled, adjust its position and angle to your preference, ensuring it provides optimal protection and clear vision without obstructing controls.
2. Carefully tighten all bolts, starting with the handlebar clamps, then the arm joints, and finally the windshield attachment points. Ensure all connections are firm but avoid over-tightening, which can damage components.
3. Double-check all fasteners for security before operating the ATV.



Figure 4.4: Installed windshield on an ATV.

5. OPERATING INSTRUCTIONS

The KUAFU ATV Windshield is designed to enhance your riding experience by providing:

- **Effective Protection:** The wrap-around design offers a wider coverage area, protecting the driver's hands, face, and body from wind, dust, debris, and minor impacts.
- **Clear Vision:** The transparent material ensures an unobstructed view of the terrain, contributing to safer driving by minimizing distractions from environmental elements.

Always be aware of your surroundings and adjust your riding style as needed, especially in windy conditions or when encountering obstacles.

6. MAINTENANCE

Proper maintenance will extend the life and performance of your windshield:

- **Cleaning:** Clean the windshield regularly with mild soap and water, using a soft cloth. Avoid abrasive cleaners or harsh chemicals, as these can scratch or damage the plastic material. Rinse thoroughly and dry with a clean, soft cloth.
- **Inspection:** Periodically inspect all mounting hardware for tightness. Vibrations from ATV operation can cause bolts to loosen over time. Check the windshield for any signs of cracks or damage.
- **Storage:** When not in use for extended periods, store the ATV in a sheltered area to protect the windshield from extreme weather conditions and prolonged UV exposure.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Windshield is loose or vibrates excessively.	Loose mounting bolts or clamps.	Inspect and tighten all mounting bolts and handlebar clamps. Ensure they are firm but do not over-tighten.
Difficulty achieving desired angle/position.	Mounting arms or clamps not adjusted correctly.	Loosen adjustable joints on mounting arms and handlebar clamps, reposition the windshield, then re-tighten.
Visibility issues (scratches, haziness).	Improper cleaning or material wear.	Clean with mild soap and soft cloth. Avoid abrasive materials. If severely scratched, consider replacement.
Mounting hardware breaks during installation.	Over-tightening or manufacturing defect.	Avoid excessive force when tightening. If a defect is suspected, contact KUAFU customer support for replacement parts.

8. SPECIFICATIONS

Model Number	GO-2601
Brand	KUAFU
Material	Automotive Grade Plastic
Color	Transparent Black
Dimensions (Width x Height)	35-1/2 inches (901mm) x 20-3/4 inches (527mm)
Compatibility	Universal fit for various ATV models (e.g., Polaris, Arctic Cat, Honda, Yamaha, Can-Am, Kawasaki, Harley Davidson)

Installation Type	Bolt-on
-------------------	---------




Figure 8.1: Product dimensions.

9. WARRANTY AND SUPPORT

Specific warranty information for the KUAFU Universal ATV Windshield (Model GO-2601) is not provided in this manual. For warranty details, technical support, or to inquire about replacement parts, please contact KUAFU customer service directly through their official website or the retailer from whom the product was purchased.

© 2026 KUAFU. All rights reserved.
This manual is subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question