

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› **ESSEBAGNO** /

› **Essebagno Charme II Floor-Standing Mechanical Mixer for Freestanding Bathtub, Model 9024501**

ESSEBAGNO 9024501

Essebagno Charme II Floor-Standing Mechanical Mixer for Freestanding Bathtub

Brand: ESSEBAGNO | **Model:** 9024501

INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your Essebagno Charme II floor-standing mechanical mixer. Please read these instructions carefully before proceeding with installation or use to ensure proper function and longevity of your product.



Image 1: Essebagno Charme II Floor-Standing Mechanical Mixer.

PRODUCT FEATURES

- Integrated diverter in the handle for easy switching between spout and hand shower.
- Compatible with all types of boilers.
- Includes a 150 cm grey PVC flexible hose and 86 cm braided stainless steel supply hoses.
- ACS Certification: Sanitary Conformity Accreditation, ensuring compliance with health standards.
- Durable brass body with a stylish Gunmetal finish.
- Equipped with a reliable 35mm ceramic cartridge.

TECHNICAL SPECIFICATIONS

Feature	Specification
Manufacturer	Essebagno

Model Number	9024501
Dimensions (L x W x H)	15 x 20.3 x 113 cm
Weight	5.6 Kilograms
Color	Gunmetal Grey
Finish Type	Painted
Material	Brass (Body), Metal (Handle)
Number of Handles	1
Mounting Type	Floor Mount
Included Components	Mixer, hand shower, 150 cm grey PVC hose, hand shower holder, 78 cm braided stainless steel supply hoses, instruction manual




Image 2: Technical drawing with key dimensions.

SETUP AND INSTALLATION

Before beginning the installation, ensure you have all necessary tools and components. It is recommended to have a qualified plumber perform the installation.

Pre-Installation Steps:

- **Flush Water Lines:** Thoroughly flush the hot and cold water pipes to remove any dirt or debris that could

affect the faucet's performance.

- **Shut Off Water Supply:** Close the main water supply valve to prevent leaks during installation.
- **Remove Old Faucet (if applicable):** Carefully remove any existing faucet.
- **Clean Supply Pipe Threads:** Clean the threads of the main water supply pipes to ensure a secure connection.

Installation Steps:

1. Position the floor-standing column in the desired location next to your freestanding bathtub.
2. Connect the mixer to the two eccentric connectors. Ensure the nuts are tightened securely but do not touch the rosettes.
3. Attach the 78 cm braided stainless steel supply hoses to the appropriate hot and cold water inlets on the mixer and to your main water supply.
4. Connect the 150 cm grey PVC flexible hose to the hand shower outlet on the mixer and to the hand shower itself.
5. Mount the hand shower holder to the column at a comfortable height.
6. Once all connections are secure, slowly open the main water supply valve and check for any leaks.
7. Test the mixer's function, ensuring both the main spout and hand shower operate correctly.

OPERATING INSTRUCTIONS

The Essebagno Charme II mixer features a single handle for controlling water flow and temperature, and an integrated diverter for switching between the main spout and the hand shower.

Water Flow and Temperature Control:

- To turn on the water, lift the single handle.
- To increase water flow, lift the handle further. To decrease, lower it.
- To adjust the water temperature, pivot the handle left for hot water and right for cold water.

Diverter Function:

- The diverter is integrated into the body of the mixer, typically a small knob or button near the main handle.
- To switch water flow from the main spout to the hand shower, pull or push the diverter knob.
- To switch back to the main spout, return the diverter knob to its original position.



Image 3: Mixer handle and diverter for flow control.

MAINTENANCE

Proper maintenance will help preserve the finish and functionality of your Essebagno Charme II mixer.

Cleaning Instructions:

- To keep your mixer clean and shiny, wipe it with a soft microfiber cloth immediately after each use. This helps prevent water spots and mineral buildup.
- For more thorough cleaning, use a mild soap solution and a soft cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the Gunmetal finish.
- Regularly clean the hand shower nozzles to prevent limescale buildup, which can affect spray patterns.

TROUBLESHOOTING

If you encounter any issues with your Essebagno Charme II mixer, refer to the following common problems and solutions:

- **Low Water Flow:**

Possible Cause: Clogged aerator or supply lines.

Solution: Remove and clean the aerator at the spout. Check supply hoses for kinks or blockages. Ensure main water supply is fully open.

- **Leaks from Connections:**

Possible Cause: Loose connections or damaged seals.

Solution: Gently tighten connections. If leaks persist, check O-rings and gaskets for damage and replace if necessary. Ensure plumber's tape was used on threaded connections during installation.

- **Water Temperature Issues (Too Hot/Cold):**

Possible Cause: Incorrect hot/cold water supply connections or issues with the water heater.

Solution: Verify hot and cold supply lines are connected correctly. Check your water heater settings.

- **Diverter Not Switching Properly:**

Possible Cause: Debris in the diverter mechanism or wear.

Solution: Operate the diverter several times to dislodge any debris. If the issue persists, the diverter cartridge may need inspection or replacement by a professional.

If these steps do not resolve the issue, please contact customer support or a qualified plumber.

WARRANTY INFORMATION

Your Essebagnò Charme II mixer comes with the following warranty:

- **Main Body:** Guaranteed for 5 years from the date of purchase.
- **Wear Parts:** Components such as the diverter, ceramic cartridge, and flexible hoses are guaranteed for 1 year from the date of purchase.

This warranty covers manufacturing defects under normal use. It does not cover damage caused by improper installation, misuse, abuse, or normal wear and tear. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about spare parts, please contact your retailer or Essebagnò customer service. When contacting support, please have your product model number (9024501) and proof of purchase readily available.

While information on spare parts availability is not directly provided, please contact customer support for specific inquiries.