AVIALOGIC M2C-01

AVIALOGIC M2C Drone Remote Control

User Manual

Product Overview Safety Information Setup Operating Instructions Maintenance Troubleshooting Specifications Warranty & Support

1. Product Overview

The AVIALOGIC M2C Drone Remote Control is designed for intuitive and precise control of your M2C drone. This manual provides essential information to ensure safe and effective operation.

Package Contents:

- 1 x AVIALOGIC M2C Drone Remote Control
- (Batteries are not included and must be purchased separately)



Figure 1.1: AVIALOGIC M2C Drone Remote Control. This image displays the ergonomic design of the remote control unit.



Figure 1.2: AVIALOGIC M2C Drone Kit. This image shows the drone, its remote control, and other accessories included in a typical kit, providing a visual context for the remote control.

2. Safety Information

Before using the AVIALOGIC M2C remote control, please read and understand all safety warnings and instructions. Failure to follow these instructions may result in injury or damage to the product.

- **Battery Safety:** Ensure correct battery polarity when installing. Do not mix old and new batteries, or different types of batteries. Remove batteries if the remote control will not be used for an extended period.
- **Operating Environment:** Use the remote control in open areas, away from obstacles, people, and animals. Avoid operating near strong electromagnetic interference sources.
- **Range Awareness:** Be aware of the maximum operating range (up to 10 meters). Operating beyond this range may result in loss of control.
- **Supervision:** Adult supervision is recommended for younger users.
- **Water and Moisture:** Keep the remote control away from water and moisture to prevent damage to internal components.
- **Storage:** Store the remote control in a cool, dry place, away from direct sunlight and extreme temperatures.

---

3. Setup

3.1. Battery Installation

1. Locate the battery compartment on the back of the remote control.
2. Open the battery compartment cover.
3. Insert the required batteries (e.g., AA or AAA, refer to the drone's manual for specific type) according to the polarity markings (+ and -).
4. Close the battery compartment cover securely.

3.2. Pairing with the M2C Drone

To establish a connection between the remote control and your M2C drone, follow these general pairing steps. Specific details may vary; always refer to your M2C drone's instruction manual for precise pairing procedures.

1. Ensure both the remote control and the M2C drone are fully charged or have fresh batteries.
2. Place the drone on a flat, level surface.
3. Power on the drone. The drone's indicator lights will typically flash, indicating it is in pairing mode.
4. Power on the remote control.
5. Perform the specific pairing sequence as instructed in your M2C drone's manual (e.g., push the left joystick up then down, or press a dedicated pairing button).
6. Once successfully paired, the indicator lights on both the drone and the remote control will usually become solid.

---

4. Operating Instructions

This section provides general guidance for operating the AVIALOGIC M2C remote control. Always refer to your M2C drone's specific flight manual for detailed control functions and flight modes.

4.1. Powering On/Off

- **Power On:** Press and hold the power button on the remote control until the indicator light illuminates.
- **Power Off:** Press and hold the power button again until the indicator light turns off.

4.2. Basic Controls (Button Control Type)

The M2C remote control utilizes a button control type, typically featuring joysticks and various function buttons.

Control	Function
Left Joystick	Controls altitude (up/down) and rotation (yaw left/right).
Right Joystick	Controls forward/backward movement and left/right strafing.
Take-off/Landing Button	One-key take-off or landing (if supported by drone).
Speed Mode Button	Switches between different flight speeds (e.g., low, medium, high).
Trim Buttons	Adjusts the drone's stability to correct unwanted drift.

Note: Always perform a pre-flight check and familiarize yourself with the controls in a safe, open environment before attempting advanced maneuvers.

---

5. Maintenance

Proper maintenance ensures the longevity and reliable performance of your AVIALOGIC M2C remote control.

- **Cleaning:** Use a soft, dry cloth to wipe the surface of the remote control. Do not use liquid cleaners or solvents.
- **Battery Care:** Remove batteries if the remote control is not used for extended periods to prevent leakage. Dispose of used batteries responsibly.
- **Storage:** Store the remote control in its original packaging or a protective case when not in use. Avoid exposing it to extreme temperatures, humidity, or direct sunlight.
- **Inspection:** Periodically check for any visible damage to the casing, buttons, or joysticks.

---

6. Troubleshooting

If you encounter issues with your AVIALOGIC M2C remote control, refer to the following common solutions:

Problem	Possible Cause	Solution
Remote control does not power on.	Dead or incorrectly installed batteries.	Replace batteries with fresh ones, ensuring correct polarity.
Remote control does not connect to the drone.	Drone not powered on; incorrect pairing procedure; out of range.	Ensure drone is on. Repeat pairing steps from Section 3.2. Move closer to the drone.
Limited control range.	Environmental interference; low battery on remote or drone.	Operate in an open area. Ensure both remote and drone have sufficient power.
Drone drifts during flight.	Needs calibration or trim adjustment.	Refer to the drone's manual for calibration steps. Use trim buttons to correct drift.

---

7. Specifications

Feature	Detail
Brand	AVIALOGIC

Feature	Detail
Model Number	M2C-01
Connectivity Technology	Infrared
Controller Type	Button Control
Maximum Range	10 Meters
Special Feature	Ergonomic Design
Supported Devices	1 (M2C Drone)

8. Warranty and Support

For warranty information and technical support, please refer to the documentation provided with your AVIALOGIC M2C drone or visit the official AVIALOGIC website. Keep your purchase receipt as proof of purchase for warranty claims.
If you require further assistance, please contact AVIALOGIC customer service through their official channels.

© 2023 AVIALOGIC. All rights reserved. This manual is for informational purposes only.