

LUMISOL xv03

LUMISOL 36-Inch Bathroom Vanity with Ceramic Sink

Model: xv03

INTRODUCTION

This manual provides instructions for the assembly, operation, maintenance, and troubleshooting of your LUMISOL 36-inch Bathroom Vanity with Ceramic Sink. Please read these instructions carefully before beginning assembly and retain them for future reference.

SAFETY INFORMATION

- Always follow all local plumbing and building codes during installation.
- Ensure all connections are secure to prevent leaks.
- Do not overload drawers or shelves.
- Keep small parts away from children during assembly.
- Use appropriate safety gear, such as gloves and eye protection, during assembly.
- This product is heavy; assembly by two people is recommended.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly.

- Bathroom Vanity Cabinet
- Ceramic Sink
- Assembly Hardware (screws, hinges, drawer slides, handles)
- Instruction Manual

Note: Faucet and drain assembly are not included.

SETUP AND ASSEMBLY

Full assembly is required for this vanity. It is recommended that two people assemble this product. All necessary tools are

included.

Dimensions

Refer to the diagram below for overall dimensions and internal measurements.

Size:inch



Figure 1: Overall and internal dimensions of the vanity. Overall: 36"W x 18"D x 34.3"H. Sink: 36"W x 18"D x 6.61"H. Vanity: 35.6"W x 17.8"D x 33"H.

Assembly Steps

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches. Verify all parts against the included parts list.
2. **Assemble Cabinet Frame:** Follow the step-by-step instructions provided in the separate assembly guide to construct the main vanity cabinet frame. Ensure all connections are tightened securely.
3. **Install Drawers and Doors:** Attach drawer slides to the cabinet and drawers. Install hinges for the cabinet door. The vanity features soft-close mechanisms for quiet operation.
4. **Attach Handles:** Securely fasten the delicate golden handles to the drawers and cabinet door.
5. **Place Ceramic Sink:** Carefully place the ceramic sink onto the assembled vanity cabinet. Ensure it is properly aligned with the cabinet and any pre-drilled holes.
6. **Plumbing Connections:** Connect the faucet (not included) to the pre-drilled holes on the ceramic sink. The sink is suitable for 4-inch center set faucets. Connect the drain assembly (not included) and ensure all plumbing connections are watertight.




Premium Ceramic Sink

The smooth, non-porous surface is resistant to stains and easy to clean.



Overflow Protection

Equipped with an overflow hole to prevent spills and maintain a mess-free space.



Three Pre-drilled Hole

For easy faucet installation (faucet not included).

Figure 2: Ceramic sink features including overflow protection and pre-drilled faucet holes (4-inch center set).



Figure 3: Rear view of the vanity cabinet, illustrating the internal structure and shelf placement.

OPERATING INSTRUCTIONS

Your LUMISOL bathroom vanity is designed for functional storage and daily use.

- **Drawers:** The vanity includes three drawers for organizing smaller bathroom essentials. These drawers feature soft-close mechanisms to prevent slamming and reduce noise.
- **Cabinet:** The central cabinet provides larger storage space, ideal for towels, cleaning supplies, or taller items. It includes an adjustable shelf for flexible organization.
- **Sink:** The ceramic sink is designed for daily washing. It features an overflow hole to prevent accidental spills.

Multifunctional Storage Cabinet



Figure 4: Multifunctional storage cabinet with drawers and under-sink space for organization.



Figure 5: Vanity with drawers and cabinet open, demonstrating accessibility and storage layout.

MAINTENANCE

Proper care will ensure the longevity and appearance of your vanity.

- **Cleaning the Vanity:** Wipe the vanity surfaces with a damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the waterproof painting.
- **Cleaning the Sink:** Wipe or rinse the ceramic sink after each use for best results. Use mild soap and water for cleaning. Do not use abrasive pads or cleaners that could scratch the ceramic surface.
- **Spills:** Promptly clean any spills on the vanity or sink to prevent staining or water damage.
- **Hardware:** Periodically check and tighten any loose screws on handles, hinges, or drawer slides.

TROUBLESHOOTING

If you encounter issues with your vanity, refer to the following common solutions:

Problem	Possible Cause	Solution
Drawers or doors do not close smoothly.	Misaligned drawer slides or hinges. Obstruction in the mechanism.	Check for obstructions. Adjust drawer slides or door hinges according to the assembly guide. Ensure all screws are tightened.

Problem	Possible Cause	Solution
Water leaks from sink or faucet connections.	Loose plumbing connections. Improperly sealed drain.	Tighten all water supply lines and drain connections. Ensure plumber's putty or sealant is correctly applied around the drain. Consult a plumber if necessary.
Vanity appears unstable or wobbly.	Loose assembly screws. Uneven floor.	Check and tighten all assembly screws. Use shims under the vanity legs to level it on an uneven floor.

If the problem persists, please contact customer support.

SPECIFICATIONS

Feature	Detail
Brand	LUMISOL
Model Number	xv03
Color	Green
Overall Dimensions (W x D x H)	36" x 18" x 34.3"
Vanity Material	Solid Wood + MDF Board
Sink Material	Ceramic
Mounting Type	Freestanding, Floor Mount
Number of Drawers	3
Number of Doors	1
Number of Shelves	1 (Adjustable)
Faucet Mount	Centre 4" (faucet not included)
Overflow Hole	Included
Weight Capacity (Vanity)	150 LBS
Weight Capacity (Each Shelf)	20 LBS
Weight Capacity (Each Drawer)	50 LBS
Overall Product Weight	113 LBS
Assembly Required	Yes (Full Assembly Needed)
Additional Features	Adjustable Shelf, Waterproof Painting, Soft-Close Doors/Drawers

WARRANTY

This LUMISOL Bathroom Vanity comes with a **1-Year Warranty** from the date of purchase. This warranty covers manufacturing defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, misuse, abuse, accident, neglect, or normal wear and tear. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For any questions regarding assembly, missing parts, or product issues, please contact LUMISOL customer service. Refer to your purchase documentation for contact details or visit the official LUMISOL website.

© 2024 LUMISOL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question