

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [ShiureBath](#) /

› [ShiureBath 12 Inch Shower Faucet Set with Tub Spout Instruction Manual](#)

ShiureBath S12B-F

ShiureBath 12 Inch Shower Faucet Set with Tub Spout Instruction Manual

Model: S12B-F
Brand: ShiureBath

INTRODUCTION

Thank you for choosing the ShiureBath 12 Inch Shower Faucet Set with Tub Spout. This system is designed to provide a superior showering experience with its high-pressure capabilities and durable construction. Featuring a 12-inch rain shower head, a versatile handheld shower, and a high-flow tub spout, this set combines modern design with practical functionality. Please read this manual carefully before installation and use to ensure proper operation and longevity of your product.



Image: The complete ShiureBath 12 Inch Shower Faucet Set, showcasing the rain shower head, control valve, handheld shower, and tub spout, all in a brushed nickel finish.

INCLUDED COMPONENTS

The ShiureBath 12 Inch Shower Faucet Set includes the following components:

- 12" Square Rain Shower Head (304 stainless steel)
- Handheld Shower Head (Brass)
- Tub Spout (304 stainless steel)
- 15.7" Shower Arm (Metal)
- 59" Shower Hose (304 stainless steel)
- Shower Holder (Brass)

- Water Control Valve (Brass)
- Handle, Plate, Knob
- Instruction Manual
- Installation Tools

WHAT WILL YOU GET



Pictures are real photos

ShiureBath
○○○○○○

Image: A visual representation of all parts and accessories included in the ShiureBath shower system package.

SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and longevity of your shower system. We recommend consulting a professional plumber for installation. Detailed instructions are provided in the included installation manual (PDF available [here](#)).

Installation Steps Overview:

1. **Prepare the Installation Area:** Ensure the wall framing is ready for the rough-in valve.

2. **Install the Rough-in Valve:** Secure the brass main valve within the wall, ensuring it is level and at the correct depth (approximately 2.9 inches from the finished wall surface). Connect hot and cold water lines, and outlets for the rain shower head, handheld shower, and tub spout. Use pipe thread sealant for better sealing on 1/2 inch male NPT fittings.
3. **Flush Pipes:** Before final assembly, flush the water lines to remove any debris and prevent clogging.
4. **Install Trim and Handles:** Attach the decorative plate, temperature control handle, and diverter knob.
5. **Install Shower Arm and Rain Shower Head:** Secure the shower arm to the wall and attach the 12-inch rain shower head.
6. **Install Handheld Shower Holder and Hose:** Mount the shower holder and connect the 59-inch shower hose and handheld shower head.
7. **Install Tub Spout:** Attach the waterfall tub spout to its designated outlet.

BRASS MAIN VALVE

EASY MAINTENANCE



▶ No need to tear down walls




Image: Detailed diagram illustrating the internal components and connection points of the brass main valve, including hot water, cold water, handheld shower, rain shower head, and tub spout connectors.

Installation Video Tutorial:

Your browser does not support the video tag.

OPERATING INSTRUCTIONS

The ShiureBath shower system offers three distinct functions for a customized bathing experience:

- **Rain Shower Mode:** Provides a consistent, powerful high-pressure rain shower, even under low water pressure, thanks to "Air Injection" pressurization technology.
- **Handheld Shower Mode:** Offers flexibility and targeted water flow, ideal for rinsing specific areas or cleaning the shower. Features TRP soft rubber nozzles for comfortable use and easy cleaning.
- **Tub Spout Mode:** The wide waterfall tub spout quickly fills your bathtub with a 2.5 GPM flow rate, minimizing temperature loss.

The pressure-balancing valve ensures stable water temperatures, preventing abrupt fluctuations. The valve also includes adjustable hot and cold water flow rate settings, allowing you to customize the water flow to your preference.

3 Function Shower System



Rain Shower Mode



Handheld Shower Mode



Tub Spout Mode



Image: Illustration of the three functional modes: overhead rain shower, handheld shower, and tub spout, demonstrating the versatility of the system.

12 INCH RAIN SHOWER HEAD



Easy Clean Spray Hole

12 inch square shower head offering a good coverage to soak your entire body as if you are in a luxury hotel or Spa.

ShiureBath
○○○○○○

Image: A detailed view of the 12-inch square rain shower head, highlighting its 360-degree rotation capability and easy-clean spray holes for optimal water distribution.

HANDHELD SHOWER HEAD



Image: The handheld shower head with its dimensions (7.87" length, 1.38" width) and features like TRP soft rubber for a comfortable experience and 44 drainages for efficient flow.

2.5 GPM WATERFALL TUB SPOUT



Image: The 2.5 GPM waterfall tub spout, showing its dimensions (4" width, 6.22" projection, 1.81" height) and the smooth, wide water flow it provides.

MAINTENANCE

To maintain the appearance and functionality of your ShiureBath shower system, follow these guidelines:

- **Cleaning:** Clean the brushed nickel finish regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Nozzle Care:** The rain shower head and handheld shower head feature easy-clean spray holes. Gently rub the rubber nozzles to dislodge any mineral buildup or debris.
- **Valve Cartridge Replacement:** When it's time to replace the valve cartridge, you can simply close the adjustable hot and cold water flow rate settings on the pressure-balanced valve without having to turn off the main water supply, simplifying the replacement process.

TROUBLESHOOTING

For any issues encountered with your ShiureBath shower system, please refer to the detailed troubleshooting section in the full installation manual. If problems persist, contact customer support for assistance.

SPECIFICATIONS

Feature	Detail
Brand	ShiureBath
Color	Brushed Nickel
Material	Brass, Stainless Steel
Finish Type	Brushed
Number of Handles	1
Handle Material	Brass, Stainless Steel
Mounting Type	Wall Mount
Spout Reach	6.3 Inches
Flow Rate Description	1.34GPM 5.09L/Min (handheld shower); 1.84GPM 6.95L/Min (rain shower head); 1.76GPM 6.68L/Min (tub spout) - 0.1Mpa, 3.22GPM 12.19L/Min (handheld shower); 2.42GPM 9.15L/Min (rain shower head); 2.96GPM 11.2L/Min (tub spout) - 0.3Mpa, 1.8GPM 6.8L/MIN
Item Weight	13.26 pounds
Product Dimensions	16 x 10 x 6 inches
Item Model Number	S12B-F
Style	With Tub Spout
Shape	Square
Installation Method	Wall-Mounted

Feature	Detail
Item Package Quantity	1
Batteries Included?	No
Batteries Required?	No
Date First Available	September 26, 2023




Image: A diagram illustrating the various dimensions of the shower system components, including the rain shower head, control panel, handheld shower, and tub spout.

WARRANTY AND SUPPORT

Warranty: The ShiureBath shower system comes with a warranty within 5 years from the date of purchase. Please ensure you read the user manual carefully before installation and install it correctly to maintain warranty validity.

Customer Support: If you encounter any problems with your shower system or require assistance, please contact ShiureBath customer service. You can reach us at **626-781-1137** (Pacific time from 9:00 AM to 5:00 PM).