

EGLO 206059A

EGLO Priddy 1-Light Pendant Instruction Manual

Model: 206059A | Brand: EGLO

1. INTRODUCTION

Thank you for purchasing the EGLO Priddy 1-Light Pendant. This manual provides essential information for the safe and correct installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before beginning installation and retain them for future reference.

2. SAFETY INFORMATION

- **WARNING:** Risk of electric shock. Disconnect power at the circuit breaker or fuse box before installation or servicing.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- Ensure the mounting surface can support the weight of the fixture.
- Do not connect this fixture to an ungrounded electrical system.
- Do not exceed the maximum wattage specified for the bulb.
- Handle the fixture with care to avoid damage.

3. PACKAGE CONTENTS

Carefully unpack your fixture and check that all parts are included. If any parts are missing or damaged, do not attempt to assemble or install the product. Contact customer service for assistance.

- Priddy 1-Light Pendant (Black Exterior, White Interior Metal Shade)
- Mounting hardware kit
- Instruction Manual




Image 1: EGLO Priddy 1-Light Pendant, showcasing its black exterior and white interior metal shade.

4. SETUP AND INSTALLATION

Professional installation is recommended for this product.

4.1 Preparing for Installation

1. Turn off power at the circuit breaker or fuse box.
2. Clear the work area and ensure you have all necessary tools (screwdriver, wire strippers, etc.).

4.2 Mounting the Fixture

1. Attach the mounting bracket to the junction box in the ceiling using the provided screws.
2. Connect the fixture's ground wire (usually bare copper or green) to the ground wire from the junction box.
3. Connect the fixture's white wire to the white (neutral) wire from the junction box.
4. Connect the fixture's black wire to the black (hot) wire from the junction box.
5. Secure all wire connections with wire nuts.
6. Carefully tuck all wires into the junction box.
7. Attach the fixture canopy to the mounting bracket, securing it with the provided screws or nuts.

4.3 Adjusting Hanging Length

The pendant features an adjustable hanging length via its black cable. To adjust, loosen the cable grip at the canopy, pull the cable to the desired length, and then tighten the grip securely. Ensure the fixture hangs level.



Image 2: The EGLO Priddy Pendant installed in a dining room, demonstrating its adjustable hanging length.

4.4 Bulb Installation

1. Insert one E26 Medium base LED compatible bulb (not included) into the socket.
2. Do not exceed the maximum wattage of 60 watts.

5. OPERATING INSTRUCTIONS

Once installed and a bulb is inserted, restore power at the circuit breaker. The pendant light can then be operated using a standard wall switch connected to the fixture's circuit. The fixture is LED compatible, allowing for energy-efficient lighting.

6. MAINTENANCE

6.1 Cleaning

To clean the fixture, ensure power is off. Wipe with a soft, dry cloth. Do not use abrasive cleaners or solvents, as these may damage the finish.

6.2 Bulb Replacement

Before replacing the bulb, turn off power at the circuit breaker and allow the bulb to cool. Unscrew the old bulb and screw in a new E26 Medium base LED compatible bulb, ensuring it does not exceed 60 watts.

7. TROUBLESHOOTING

- **Light does not turn on:**
 - Check that the power is on at the circuit breaker.

- Ensure the bulb is correctly installed and not faulty.
- Verify all wire connections are secure.

- **Flickering light:**

- Ensure the bulb is fully screwed into the socket.
- Check for loose wire connections.
- If using an LED bulb, ensure it is compatible with your dimmer switch (if applicable).

8. SPECIFICATIONS

| | |
|----------------------------------|----------------------|
| Brand | EGLO |
| Model Name | 206059A |
| Color | Black / White |
| Material | Alloy Steel, Metal |
| Style | Transitional |
| Light Fixture Form | Pendant |
| Product Dimensions | 12"L x 12"W x 9.45"H |
| Power Source | AC/DC |
| Installation Type | Semi Flush Mount |
| Light Source Type | LED Compatible |
| Shade Material | Metal |
| Number of Light Sources | 1 |
| Bulb Base | E26 Medium |
| Wattage | 60 watts (Max) |
| Item Weight | 4 Pounds |
| Adjustable Hanging Length | Yes |

9. WARRANTY AND SUPPORT

This EGLO Priddy 1-Light Pendant is covered by a **1-year manufacturer's warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, accident, misuse, abuse, or unauthorized modifications. For warranty claims or technical support, please contact EGLO customer service. Refer to the EGLO official website for contact details.

10. OFFICIAL PRODUCT VIDEO

Video 1: EGLO Brand Video. This video provides an overview of the EGLO brand and its lighting products, showcasing

various designs and applications.