



Manuals.plus /

- › domi outdoor living /
- › Domi Outdoor Storage Shed 10'x8' Instruction Manual

## domi outdoor living LGCF1552-BR

# Domi Outdoor Storage Shed 10'x8' Instruction Manual

Model: LGCF1552-BR

## INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Domi Outdoor Storage Shed 10'x8'. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your storage shed.

## SAFETY INFORMATION

**WARNING:** This product is heavy and constructed from metal. Follow all assembly instructions precisely to ensure safe setup and prevent injury. Always wear appropriate personal protective equipment, such as gloves and eye protection, during assembly.

- Ensure the assembly area is clear of obstructions and level.
- Do not attempt to assemble the shed alone. Two or more people are recommended for safe assembly.
- Keep children and pets away from the assembly area.
- Check all parts for damage before assembly. Do not use damaged parts.
- Securely fasten all screws and bolts as instructed.
- Position the shed on a solid, level foundation to prevent instability.

## PACKAGE CONTENTS

Your Domi Outdoor Storage Shed is packaged in two boxes. Please verify that all components are present and undamaged before beginning assembly. The package includes:

- All necessary hardware (screws, bolts, nuts).
- Pre-cut and pre-drilled metal panels and frame components.
- A pair of assembly gloves.
- Detailed instruction manual.

All parts are numbered for easy identification during assembly. Refer to the parts list in the included printed manual to confirm all items are present.

## SETUP AND ASSEMBLY INSTRUCTIONS

---

Assembly requires careful attention to detail. It is recommended to have at least two people for assembly. The estimated assembly time is approximately 15-20 hours.

### Preparation:

1. Choose a flat, level surface for installation. A concrete pad is recommended for optimal stability and a hard internal surface.
2. Unpack all boxes and lay out the numbered parts. Verify against the parts list.
3. Remove any protective clear film from the panels as you proceed with assembly to prevent scratches.
4. Gather necessary tools: screwdriver, wrench, measuring tape, safety gloves (included), safety glasses.

### Assembly Steps:

Follow the step-by-step diagrams and instructions provided in your physical manual. The general sequence is as follows:

1. **Base Assembly:** Construct the shed's base frame. Ensure it is square and level.



Image: The assembled Domi Outdoor Storage Shed 10'x8' highlighting the stable ground base and overall structure.

2. **Wall Panel Installation:** Attach the pre-drilled wall panels to the base frame. Ensure panels are correctly oriented.



Image: Close-up details of the shed's construction, including the plastic corner cap, flexible and durable lock, sturdy inner structure, and stable ground base.

3. **Roof Frame Assembly:** Construct the roof frame and attach it to the top of the wall panels.




Image: Illustration of the shed's sturdy aluminum frame, providing structural integrity.

4. **Roof Panel Installation:** Install the roof panels, ensuring the slope is correctly oriented for water runoff.



100% WATERPROOF



SLOPING ROOF

AIR VENTS



Image: The shed's sloping roof design, demonstrating water runoff, and integrated air vents for proper ventilation.

5. **Door Assembly and Installation:** Assemble the sliding doors and install them onto the designated tracks. Ensure smooth operation.



① FULL OPEN



② HALF OPEN



③ FULL CLOSE

Image: Depiction of the shed's sliding doors in three states: fully open, half open, and fully closed.

6. **Vent Installation:** Ensure all air vents are properly installed for adequate airflow.
7. **Final Checks:** Double-check all fasteners for tightness. Ensure doors slide freely and lock securely.

## OPERATING INSTRUCTIONS

The Domi Outdoor Storage Shed is designed for secure and ventilated storage.

- **Door Operation:** The shed features sliding doors. To open, slide the doors along their tracks. To close, slide them back until they meet.
- **Locking Mechanism:** Use the provided lock and keys to secure the shed. Always ensure the doors are fully closed before locking.
- **Ventilation:** The 16 integrated air vents provide continuous airflow, reducing moisture buildup and preventing mold. Do not block these vents.
- **Storage Capacity:** The 10'x8' shed offers ample space for various items such as garden tools, lawn mowers, bicycles, or can serve as a pet house or garbage chamber.



Image: Examples of how the shed can be utilized, including as a pet house, a tools room, a garbage chamber, or a general storage room.

## MAINTENANCE

Regular maintenance will extend the life of your storage shed.

- **Cleaning:** Clean the exterior panels periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Roof Maintenance:** Regularly clear the roof of leaves, snow, and other debris to ensure proper water drainage and prevent excessive load.
- **Door Tracks:** Keep the door tracks clean and free of dirt or debris to ensure smooth sliding operation. Lubricate if necessary with a silicone-based spray.
- **Fasteners:** Periodically check all screws and bolts for tightness and re-tighten as needed.
- **Ventilation:** Ensure air vents remain unobstructed to maintain proper airflow and prevent moisture buildup.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Doors do not slide smoothly.	Debris in tracks, misaligned doors, or lack of lubrication.	Clean tracks thoroughly. Check door alignment and adjust if necessary. Apply silicone lubricant to tracks.
Water leakage inside the shed.	Improperly sealed panels, damaged roof, or uneven foundation.	Inspect all panel seams and roof for gaps or damage. Apply sealant if needed. Ensure the shed is on a level surface.
Shed feels unstable or wobbly.	Loose fasteners, uneven foundation, or incorrect base assembly.	Check and tighten all screws and bolts. Verify the foundation is level. Review base assembly steps in the manual.
Difficulty assembling parts.	Incorrect part orientation, missing hardware, or misinterpretation of instructions.	Refer to the numbered parts and diagrams in the manual. Ensure all hardware is present. Contact customer support if parts are missing or damaged.

## SPECIFICATIONS

Feature	Detail
Brand	domi outdoor living
Model Number	LGCF1552-BR
	10' x 8' (118.43" L x 95.12" W x 76.57" H)


**Dimensions**  
(Approximate)

**Detail**

**10'x8'**



Color	Brown	Image: Diagram illustrating the key dimensions of the 10'x8' storage shed.
Material	Galvanized Alloy Steel, Metal	
Item Weight	86 Pounds	
Door Style	Sliding Doors	
Ventilation	16 integrated air vents	

Feature	Detail
Weather Resistance	<p data-bbox="300 152 724 185">Waterproof, Rustproof, UV Resistant</p>  <p data-bbox="347 1402 1433 1464">Image: Visual representation of the shed's ability to withstand both sunny conditions (UV protection) and rain (waterproof and rustproof).</p>
Assembly Required	Yes

## WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your purchase or contact Domi Outdoor Living customer support. Domi Outdoor Living offers a 30-day easy return policy and customer support for any inquiries or issues.

If you encounter any problems during assembly or use, or if you have questions about your product, please contact our customer service team. Contact details can typically be found on the packaging or the official Domi Outdoor Living website.

