

PETZL E092EB00

PETZL Swift RL Replacement Headband User Manual

Model: E092EB00

INTRODUCTION

This manual provides detailed instructions for the proper installation, adjustment, and care of your PETZL Swift RL Replacement Headband. Please read these instructions carefully before use to ensure correct application and to maximize the lifespan of your product. This replacement headband is designed to restore comfort and functionality to your compatible PETZL headlamp.

PRODUCT OVERVIEW

The PETZL Swift RL Replacement Headband is an original equipment manufacturer (OEM) accessory designed for specific PETZL headlamp models. It features a durable elastic strap and a detachable clasp for ease of installation and adjustment. The headband ensures a secure and comfortable fit for your headlamp during various activities.



Image: The PETZL Swift RL Replacement Headband, showcasing its black elastic material, adjustable buckles, and the PETZL logo. This image illustrates the complete headband assembly.

COMPATIBILITY

This replacement headband is specifically designed for use with the **PETZL SWIFT RL** headlamp series (models typically designated as E095BBxx). It is important to verify your headlamp model number to ensure compatibility. This headband is **not compatible** with PETZL Aria headlamps or other models not explicitly listed as Swift RL.

Compatible with

SWIFT RL- E095BBxx



Image: Visual representation of the PETZL Swift RL headlamps in various colors (orange, black, white) that are compatible with this replacement headband. The text confirms compatibility with SWIFT RL- E095BBxx models.

SETUP AND INSTALLATION

Follow these steps to replace your headlamp's headband:

1. **Remove the Old Headband:** If your existing headband is permanently attached, you may need to carefully cut it to remove it from the headlamp unit. Ensure no damage is done to the headlamp body.
2. **Identify Attachment Points:** Locate the attachment slots or loops on your PETZL Swift RL headlamp where the headband connects.
3. **Attach the New Headband:** The replacement headband features a detachable clasp. Thread one end of the new headband through the designated slot on the headlamp.
4. **Secure the Clasp:** Connect the detachable clasp to form a continuous loop around your head. Ensure the clasp is securely fastened.
5. **Adjust for Fit:** Once attached, adjust the length of the headband using the sliding buckles to achieve a snug yet comfortable fit around your head.

For visual guidance, refer to the official PETZL website or product page for any available installation videos or diagrams specific to the Swift RL headlamp.

OPERATING AND ADJUSTMENT

The headband is designed for easy adjustment to fit various head sizes and to accommodate hats or helmets. To adjust the fit:

- Place the headlamp on your head.
- Use the sliding buckles on either side of the headband to tighten or loosen the strap until a comfortable and secure fit is achieved. The headlamp should remain stable during movement without causing undue pressure.
- Ensure the headlamp unit is centered on your forehead for optimal light distribution.

MAINTENANCE

Proper maintenance will extend the life of your replacement headband:

- **Cleaning:** Hand wash the headband with mild soap and cool water. Do not use harsh detergents or bleach. Rinse thoroughly.
- **Drying:** Air dry completely in a shaded area. Avoid direct sunlight or high heat, as this can degrade the elastic material.
- **Storage:** Store the headband and headlamp in a clean, dry place away from extreme temperatures and chemicals.
- **Inspection:** Regularly inspect the headband for signs of wear, fraying, or damage to the elastic or buckles. Replace if significant wear is observed to maintain safety and performance.

TROUBLESHOOTING

If you encounter issues with your replacement headband, consider the following:

- **Headband does not fit:** Double-check that you have the correct replacement headband for your specific PETZL Swift RL model (E095BBxx series). This headband is not universally compatible with all PETZL headlamps.
- **Difficulty with installation:** Ensure you are threading the headband correctly through the headlamp's attachment points and that the detachable clasp is fully engaged. Refer to the installation steps or official PETZL resources.
- **Headband feels loose or uncomfortable:** Adjust the sliding buckles to achieve a tighter, more secure fit. If the elastic has lost its stretch due to prolonged use or improper care, it may be time for a new replacement.

SPECIFICATIONS

Brand	PETZL
Model Number	E092EB00
Included Components	Headband
Item Package Dimensions (L x W x H)	4.41 x 1.65 x 1.22 inches
Package Weight	0.02 Kilograms
Size	Taille unique (One Size)




WARRANTY INFORMATION




PETZL products are covered by a warranty against defects in materials or manufacturing. The specific terms and duration of the warranty may vary by region and product. Please retain your proof of purchase. For detailed warranty information, please visit the official PETZL website or contact their customer support directly.

CUSTOMER SUPPORT











For further assistance, technical questions, or to report an issue, please contact PETZL customer support. You can typically find contact information, FAQs, and additional resources on the official PETZL website (www.petzl.com). When contacting support, please have your product model number (E092EB00) and purchase details ready.

Related Documents - E092EB00

	<p>Petzl Swift RL Headlamp User Manual</p> <p>This document provides comprehensive instructions for the Petzl Swift RL headlamp, covering its features, operation, maintenance, and safety precautions. It details how to use the REACTIVE LIGHTING® technology, battery charging, and accessory compatibility.</p>
	<p>Petzl NAO RL Headlamp - Technical Notice and User Guide</p> <p>Comprehensive technical notice and user guide for the Petzl NAO RL headlamp, covering operation, features, safety warnings, charging instructions, performance specifications, and maintenance.</p>
	<p>Petzl Tikka Plus 4-LED Headlamp Repair Guide</p> <p>Step-by-step instructions for opening and repairing the Petzl Tikka Plus 4-LED Headlamp, focusing on troubleshooting a faulty push button. Includes tools and detailed disassembly steps.</p>

	<p>Petzl Tikka Core Headlamp User Manual and Technical Information</p> <p>Comprehensive guide for the Petzl Tikka Core headlamp, covering setup, operation, safety precautions, battery care, and warranty information. Includes multilingual instructions.</p>
	<p>Petzl TIKKINA Headlamp: User Manual and Technical Notice</p> <p>Comprehensive user manual and technical notice for the Petzl TIKKINA headlamp, detailing setup, operation, safety precautions, battery charging, maintenance, and warranty information.</p>
	<p>Petzl BINDI Headlamp Technical Notice and User Guide</p> <p>Comprehensive technical notice and user guide for the Petzl BINDI ultra-lightweight and rechargeable headlamp, covering operation, charging, safety precautions, and warranty information.</p>

Documents - PETZL – E092EB00

petzl		SWIFT RL E092DA00	SWIFT RL E092DB00
SWIFT® RL ACCESSORIES COMPATIBILITY			
Rechargeable battery for SWIFT RL E092DB00			
ACCU SWIFT RL E092DA00			
SWIFT RL Headband E095BB E092DB00			
SWIFT RL Headband E095BA E092DA00			

[\[pdf\]](#) Accessories

01 SWIFT RL compatibilities 250725 swift rl PetzlSWIFT Headband E095BA E092EA00 SWIFT® ACCESSORIES COMPATIBILITY 25 07 2025 2024 2019 USB C micro B BSWIFT ACCESORIES COMPATIBILITYm petzl sfc servlet shepherd version 068Tx00000IxN1WIAV ||| SWIFT RL E095BBxx SWIFT RL E095BAxx SWIFT RL ACCESSORIES COMPATIBILITY Rechargeable battery for SWIFT RL E092DB00 ACCU SWIFT RL E092DA00 SWIFT RL Headband E095BB **E092EB00** SWIFT RL Headband E095BA E092EA00 2024 2019 USB-C USB-C micro USB-B micro USB-B 25/07/2025 ... lang: score:17 filesize: 517.68 K page_count: 1 document date: 2025-08-01

