

[Manuals.plus](#) /

› [JUSTKEY](#) /

› Vaporesso LU-XE Q2 POD Kit Instruction Manual

JUSTKEY LU-XE Q2

Vaporesso LU-XE Q2 POD Kit Instruction Manual

Model: LU-XE Q2

1. INTRODUCTION

Thank you for choosing the Vaporesso LU-XE Q2 POD Kit. This device is a new MTL (Mouth-to-Lung) pod system within the LU-XE Q family, designed for both MTL and RDL (Restricted Direct-to-Lung) vaping. It features a 1000mAh built-in battery, rapid Type-C charging, and advanced heating technology to deliver a consistent and satisfying experience. Please read this manual carefully before using the product to ensure proper operation and maintenance.



LUXE Q2 | Q2 SE

上質の手触り、上質のペイプ



1000mAh High Density Battery



LUXE Q Mesh Pod Compatibility



Accurate Flavor Lasting Longer



SSS Tech Anti-Leaking



3mlポッド詰め替えの回数を減らす

3mlの0.6/1.0Ω MESHポッドは、少ない詰め替えでより多くのパフを提供します。



LUXE Q2

JUSTKEYにて販売中

Figure 1: Vaporesso LU-XE Q2 POD Kit overview with key features.

2. PRODUCT OVERVIEW

Key Features:

- **1000mAh Built-in Battery:** Provides extended usage, up to 48 hours on a full charge.
- **2A Type-C Rapid Charging:** Achieves a full charge in approximately 30 minutes.
- **COREX Heating Technology:** Utilizes a 'Morph' mesh structure and 'Cumulus' cotton for faster, more uniform heating, improving vaporization efficiency by 50% and extending flavor accuracy and coil lifespan.
- **Adjustable Airflow:** A side-slide mechanism allows precise adjustment between MTL and RDL vaping styles.
- **AXON Chip:** Ensures instant burst activation and consistent, dense vapor production from the first puff to the last.
- **SSS Leak-Resistant Technology:** Designed to lock liquid inside the pod, significantly minimizing leakage.
- **Premium Leather Finish:** Offers a comfortable grip and luxurious feel.

仕様



サイズ：96.8×26×18.6mm

バッテリー容量：1000mAh

カートリッジ容量：3ml

カートリッジ：0.6Ω/1.0Ω メッシュ POD

充電：Type-C、2A

素材：レザー&メタル

パッケージ内容



1 x VAPORESSO LU-XE Q2本体

1 x LU-XE Q 0.6Ω Mesh POD (3ml)

1 x LU-XE Q 1.0Ω Mesh POD (3ml)

1 x Type-C ケーブル

1 x 取扱説明書&保証書



Figure 2: Vaporesso LU-XE Q2 Component Diagram.

Mouthpiece: Where you inhale vapor.

Filling Port: For refilling e-liquid into the pod.

Airflow Adjustment Toggle: Slide to adjust airflow.

Battery Indicator: Shows current battery level.

Type-C Port: For charging the device.

3. SETUP

3.1 Charging the Device

1. Connect the Type-C charging cable to the charging port at the bottom of the device.
2. Connect the other end of the cable to a suitable USB power adapter (not included).
3. The battery indicator light will show charging status. A full charge takes approximately 30 minutes.

全てのLUXE Qポッドに対応



部品名称



Figure 3: Rapid Charging Feature.

3.2 Filling the Pod

1. Remove the pod from the device.
2. Locate the filling port on the side of the pod.
3. Open the silicone plug.
4. Carefully fill the pod with your preferred e-liquid. Do not overfill.
5. Securely close the silicone plug.
6. After filling, wait at least 5 minutes before vaping to allow the coil to saturate with e-liquid. This prevents dry hits and extends coil life.

3.3 Attaching the Pod

Align the filled pod with the device's pod slot and push it firmly until it clicks into place. Ensure a secure connection.

4. OPERATING INSTRUCTIONS

4.1 Power On/Off

The Vaporesso LU-XE Q2 is an auto-draw device and typically does not have a power button. It activates automatically upon inhalation. Ensure the device is charged and a filled pod is inserted.

4.2 Vaping

Simply draw on the mouthpiece to activate the device and produce vapor.

4.3 Adjusting Airflow

Locate the airflow adjustment toggle on the side of the device. Slide it up or down to increase or decrease the airflow. A tighter airflow is suitable for MTL vaping, while a looser airflow is for RDL vaping.

簡単なエアフロー調整 MTLからRDL ベイプへ

サイドスライドでエアフローを調整し、好みの煙量を選んで自由に楽しめます。



COREX 加熱技術

気化効率比を 50% 向上
味の減衰は大幅に遅く



AXON チップ

瞬時にバースト
一貫した濃密な蒸気

JUSTKEYにて販売中

Figure 4: Airflow Adjustment.

5. MAINTENANCE

5.1 Cleaning

- Regularly clean the device, especially the pod connection area, with a dry cloth or cotton swab to prevent e-liquid buildup.
- Ensure no e-liquid enters the charging port.

5.2 Pod Replacement

Replace the pod when you notice a burnt taste, reduced vapor production, or a significant change in flavor. To replace, simply pull out the old pod and insert a new one after filling it with e-liquid and allowing it to prime.

5.3 Battery Care

- Avoid exposing the device to extreme temperatures.
- Do not use damaged charging cables or adapters.
- Charge the device fully before first use and whenever the battery is low.

6. TROUBLESHOOTING

If you encounter any issues with your Vaporesso LU-XE Q2, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No vapor production	Low battery; Empty pod; Pod not properly inserted; Coil not saturated.	Charge device; Refill pod; Re-insert pod; Wait 5 minutes after filling new pod.
Burnt taste	Coil is dry or worn out; E-liquid level too low.	Refill e-liquid; Replace pod.
Leaking	Overfilling; Damaged pod; Condensation.	Do not overfill; Replace pod; Clean condensation regularly.
Device not charging	Faulty cable/adaptor; Dirty charging port.	Try a different cable/adaptor; Clean charging port.
Poor draw response	Airflow sensor blocked; Device malfunction.	Ensure airflow sensor is clear; Contact support if issue persists.

7. SPECIFICATIONS



Figure 5: Specifications and Package Contents.

- **Dimensions:** 96.8 x 26 x 18.6 mm
- **Battery Capacity:** 1000mAh
- **Pod Capacity:** 3ml
- **Pod Resistance:** 0.6Ω / 1.0Ω Mesh POD
- **Charging:** Type-C, 2A
- **Material:** Leather & Metal
- **Product Model Number:** VAT013700
- **Weight:** Approximately 140g (package weight)

8. PACKAGE CONTENTS

- 1 x VAPORESSO LU-XE Q2 Device
- 1 x LU-XE Q 0.6Ω Mesh POD (3ml)
- 1 x LU-XE Q 1.0Ω Mesh POD (3ml)
- 1 x Type-C USB Cable
- 1 x User Manual & Warranty Card

9. SAFETY INFORMATION

Please observe the following safety precautions:

- Keep the device out of reach of children and pets.
- Do not expose the device to water or other liquids.
- Avoid direct sunlight or extreme temperatures.
- Use only the provided charging cable or a certified Type-C cable.
- Do not attempt to disassemble or repair the device yourself.
- This product does not contain nicotine or tar.
- If you experience any adverse reactions, discontinue use immediately and consult a medical professional.

10. WARRANTY AND SUPPORT

Your Vaporesso LU-XE Q2 POD Kit comes with a warranty as specified in the included Warranty Card. Please retain your proof of purchase for warranty claims.

For any questions, concerns, or technical support, please do not hesitate to contact the manufacturer, JUSTKEY. Contact information can be found on the product packaging or the official brand website.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CKNZTJLM>

More documents and user manuals: <https://manuals.plus/>