

TECLAST T60

TECLAST T60 Android 14 Tablet User Manual

Model: T60 | Brand: TECLAST

1. INTRODUCTION

The TECLAST T60 is a high-performance 12-inch Android 14 tablet designed for a versatile user experience. Featuring a powerful Unisoc T616 octa-core processor, a stunning 2K IPS display with Widevine L1 support, and ample storage expandable up to 1TB, this tablet is suitable for entertainment, productivity, and communication. This manual provides essential information for setting up, operating, and maintaining your TECLAST T60 tablet.

2. SAFETY INFORMATION

- Do not expose the tablet to extreme temperatures, direct sunlight, or high humidity.
- Avoid dropping or subjecting the tablet to strong impacts.
- Use only the charger and accessories specified by the manufacturer.
- Keep the tablet away from water and other liquids.
- Do not attempt to disassemble or repair the tablet yourself. Refer to qualified service personnel.
- Dispose of the tablet and its battery responsibly according to local regulations.

3. WHAT'S IN THE BOX

Please check the contents of your package:

- Android 14 T60 tablet x 1
- Charger x 1
- Charging Cable x 1
- Instruction manual x 1
- Ejection pin x 1

4. PRODUCT OVERVIEW

Familiarize yourself with the physical components of your TECLAST T60 tablet.



Image: Front and back view of the TECLAST T60 tablet, highlighting its sleek design and camera module.



Android 14, Make your tablet more you

With Android 14, you can tailor your apps and media player with more options for colors, themes, and language, adding a personal touch to match your individual style.

Get new spotlight on security and privacy. Take command of your privacy with more efficient apps' data permissions, harder 6-digit unlock password settings, and more other personal data setting.


Android 14
Made for you


Android 14


Parallel View
Optimized landscape experience


Taskbar
Convenient multitasking


Privacy & Security
Manage permissions


Parental Control
Control screen time

Gentle Care for Kids

Teclast T60 is equipped with both an ambient light and a proximity sensor. Not only can it auto-adjust brightness for optimal viewing, but with the added benefit of eye protection and reading modes, it ensures utmost care for young eyes. When the device senses a user too close, it sends an alert for posture correction, allowing children a confident and safer screen experience.



Proximity Sensor
Screen Distance Reminder



Light sensor
Tailored Screen Brightness



Image: The TECLAST T60 tablet displaying the Android 14 interface, with an inset showing the power and volume buttons, and SIM/Micro SD card slot.

The tablet features a 12-inch display on the front, with a 5MP front camera. The rear houses a 13MP camera with a flashlight. On the sides, you will find the power button, volume controls, USB-C charging port, and the dual SIM/Micro SD card slot. The tablet also incorporates four speakers for enhanced audio output.

5. SETUP

5.1 Initial Charging

Before first use, fully charge your TECLAST T60 tablet. Connect the provided USB-C cable to the tablet's charging port and the charger to a power outlet. The tablet supports 18W PD fast charging for quicker power-ups.

5.2 Power On/Off

- **To Power On:** Press and hold the Power button on the side of the tablet until the TECLAST logo appears.
- **To Power Off:** Press and hold the Power button until the power options appear on the screen, then select 'Power off'.

5.3 SIM/Micro SD Card Installation

The TECLAST T60 supports dual SIM cards and a Micro SD card for expanded storage (up to 1TB, FAT32 format). Use the provided ejection pin to open the SIM/Micro SD card tray. Carefully place the SIM card(s) and/or Micro SD card into the tray according to the diagram on the tray, then reinsert it into the tablet.

5.4 Initial Android Setup

Upon first power-on, the tablet will guide you through the initial setup process. This includes selecting your language, connecting to a Wi-Fi network, signing in to your Google account, and setting up security features.

6. OPERATING YOUR TABLET

6.1 Display and Visuals

The T60 features a 12-inch 2K IPS display with Incell fully laminated display technology, offering clear details and wide viewing angles. It also supports Widevine L1, enabling high-definition streaming from services like Netflix, Prime Video, and Hulu.



Image: The TECLAST T60 tablet displaying a streaming service interface, emphasizing Widevine L1 support for high-quality video playback.

Video: TECLAST T60 12 Inch Screen Showcase

Your browser does not support the video tag.

Description: This video demonstrates the visual quality and size of the TECLAST T60's 12-inch display, showcasing its clarity and immersive viewing experience.

6.2 Performance and Storage

Powered by the Unisoc T616 octa-core processor and Mali-G57 GPU, the T60 delivers smooth performance for various tasks, from gaming to multitasking. It comes with 256GB of internal storage and 8GB of RAM, expandable to 20GB (8GB + 12GB virtual extension) for enhanced multitasking capabilities. Storage can be further expanded with a Micro SD card up to 1TB.

Experience Unrivaled Speed

The UNISOC Tiger T616 Octa-core Processor is greatly optimized for multi-core performance, allowing its two A75 high-performance cores and six A55 high-efficiency cores to maintain great performance while reducing heat generated.

T616 Octa-core
UNISOC

2.0GHz
Peak Frequency

A75 High Performance
A55 High Efficiency

12nm Process
Low consumption & Low temperature



750MHz
working frequency

30%
Increased performance*

Beyond Fast Gaming

Empowered by the high-performance Mali-G57 graphics processor, your gaming experience ascends to new heights. It unveils a wonderful and immersive journey, effortlessly elevating your enjoyment to its peak.

Mali-G57
Graphics Processor

Valhall Architecture
Supports AR, VR




Image: Diagram illustrating the Unisoc T616 octa-core processor and Mali-G57 graphics coprocessor, highlighting the tablet's processing power.

Store Steady, Expand Ready

Teclast T60 comes with 8GB of LPDDR4X RAM and provides a virtual memory expansion of up to an additional 12GB, for a maximum 20GB RAM. The 128GB high-speed storage chip, combined with Max 1TB Micro SD card expansion, provides a storage solution to store daily photos, films and more.

Max 20GB*



8GB RAM + 12GB Virtual Expansion

256GB

High-Speed Storage

Micro SD

Up to 1TB



Big on Display, Slim by Design.

Crafted at a mere 7.8mm with a sleek straight edge, dive into vast visuals without sacrificing portability or grace. Designed for both leisure and professional pursuits on-the-move, its deep space gray finish blends classic sophistication with contemporary charm, amplifying your unique flair.

Image: Visual representation of the tablet's 20GB RAM (8GB + 12GB virtual) and 256GB ROM, emphasizing its storage and memory capabilities. Also shows the thin 7.8mm profile.

Video: RAM Max 20GB (8GB+12GB Expand) Setting

Your browser does not support the video tag.

Description: This video demonstrates how to enable and utilize the expanded 20GB RAM feature on the TECLAST T60 tablet, enhancing its multitasking performance.

Video: T60 12 Inch 256GB ROM Android 14 Tablet

Your browser does not support the video tag.

Description: A brief overview of the TECLAST T60 tablet, highlighting its 12-inch display, 256GB internal storage, and Android 14 operating system.

Video: TECLAST T60 Android 14 256GB Tablet

Your browser does not support the video tag.

Description: This video provides a detailed look at the TECLAST T60 tablet, showcasing its Android 14 features and 256GB storage capacity.

6.3 Connectivity

Stay connected with dual 4G LTE support (check network frequencies for compatibility), dual-band 2.4Ghz/5Ghz Wi-Fi (802.11ac), and Bluetooth 5.0. The integrated GPS functionality allows for accurate navigation and location services.

Durable Power, Swift Recharge.



Cellular When You Need It

4G TDD+FDD
LTE Support

VoLTE
Simultaneous calls and network



Seamless Connections, Seamless Adventures



Stay Connected

4-Mode
Satellite Positioning

A-GPS
Assisted Positioning



Image: Infographic detailing the TECLAST T60's 8000mAh battery life, 4G LTE cellular connectivity, dual-band Wi-Fi, and GPS capabilities.

6.4 Camera Features

Capture moments with the 13MP rear camera and take clear selfies or video calls with the 5MP front camera. The rear camera includes a flashlight for low-light conditions.

Excellence in Every Frame

 **Rear 13MP**
AI dual camera

 **Flashlight**
Low light capture

 **Front 5MP**
HD video camera

 **AI Dual Camera**
Optimize Focus Speed



Smart Sensors, Smarter Tablet.

Proximity Sensor
Detects user distance to pop-up notifications.

Light Sensor
Intelligently adjusts screen brightness.

Charging Indicator Light
Check charging status without lighting up the screen.

Plunge into Pure Acoustics

 **Sweet 4**
Sound System

 **4 Speakers**
Horizontal Sound Output

 **Smart K**
Intelligent Amplifier Chip



Game on a new dimension with Gyroscope

 **Gyroscope**
Motion sensing



Image: Visual breakdown of the TECLAST T60's camera specifications (13MP rear, 5MP front), 4-speaker audio system, and smart sensors including proximity and light sensors.

6.5 Audio

Experience rich audio with the T60's four sound chambers, providing an immersive listening experience for music, videos, and calls.

6.6 Android 14 Features

The tablet runs on Android 14, offering enhanced personalization options, improved privacy and security features, and GMS certification for access to the Google Play Store. Key features include:

- Parallel View:** Optimize landscape experience by splitting the screen for simultaneous app viewing.
- Taskbar:** Convenient multitasking with quick access to frequently used apps.
- Privacy & Security:** Manage app permissions and add a QR code scanner to your lock screen.
- Parental Control:** Utilize Google's Family Link for managing screen time and app access for children.

7. MAINTENANCE

7.1 Cleaning

Gently wipe the tablet's screen and body with a soft, lint-free cloth. For stubborn smudges, slightly dampen the cloth with water or a screen cleaner. Avoid using harsh chemicals or abrasive materials.

7.2 Battery Care

To prolong battery life, avoid fully discharging the tablet frequently. Charge the tablet regularly, and if storing for an extended period, ensure it has at least a 50% charge.

8. TROUBLESHOOTING

If you encounter issues with your tablet, try the following basic troubleshooting steps:

- **Tablet not turning on:** Ensure the tablet is charged. Connect it to the charger and wait a few minutes before attempting to power on again.
- **Screen frozen or unresponsive:** Press and hold the Power button for about 10-15 seconds to force a restart.
- **Wi-Fi connectivity issues:** Restart your tablet and Wi-Fi router. Forget the network on your tablet and reconnect.
- **Apps crashing:** Clear the cache of the problematic app in Settings > Apps. If the issue persists, reinstall the app.
- **Slow performance:** Close unnecessary background apps. Clear cache and temporary files. Consider performing a factory reset if performance issues persist after other steps (back up your data first).

For more complex issues, please contact TECLAST customer support.

9. SPECIFICATIONS

Feature	Specification
Model Name	T60
Operating System	Android 14
Screen Size	12 Inches
Screen Resolution	1920 x 1200 pixels (2K)
Processor	Unisoc T616 Octa-core (2 GHz)
Graphics Coprocessor	Mali-G57
RAM	8GB (expandable to 20GB)
Internal Storage	256 GB
Expandable Storage	Micro SD up to 1TB
Rear Camera	13 MP
Front Camera	5 MP

Feature	Specification
Battery Capacity	8000mAh
Charging	18W PD Fast Charging
Wireless Connectivity	802.11ac (2.4Ghz/5Ghz Wi-Fi), Bluetooth 5.0
Cellular Connectivity	Dual 4G LTE (TD-LTE, FDD-LTE)
Navigation	GPS
Audio	4 Speakers
Dimensions (LxWxH)	10.9 x 6.8 x 0.3 inches
Item Weight	1.26 pounds
Color	Gray

10. WARRANTY AND SUPPORT


TECLAST products come with a standard manufacturer's warranty. For warranty details, technical support, or service inquiries, please refer to the warranty card included in your package or visit the official TECLAST website. Most questions will be answered within 24 hours, ensuring your good experience with our products.

Related Documents

 Tablet Teclast T60Plus 12" 8/256 GB Instrukcja obsługi	<p>Teclast T60Plus 12-inch Tablet User Manual and Specifications</p> <p>Comprehensive user manual and specifications for the Teclast T60Plus 12-inch tablet, covering setup, features, connectivity, safety, and compliance.</p>
 TECLAST tPad (Android)	<p>Teclast tPad (Android) User Manual and Specifications</p> <p>Comprehensive user manual and technical specifications for the Teclast tPad tablet running Android, covering setup, features, connectivity, and safety information.</p>
 TECLAST t-PAD User Manual: Setup Guide	<p>TECLAST t-PAD User Manual: Setup Guide</p> <p>Comprehensive setup guide for the TECLAST t-PAD tablet, covering Wi-Fi, cellular, Bluetooth connections, display, sound, battery, PC connectivity, language, date, and factory reset.</p>

	<p>Teclast Tablet Declaration of Conformity</p> <p>Official Declaration of Conformity for Teclast branded tablet computers, manufactured by Guangzhou Shangke Information Technology Limited, confirming compliance with Eurasian Economic Union Technical Regulation TR EAEU 037/2016.</p>
---	--

Documents - TECLAST – T60



[pdf] User Manual Declaration of Conformity

admin Teclast Unveils State of the Art Tablet PCs and Mini at Dubai Oct 14 2024 · P50 AI Introducing new tablet equipped with an advanced NPU Neural Processing Unit to enhance capabilities The AI exhibitor manual 004 s3 ap south 1 amazonaws Production exb doc 2014 18777 |||

Teclast Unveils State-of-the-Art Tablet PCs and Mini PCs at Dubai Exhibition 2024
Experience Next-Ge ... it ideal for both professionals and casual users with its powerful performance in a compact form. **T60: Lightweight and stylish, the **T60** tablet combines powerful features with exceptional portability...**

lang:en score:27 filesize: 75.83 K page_count: 2 document date: 2024-08-29



SonarPen Device Compatibility List and Setup Guide

Comprehensive guide to SonarPen compatibility with Apple, Android, Chromebook, Windows, and Nintendo Switch devices, including setup instructions and a detailed list of supported models.

lang:en score:23 filesize: 923.21 K page_count: 27 document date: 2023-09-21



[pdf]

АдванДокс ДЕКЛАРАЦИЯ О СООТВЕТСТВИИОтзывы на Планшет Teclast P40HD 6GB 128GB LTE Android 12 в интернет магазине AFITRONEAC037 Allstatic insales cdn files 1 5087 25859039 original EAC037 All |||

: , , 125464, , 142, 3 1 13 306, : 5137746172284, : 74951079588, ... Pro, M40 Plus, M40 Air, T40, T40 Pro, T40 Air, M50, M50 Air, M50S, T50, T50 Pro, T50 Plus, T50 Air, **T60, T60 Air, T60 Plus, T60 Pro** Guangzhou Shangke Information Technology Limited . : , 12...

lang:en score:20 filesize: 539.38 K page_count: 1 document date: 2022-12-12

Teclast Tablet Declaration of Conformity

Official Declaration of Conformity for Teclast branded tablet computers, manufactured by Guangzhou Shangke Information Technology Limited, confirming compliance with Eurasian Economic Union Technical Regulation TR EAEU 037/2016.

lang:en score:14 filesize: 80.6 K page_count: 3 document date: 2024-10-23



[SonarPen: Guida alla Compatibilità con Dispositivi Apple, Android, Windows, Chromebook e Nintendo Switch](#)

Scopri quali dispositivi Apple, Android, Windows, Chromebook e Nintendo Switch sono compatibili con SonarPen. Trova le informazioni necessarie per utilizzare la tua penna stylus su diverse piattaforme.

lang:it score:13 filesize: 938.5 K page_count: 24 document date: 2024-01-10



[SonarPen Device Compatibility Guide - Apple, Android, Windows, Chromebook, Nintendo Switch](#)

Comprehensive guide to SonarPen compatibility across Apple iOS/iPadOS, Android OS, Windows 10/11, Chromebook, and Nintendo Switch devices. Learn about required adapters and calibration for optimal performance.

lang:en score:13 filesize: 936.89 K page_count: 24 document date: 2024-01-10



[SonarPen Compatible Devices List](#)

A comprehensive list of devices compatible with SonarPen, including Apple, Android, and Nintendo Switch devices. Find the right SonarPen model for your device.

lang:de score:13 filesize: 941.43 K page_count: 24 document date: 2024-01-10



[SonarPen Compatible Devices: A Comprehensive Guide](#)

Discover which Apple, Android, Windows, and Chromebook devices are compatible with the SonarPen stylus. This guide lists supported models across numerous brands, ensuring you find the perfect match for your digital drawing and note-taking needs.

lang:es score:13 filesize: 939.47 K page_count: 24 document date: 2024-01-10



[SonarPen Compatible Devices Guide](#)

Discover the full range of devices compatible with SonarPen, including Apple, Android, and Windows devices. Learn how to connect and use your SonarPen for an enhanced digital art experience.

lang:fr score:13 filesize: 941.02 K page_count: 24 document date: 2024-01-10



[Teclast T60Plus 12-inch Tablet User Manual and Specifications](#)

Comprehensive user manual and specifications for the Teclast T60Plus 12-inch tablet, covering setup, features, connectivity, safety, and compliance.

lang:pl score:12 filesize: 2.16 M page_count: 11 document date: 2025-01-02

Brand	Device	Manufacturer	Model Name
imu	8	IMU (TH)	
Onn	900	Cisco	CP-8000
vivo	1304	Vivo	vivo-1304
vivo	1305	Vivo	vivo-1305
vivo	1306	Vivo	vivo-1306
vivo	1313	Vivo	vivo-1313
vivo	1315	Vivo	vivo-1315
vivo	1318	Vivo	vivo-1318
Geelpid	1901	Configad	Configad
vivo	1901	Vivo	vivo-1901
vivo	1904	Vivo	vivo-1904
vivo	1906	Vivo	vivo-1906
vivo	1907	Vivo	vivo-1907
vivo	1909	Vivo	vivo-1909
vivo	1910	Vivo	vivo-1910
vivo	1912	Vivo	vivo-1912
vivo	1913	Vivo	vivo-1913
vivo	1914	Vivo	vivo-1914
vivo	1915	Vivo	vivo-1915
vivo	1917	Vivo	vivo-1917
DOOGEE	1917	Dogee	497
DOOGEE	1918	Dogee	500
vivo	1919	Vivo	vivo-1919
vivo	1920	Vivo	vivo-1920
vivo	1921	Vivo	vivo-1921
vivo	1923	Vivo	vivo-1923
vivo	1925	Vivo	vivo-1925
vivo	1926	Vivo	vivo-1926
vivo	1928	Vivo	vivo-1928
vivo	1929	Vivo	vivo-1929
vivo	1930	Vivo	vivo-1930
vivo	1931	Vivo	vivo-1931
vivo	1933	Vivo	vivo-1933
vivo	1935	Vivo	vivo-1935
vivo	1937	Vivo	vivo-1937
DOOGEE	1937	Dogee	497
DOOGEE	1938	Dogee	500
vivo	1939	Vivo	vivo-1939
vivo	1940	Vivo	vivo-1940
vivo	2004	Vivo	vivo-2004
vivo	2005	Vivo	vivo-2005
vivo	2006	Vivo	vivo-2006
vivo	2013	Vivo	vivo-2013
vivo	2015	Vivo	vivo-2015
vivo	2023	Vivo	vivo-2023
vivo	2025	Vivo	vivo-2025
vivo	2027	Vivo	vivo-2027
vivo	2028_PK	Vivo	vivo-2028_PK
vivo	2029	Vivo	vivo-2029
vivo	2030	Vivo	vivo-2030
vivo	2034	Vivo	vivo-2034
	2101		

[WZM Version 4.0 Unsupported Device List: Comprehensive Guide](#)

A comprehensive list of mobile devices and models that are not supported by WZM Version 4.0, including brands like Vivo, Samsung, Nokia, and more. Essential for compatibility checks.

lang:de score:12 filesize: 1.64 M page_count: 98 document date: 2024-11-06

PART C.Hardware Periphery Compatibility	
1. Power Supplies	
ITX Power Supply Model	
COOLERMASTER RS-150-FSGA-J3 DPS-200PB-138A	
Delta DPS-250AB-449 DPS-250AB-449	
DELUX DPS-220UB-1A DPS-300UB	
Enhance END-0608B END-0512	
Enermax ENP9212 ENP9212	
ELANPOWER RP-2005 RP-2005	
FSP FSP900-0050V(FP)	
GigaWatt ATX3000	
HEC 120BN 7X	
Hunkkey HK-300-41SP HK-300-41SP	
Ondrej DPS-100 DPS-100	
M-POWER MX-1907	
PowerMan DPS-1000 DPS-1000	
SAMA YUHJ-300P YUHJ-300P	
SNiKE PSF-250M PSF-250M	
Thermaltake B220SF-X	
Xinliwang ATX74-290S	
M.2 Power Supply Model	
Adtel IP-500 109024 IP-500	
Ametek CP-1000	
Ametek EA-5000 EA-5000 GREEN EA-750	
AeroCool ST100-X 4600	
Bubuski P600W,10 P600W,10	
Century Star Big Power 120P 120P	
CoolerMaster RS-C00-100KA-D3 RS-C00-100KA-D3	
CoolerMaster RS-460-ASAA-D3 RS-460-ASAA-D3	

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK H97I PLUS Device report dlcdnet asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1. Power Supplies COOLERMASTER RS-150-FSGA-J3 DPS-200PB-1 ... 1000-M SS-760KM SS-1000XP SS-1250XM ST-800PGD ST-500PFL 400P SG-400PYJ SHA-R600M SST-ST40F-ES SST-ST60F-P SF-550P14PE SF-350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG Toughpower Grand ...

lang:en score:11 filesize: 245.29 K page_count: 20 document date: 2014-05-23

PART C.Hardware Periphery Compatibility	
1. Power Supplies	
ITX Power Supply Model	
COOLERMASTER RS-150-FSGA-J3 DPS-200PB-138A	
Delta DPS-250AB-449 DPS-250AB-449	
DELUX DPS-220UB-1A DPS-300UB	
Enhance END-0608B END-0512	
Enermax ENP9212 ENP9212	
ELANPOWER RP-2005 RP-2005	
FSP FSP900-0050V(FP)	
GigaWatt ATX3000	
HEC 120BN 7X	
Hunkkey HK-300-41SP HK-300-41SP	
Ondrej DPS-100 DPS-100	
M-POWER MX-1907	
PowerMan DPS-1000 DPS-1000	
SAMA YUHJ-300P YUHJ-300P	
SNiKE PSF-250M PSF-250M	
Thermaltake B220SF-X	
Xinliwang ATX74-290S	
M.2 Power Supply Model	
Adtel IP-500 109024 IP-500	
Ametek CP-1000	
Ametek EA-5000 EA-5000 GREEN EA-750	
AeroCool ST100-X 4600	
Bubuski P600W,10 P600W,10	
Century Star Big Power 120P 120P	
CoolerMaster RS-C00-100KA-D3 RS-C00-100KA-D3	
CoolerMaster RS-460-ASAA-D3 RS-460-ASAA-D3	

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK Z97I PLUS Device report dlcdnet asus 80 pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1. Power Supplies COOLERMASTER RS-150-FSGA-J3 DPS-200PB-1 ... 1000-M SS-760KM SS-1000XP SS-1250XM ST-800PGD ST-500PFL 400P SG-400PYJ SHA-R600M SST-ST40F-ES SST-ST60F-P SF-550P14PE SF-350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG Toughpower Grand ...

lang:en score:11 filesize: 230.28 K page_count: 20 document date: 2014-05-19

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-500 189024 CP-400 CP-500
Antec	EA-5000 EA-5000 GREEN EA-750
AeroCool	STRIKE X-600
Bubalus	PE600W-X
Century Star	RS-400-SP4PA-D3 RS-400-SP4PA-D3 RS-400-SP4PA-D3
CoolerMaster	RS-400-SP4PA-D3 RS-400-SP4PA-D3 RS-400-SP4PA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-10001-XM
DELUX	DLP-650W
EnerMAX	EM650W
EVGA	EP650500-WT
Fractal	EF650
Fractal	EF650
FSP	AX-200W
GoldenField	ATX-S390 (Special) ATX-350W (US)
GreatWall	BTX-5000T
HAMER	MT750
Hunkey	Hunkey Tx-600-55AP 2.3+ Hunkey Tx-600-11PEP-X7 900
J-POWER	SP-1000PS-80
LEPA	G1600-M
OCZ	FTY750
ROSEWILL	TR-650W
Seasonic	SS-700W SS-1000W SS-1200W
SevenTeam	ST-800W
Segrep	400W/500W/400W/500W
Shakoon	SHA-960W
Silverstone	SST-ST40F-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK Z97 P Device Report dlcnet asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool
Bubalus Century Star ... 00M Z97-P PAGE 1 Silverstone Super Flower Thermaltake
M/B Power Supply Model SST-ST40F-ES SST-ST60F-P SF-550P14PE SF-
350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG
Toughpower Grand ...

lang:de **score:11** filesize: 205.62 K page_count: 19 document date: 2014-07-02

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-400 189024 CP-400 CP-500
Antec	EA-5000 EA-5000 GREEN EA-750
AeroCool	STRIKE X-600
Bubalus	PE600W-X
Century Star	Big Fireneel S20
CoolerMaster	RS-400-SP4PA-D3 RS-400-SP4PA-D3 RS-400-SP4PA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-10001-XM
DELUX	DLP-650W
EnerMAX	EM650W
EVGA	EP650500-WT
Fractal	EF650
FSP	AX-310W
GoldenField	ATX-S390 (Special) ATX-350W (US)
GreatWall	BTX-5000T
HAMER	MT750
Hunkey	Hunkey Tx-600-55AP 2.3+ Hunkey Win-600-11PEP-X7 900
J-POWER	SP-1000PS-80
LEPA	G1600-M
OCZ	FTY750
ROSEWILL	TR-650W
Seasonic	SS-1000W
SevenTeam	ST-800W
Segrep	400W/500W/400W/500W
Shakoon	SHA-960W
Silverstone	SST-ST40F-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK Z97 K Device report ga 1 174198884 755533858 1444724903 dlcnet asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool
Bubalus Century Star ... SG-400PYJ SHA-R600M SST-ST40F-ES Z97-K PAGE 1
Silverstone Super Flower Thermaltake Model SST-ST60F-P SF-550P14PE SF-
350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG
Toughpower Grand ...

lang:de **score:11** filesize: 230.15 K page_count: 19 document date: 2014-05-14

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-500 189024 CP-400 CP-500
Antec	EA-5000 EA-5000 GREEN EA-750
AeroCool	STRIKE X-600
Bubalus	PE600W-X
Century Star	Big Fireneel S20
CoolerMaster	RS-400-SP4PA-D3 RS-400-SP4PA-D3 RS-400-SP4PA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-10001-XM
DELUX	DLP-650W
EnerMAX	EM650W
EVGA	EP650500-WT
FSP	AX-310W
GoldenField	ATX-S390 (Special) ATX-350W (US)
GreatWall	BTX-5000T
HAMER	MT750
Hunkey	Hunkey Tx-600-55AP 2.3+ Hunkey Win-600-11PEP-X7 900
J-POWER	SP-1000PS-80
LEPA	G1600-M
OCZ	FTY750
ROSEWILL	TR-650W
Seasonic	SS-1000W
SevenTeam	ST-800W
Segrep	400W/500W/400W/500W
Shakoon	SHA-960W
Silverstone	SST-ST40F-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK Z97M PLUS Device report dlcnets asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool
Bubalus Century Star ... 00PYJ SHA-R600M SST-ST40F-ES Z97M-PLUS PAGE 1
Silverstone Super Flower Thermaltake Model SST-ST60F-P SF-550P14PE SF-
350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG
Toughpower Grand ...

lang:de **score:11** filesize: 230.7 K page_count: 19 document date: 2014-05-14

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-500-100024
	CP-400
	CP-1000
Antec	EA-500
	EA-500-GREEN
	EA-750
AeroCool	STRIKE-X-K400
Bubalus	PE600W
	PE600W-100M
Century Star	Big Firewheel 320
	RS-400-500PVA-D3
	RS-400-500PVA-D3
CoolerMaster	RS-600-500PVA-D3
	RS-460-500PVA-D3
	RS-460-500PVA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-1000X
DELUX	DLP-650PQ
Enermax	EM600W-100M
Ensoniq	EN-300-ATX-900C
FSP	AX-300W
GoldenField	ATX-530W (Silence)
	ATX-350W (ATX)
GreatWall	BTX-9000T
	BTX-9000T-100M
HAMER	MT750
	HuntKey HK-400-55AP 2.3+
Humkey	Humkey HK-1000-11PEP-X7 900
J-POWER	SP-1000PS-80
	SP-1000PS-80-100M
LEPA	G100W-M
	FTY750
ROSEWILL	RR-1000P-M
Seasonic	SS-1000P
	SS-1200M
Severteam	ST-500P-100
Segrep	400P/500P/400PVJ
Shakoon	SHA-960W
Shakoon	SHA-960W-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK Z97 C Device report dlcnet asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool Bubalus Century Star ... 00M Z97-C PAGE 1 Silverstone Super Flower Thermaltake M/B Power Supply Model SST-ST40F-ES SST-ST60F-P SF-550P14PE SF-350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG Toughpower Grand ...

lang:de **score:11** filesize: 230.6 K page_count: 19 document date: 2014-05-14

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-400-100024
	CP-400
	CP-1000
Antec	EA-500
	EA-500-GREEN
	EA-750
AeroCool	STRIKE-X-K600
Bubalus	PE600W
	PE600W-100M
Century Star	Big Firewheel 320
	RS-400-500PVA-D3
	RS-400-500PVA-D3
CoolerMaster	RS-600-500PVA-D3
	RS-460-500PVA-D3
	RS-460-500PVA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-1000X
DELUX	DLP-650PQ
Enermax	EM600W-100M
Ensoniq	EN-300-ATX-900C
FSP	AX-300W
GoldenField	ATX-530W (Silence)
	ATX-350W (ATX)
GreatWall	BTX-9000T
	BTX-9000T-100M
HAMER	MT750
	HuntKey HK-400-55AP 2.3+
Humkey	Humkey HK-1000-11PEP-X7 900
J-POWER	SP-1000PS-80
	SP-1000PS-80-100M
LEPA	G100W-M
	FTY750
ROSEWILL	RR-1000P-M
Seasonic	SS-1000P
	SS-1200M
Severteam	ST-500P-100
Segrep	400P/500P/400PVJ
Shakoon	SHA-960W
Shakoon	SHA-960W-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK H97 PLUS Device report dlcnet asus pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool Bubalus Century Star ... 400PYJ SHA-R600M SST-ST40F-ES H97-PLUS PAGE 1 Silverstone Super Flower Thermaltake Model SST-ST60F-P SF-550P14PE SF-350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG Toughpower Grand ...

lang:de **score:11** filesize: 230.9 K page_count: 19 document date: 2014-05-14

PART C.Hardware Periphery Compatibility	
1.Power Supplies	
	M/B Power Supply Model
AcBel	IP-400-100024
	CP-400
	CP-1000
Antec	EA-500
	EA-500-GREEN
	EA-750
AeroCool	STRIKE-X-K600
Bubalus	PE600W
	PE600W-100M
Century Star	Big Firewheel 320
	RS-400-500PVA-D3
	RS-400-500PVA-D3
CoolerMaster	RS-600-500PVA-D3
	RS-460-500PVA-D3
	RS-460-500PVA-D3
COMMANDER	IRP-COM750
CORSAIR	CMPSU-1000X
DELUX	DLP-650PQ
Enermax	EM600W-100M
Ensoniq	EN-300-ATX-900C
FSP	AX-300W
GoldenField	ATX-530W (Silence)
	ATX-350W (ATX)
GreatWall	BTX-9000T
	BTX-9000T-100M
HAMER	MT750
	HuntKey HK-400-55AP 2.3+
Humkey	Humkey HK-1000-11PEP-X7 900
J-POWER	SP-1000PS-80
	SP-1000PS-80-100M
LEPA	G100W-M
	FTY750
ROSEWILL	RR-1000P-M
Seasonic	SS-1000P
	SS-1200M
Severteam	ST-500P-100
Segrep	400P/500P/400PVJ
Shakoon	SHA-960W
Shakoon	SHA-960W-ES

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK H97M PLUS Device report dlcnet asus 80 pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool Bubalus Century Star ... 00PYJ SHA-R600M SST-ST40F-ES H97M-PLUS PAGE 1 Silverstone Super Flower Thermaltake Model SST-ST60F-P SF-550P14PE SF-350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG Toughpower Grand ...

lang:de **score:11** filesize: 230.82 K page_count: 19 document date: 2014-05-14

PART C.Hardware Periphery Compatibility		
1.Power Supplies		M/B Power Supply Model
AcBel	IP-500-109024	
	CP-1000	
Antec	EA-5000	
	EA-5000-GREEN	
	EA-750	
AeroCool	STRIKE-X-600	
Bubalus	P600W-100	
Century Star	Big Finneel 820	
	RS-400-500P-03	
	RS-400-500P-03	
CoolerMaster	RS-600-500P-03	
	RS-600-500P-03	
	RS-460-500P-03	
	RS-460-500P-03	
COMMANDER	IP-700-109025	
CORSAIR	CMP-SU-1000X	
DELUX	DL-650P-02	
Enermax	EM600W-100	
Ensonica	EN-300-ATX-900C	
FSP	AX-300W-100	
	PT-650W	
GoldenField	ATX-500W-100	
GreatWall	ATX-500W-100	
HAMER	MT750	
Humkey	HumKey HK-400-55AP 2.3+	
	HumKey HK-1000-11PEP-X7 900	
J-POWER	SP-1000P-03	
LEPA	G1000-MA	
OCZ	FTY-600	
ROSEWILL	TPR-1000-M	
Seasonic	SS-700W-100	
	SS-1200M	
Severteam	ST-500P-03	
Segrep	400P-90/400P-90	
Shakoon	SHA-950W	
Silverstone	SST-ST85F-P	
	SST-ST85F-P	

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK H97 PRO Device report dlcdnet asus 80 pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool

Bubalus Century Star ... FTY750 RBR1000-M SS-760KM SS-1000XP SS-1250XM

ST-800PGD ST-500PFL 400P SG-400PYJ SST-ST40F-ES SST-ST60F-P H97-PRO

PAGE 1 Silverstone Super Flower Thermaltake M/B Power Supply Model SST-

ST85F-GS ...

lang:en **score:11** filesize: 228.61 K page_count: 18 document date: 2014-05-14

PART C.Hardware Periphery Compatibility		
1.Power Supplies		M/B Power Supply Model
AcBel	IP-500-109024	
	CP-850	
Antec	EA-1000	
	EA-500-GREEN	
	EA-750	
AeroCool	STRIKE-X-600	
Bubalus	P600W-100	
Century Star	Big Finneel 820	
	RS-400-500P-03	
	RS-400-500P-03	
CoolerMaster	RS-600-500P-03	
	RS-600-500P-03	
	RS-460-500P-03	
	RS-460-500P-03	
COMMANDER	IP-700-109025	
CORSAIR	CMP-SU-1000X	
DELUX	DL-650P-02	
Enermax	EM600W-100	
Ensonica	EN-300-ATX-900C	
FSP	AX-300W-100	
	PT-650W	
GoldenField	ATX-500W-100	
GreatWall	ATX-500W-100	
HAMER	MT750	
Humkey	HumKey HK-400-55AP 2.3+	
	HumKey HK-1000-11PEP-X7 900	
J-POWER	SP-1000P-03	
LEPA	G1000-MA	
OCZ	FTY-600	
ROSEWILL	TPR-1000-M	
Seasonic	SS-1000P	
	SS-1200M	
Severteam	ST-500P-03	
Segrep	400P-90/400P-90	
Shakoon	SHA-950W	
Silverstone	SST-ST40F-ES	

[\[pdf\]](#)

Vista Procedure QTC ASUSTeK H97M E Devices report dlcdnet asus 80 pub ASUS mb LGA1150

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool

Bubalus Century Star ... 0M SST-ST40F-ES H97M-E PAGE 1 Silverstone Super

Flower Thermaltake M/B Power Supply Model SST-ST60F-P SF-550P14PE SF-

350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG

Toughpower Grand ...

lang:de **score:11** filesize: 225.3 K page_count: 19 document date: 2014-05-14

PART C. Hardware Periphery Compatibility	
1. Power Supplies	
	M.8 Power Supply Model
Adtel	BD-500-189024
	CP-800
	CP-1000
Antec	EA-5000
	LA-1000-GREEN
	EA-750
	HO-1000
AeroCool	STRIKER-X-600
Bubula	PERFECTO 320
Century	RS-2000-SPW4-D3
	RS-2000-SPW5-D3
CoolerMaster	RS-200-SPW4-D3
	RS-460-SPW4-D3
	RS-460-SPW5-D3
COMMANDER	IRP-COM7950
CORSAIR	CMPSU-850W
DELUX	DLT-650PQ
	DLT-650PFT
Emerson	EM850KEW
	EM850KEW (300C)
FSP	AZ-260HIC
	AZ-310HIC
GoldenField	ATX-350P4 (PLUS)
	ATX-350P4 (PLUS)
GreenWall	BTX-5000T
	BTX-5000E
HAMEI	MTX-1000
	Hunkey
	Hunkey HK400-55AP 2.3
	Hunkey HK1000-11HEP 7.900
J-POWER	SP-1000PS-1M
LEA	LEA-1000
OCZ	FTV750
ROSEWELL	SS-7600M
	SS-7600K
Seasonic	SS-1000XP
	SS-1000XP-120
Severstone	ST-800PQD
Septeq	400PS350-400PVU
Shahroo	SH4-9600M
Sharkoon	SST-GT49-ES

[\[pdf\]](#)

Vista Procedure QTC Z97 K R2 Device report dlcndnet asus pub ASUS mb LGA1150 PART C Hardware Periphery CompatibilityVista ASUSZ97 PAGE 4 Type Model MIRAGES M2242 128GEA 650 GREEN EA 750 HCG 900 AeroCool STRIKE X 600 Logitech Z906 Digital 3 2 Earphone Devices SCULPT COMFORT WIRELESS MOUSE Philips SPM5910dlsvr04 cn reportdlcdnets reportdlcndnet |||

PART C.Hardware Periphery Compatibility 1.Power Supplies AcBel Antec AeroCool
Bubalus Century Star ... 0PYJ SHA-R600M SST-ST40F-ES Z97-K R2.0 PAGE 1
Silverstone Super Flower Thermaltake Model SST-ST60F-P SF-550P14PE SF-
350P14XE TP-650AH3CCG Toughpower Grand 650W TP-1050AH3CSG
Toughpower Grand ...

lang:de score:11 filesize: 341.41 K page_count: 19 document date: 2014-10-22

TECLAST t-PAD User Manual

Android User Manual Setup Guide
This setup guide will help you get started, select system language time zone, connect to Wi-Fi, set up your username, and device name.

Wi-Fi connection

Cellular Connection

3. Turn on cellular data toggle.
*Applicable to supported devices only.
4. Open Settings and go to Connected Device setting.
5. Turn on Bluetooth and system will automatically search for Bluetooth devices nearby.
6. Click on the connectable Bluetooth device then select Pair in the pop-up menu.
7. Wait for the Bluetooth device to confirm pairing.
*Applicable to supported devices only.

Display

- Open Settings and go to Display setting.
- 1. Brightness: Slide the bar to adjust screen brightness.
- 2. Wallpaper: Set the wallpaper.
- 3. Screen timeout: Set the screen timeout.
- 4. Font size: Set the size of system fonts.
- 5. Auto-rotation: Lock current screen orientation or automatically rotate the screen based on device orientation.

Sound

- Open Settings and go to the Sound setting.
- 1. Volume: Slide the bar to adjust the volume of media, alarms, and ring tone.
- 2. Ringtones: Set the ringtone for calls.
- 3. Proximity sensor: Stop ringtones from triggering.
- 4. Ringtones: Set the volume and touch sound effects.

TECLAST t-PAD User Manual: Setup Guide

Comprehensive setup guide for the TECLAST t-PAD tablet, covering Wi-Fi, cellular, Bluetooth connections, display, sound, battery, PC connectivity, language, date, and factory reset.

lang:de score:9 filesize: 13.75 M page_count: 60 document date: 2025-05-06