HOMCOM 713-145V00WT

HOMCOM 2-in-1 Stand Alone Toilet Safety Rails Instruction Manual

Model: 713-145V00WT

1. Product Overview

The HOMCOM 2-in-1 Stand Alone Toilet Safety Rails provide stability and support for individuals requiring assistance with sitting and standing from a toilet. This versatile device can also function as a stand-assist walker. It features adjustable height and width settings to accommodate various toilet sizes and user needs, along with non-slip components for secure placement.

Key Features:

- **Adjustable Design:** Offers five width settings (21.25" to 25.25") and seven height settings (24" to 31") to fit most standard and elongated toilets (max width 23.5").
- **Dual Functionality:** Can be used as a toilet safety frame or a stand-assist walker by replacing the foot pads.
- **Enhanced Stability:** Equipped with four non-slip foot pads and two extra-large suction cups for a secure grip on smooth surfaces.
- **Tool-Free Assembly:** Designed for quick and easy assembly, typically within 5 minutes, without the need for additional tools.
- **Durable Construction:** Crafted from powder-coated aluminum, supporting up to 299 lbs.
- **Comfort and Convenience:** Features foam-padded handles for a secure and comfortable grip, and a built-in storage pocket for personal items.



Image 1.1: The HOMCOM 2-in-1 Stand Alone Toilet Safety Rails positioned around a toilet, showcasing its design and integrated storage pocket.

2. Safety Information

Please read and understand all instructions before assembly and use. Failure to follow these instructions may result in injury or damage.

- **Weight Capacity:** Do not exceed the maximum weight capacity of 299 lbs (135 kg).
- **Stable Surface:** Ensure the product is placed on a flat, stable, and dry surface before each use.
- **Secure Placement:** Always verify that all adjustment pins are fully engaged and secure before applying weight to the rails.
- **Foot Pads/Suction Cups:** Ensure all four non-slip foot pads or two suction cups are firmly in contact with the floor. If using suction cups, ensure the floor surface is smooth and clean for optimal grip.
- **Regular Inspection:** Periodically inspect the product for any signs of wear, damage, or loose components. Do not use if damaged.

- **Adult Supervision:** Individuals with limited mobility or cognitive impairment should use this product under supervision.
- **Cleaning:** Use mild cleaning agents. Avoid abrasive cleaners that may damage the finish or rubber components.

3. Setup Instructions

3.1 Unpacking

Carefully remove all components from the packaging. Verify that all parts listed in the packing list are present and undamaged. If any parts are missing or damaged, do not proceed with assembly and contact customer support.

3.2 Assembly

The HOMCOM Toilet Safety Rails are designed for tool-free assembly. Follow these steps:

1. Connect the main frame components by aligning the holes and inserting the locking pins. Ensure pins snap securely into place.
2. Attach the side support bars to the main frame.
3. Insert the adjustable legs into the main frame.
4. Secure the non-slip foot pads to the bottom of each leg. For enhanced stability on smooth surfaces, you may replace the standard foot pads with the provided suction cups.
5. Attach the storage pocket to the side of the frame using the integrated straps or clips.



Image 3.1: Visual guide for the tool-free assembly process, illustrating how components connect.

4. Operating Instructions

4.1 Adjusting Height and Width

The safety rails offer adjustable height and width to fit various toilet configurations and user preferences.

- **Height Adjustment:** Locate the spring-loaded pins on the lower legs. Press the pin, slide the leg to the desired height setting (1-7), and ensure the pin fully re-engages in the corresponding hole. Repeat for all four legs to maintain even height.
- **Width Adjustment:** Locate the width adjustment pins on the horizontal bars. Press the pins, slide the side frames inward or outward to one of the five width settings, and ensure the pins fully re-engage.



Image 4.1: Illustration of the adjustable width and height settings for customization.

4.2 Using as a Toilet Safety Rail

Position the assembled frame around your toilet. Adjust the height and width as described above to ensure a comfortable and secure fit. The frame should be stable and not wobble. Use the foam-padded handles for support when sitting down or standing up from the toilet.



Image 4.2: Detail of the foam-padded handle, designed for a comfortable and secure grip.



Image 4.3: Close-up view of an extra-large suction cup, providing additional stability on smooth floor surfaces.

4.3 Using as a Stand-Assist Walker

To use the device as a stand-assist walker, ensure the standard non-slip foot pads are installed. The frame can then be used to provide support for short-distance walking assistance. Always maintain a firm grip on the handles and ensure the device is stable before taking steps.



Image 4.4: Demonstrates the product's dual functionality as both a toilet safety rail and a stand-assist walker.

4.4 Using the Storage Pocket

The integrated storage pocket can hold small personal items such as magazines, newspapers, or a mobile phone, keeping them conveniently accessible.



Image 4.5: Highlights the practical storage pocket and the comfortable foam-wrapped handle.

5. Maintenance

Proper maintenance ensures the longevity and safe operation of your HOMCOM Toilet Safety Rails.

- **Cleaning:** Clean the frame regularly with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners that could damage the aluminum finish or rubber components. Dry thoroughly after cleaning.
- **Inspection:** Periodically check all bolts, screws, and adjustment pins to ensure they are tight and secure. Inspect the foam handles, foot pads, and suction cups for any signs of wear, cracks, or damage. Replace worn or damaged parts immediately.
- **Storage:** When not in use for extended periods, store the product in a clean, dry place away from direct sunlight and extreme temperatures. The frame can be folded for compact storage.

6. Troubleshooting

If you encounter issues with your toilet safety rails, refer to the following common problems and solutions:

- **Product feels unstable or wobbly:**
  - Ensure all adjustment pins are fully engaged and locked into place.
  - Verify that all four legs are set to the same height.
  - Check that all foot pads or suction cups are making full contact with a flat, dry floor surface. If using suction cups, ensure the floor is clean and smooth.
  - Confirm the width adjustment is appropriate for your toilet and the frame is not too wide or too narrow.
- **Difficulty adjusting height or width:**
  - Ensure the spring-loaded pins are fully depressed before attempting to slide the components.
  - Check for any debris or obstructions in the adjustment holes.
- **Suction cups not adhering:**
  - Clean the floor surface thoroughly to remove any dust, dirt, or moisture.
  - Ensure the suction cups themselves are clean and free from damage.
  - Suction cups work best on smooth, non-porous surfaces like tile or linoleum. They may not adhere well to textured or uneven floors.

7. Specifications

Product Dimensions	26.5 x 20 x 31.5 inches (L x W x H)
Adjustable Width	21.25" to 25.25" (5 settings)
Adjustable Height	24" to 31" (7 settings)
Weight Capacity	299 lbs (135 kg)
Item Weight	5.94 Pounds
Material	Powder-Coated Aluminum
Model Number	713-145V00WT



Image 7.1: Detailed dimensions of the HOMCOM 2-in-1 Stand Alone Toilet Safety Rails.

8. Warranty and Support

HOMCOM products are manufactured with quality and care. For specific warranty information, please refer to the documentation included with your purchase or contact the manufacturer directly. If you have any questions, require assistance with assembly, or need to report a missing/damaged part, please contact Aosom LLC, the manufacturer of HOMCOM products.

Manufacturer: Aosom LLC

Please visit the official HOMCOM website or your retailer's support page for the most current contact information.