

ARCTIC ACFRE00150A

ARCTIC Liquid Freezer III 240 A-RGB CPU AIO Water Cooler Instruction Manual

Model: ACFRE00150A | Brand: ARCTIC

1. INTRODUCTION

The ARCTIC Liquid Freezer III 240 A-RGB is an all-in-one liquid CPU cooler designed for efficient heat dissipation in high-performance computing systems. This manual provides detailed instructions for the installation, operation, and maintenance of your cooler, ensuring optimal performance and longevity.

Key features include a PWM-controlled pump, addressable RGB (A-RGB) fans, specialized mounting solutions for Intel and AMD processors, active VRM cooling, and integrated cable management for a clean build.



Image 1.1: The ARCTIC Liquid Freezer III 240 A-RGB cooler, highlighting its award-winning design and essential cooling capabilities.

2. SAFETY INFORMATION

- Always disconnect power from your PC before installation or maintenance.
- Handle components with care to avoid damage.
- Keep out of reach of children.
- Do not open the pump or radiator as this may void the warranty and cause leaks.
- Ensure proper grounding to prevent electrostatic discharge (ESD) damage to components.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- ARCTIC Liquid Freezer III 240 A-RGB All-in-One Cooler (Radiator, Pump/Cold Plate, Fans pre-installed)
- Intel Mounting Kit (LGA1851, LGA1700)
- AMD Mounting Kit (AM5, AM4)
- Thermal Paste
- Mounting Screws and Hardware
- User Manual (Digital via QR code on packaging)

4. COMPATIBILITY

4.1. CPU Socket Compatibility

- **Intel:** LGA1851, LGA1700
- **AMD:** AM5, AM4

4.2. Case and Motherboard Compatibility

The radiator dimensions are approximately 277mm (L) x 120mm (W) x 65.5mm (H, including fans). Ensure your PC case has sufficient clearance for a 240mm radiator with a thickness of 38mm, plus the fans.

Important Note: Oversized components, particularly coolers on the M.2_1 slot of certain motherboards, may interfere with the installation of the Liquid Freezer III. It is recommended to consult the ARCTIC official website for a detailed compatibility checker or refer to your motherboard's manual for clearance specifications.



Multiple Award-Winning Fans

Image 4.1: Radiator dimensions (38mm thickness) and various size options (420, 360, 280, 240mm) for case compatibility checks.

5. SETUP AND INSTALLATION

Before starting, ensure your system is powered off and unplugged. It is highly recommended to watch the official ARCTIC installation video (accessible via QR code on the product packaging) for a visual guide.

5.1. Preparing the CPU

1. Clean the CPU surface thoroughly with isopropyl alcohol to remove any old thermal paste or residue.
2. Apply a small amount of the provided thermal paste to the center of the CPU. A pea-sized dot is generally sufficient.

5.2. Installing Mounting Brackets

Select the appropriate mounting hardware for your CPU socket (Intel or AMD).

5.2.1. Intel LGA1851 / LGA1700 Installation

- Install the Intel contact frame onto your motherboard. This frame improves contact pressure distribution for more

efficient heat transfer.

- Secure the backplate and standoffs according to the instructions for your specific socket.




Image 5.1: Diagram illustrating the installation of the LGA1700 contact frame for improved CPU contact and heat transfer.

5.2.2. AMD AM5 / AM4 Installation

- Utilize the native AMD offset mounting. This design optimizes coverage of the CPU hotspot for Ryzen processors, enhancing heat transfer efficiency.
- Attach the AMD mounting clips to the pump unit and secure them to the motherboard's stock backplate.



Image 5.2: Diagram showing the native AMD offset mounting, positioning the cold plate to optimally cover the CPU hotspot.

5.3. Mounting the Pump/Cold Plate

1. Carefully place the pump/cold plate assembly onto the CPU, aligning it with the mounting brackets.
2. Secure the pump unit using the provided screws, tightening them in a cross pattern until snug. Do not overtighten.

5.4. Mounting the Radiator and Fans

1. Position the radiator in your desired mounting location within the PC case (e.g., top, front).
2. Secure the radiator to the case using the appropriate screws.
3. The fans are pre-installed on the radiator. Ensure their orientation is correct for optimal airflow (intake or exhaust, depending on your case's cooling strategy).

5.5. Cable Management and Connections

The Liquid Freezer III features integrated cable management, where the PWM cables of the radiator fans are routed within the hoses. This results in a single visible cable connection to the motherboard.

- Connect the main PWM connector from the cooler to your motherboard's CPU_FAN header.
- For A-RGB lighting, connect the A-RGB cable to a compatible 3-pin 5V A-RGB header on your motherboard.
- The cooler also includes a PWM-controlled VRM fan. This fan's cable is integrated and will draw power from the main PWM connection, providing active cooling to voltage regulator modules.



Image 5.3: Diagram illustrating the integrated cable management with a single PWM connector for pump, VRM fan, and radiator fans, and a separate A-RGB connector.




Image 5.4: Close-up view of the PWM-controlled VRM fan, which actively cools motherboard components around the CPU socket.

6. OPERATION

6.1. Fan and Pump Control

The Liquid Freezer III's pump and fans are PWM-controlled, allowing for dynamic speed adjustments based on CPU temperature. This can be configured through your motherboard's BIOS/UEFI settings or dedicated software provided by your motherboard manufacturer.

- **Recommended:** Set a custom fan curve in your motherboard's BIOS to balance cooling performance and noise levels. Aggressive fan curves can lead to higher noise, while a more relaxed curve can reduce noise at the cost of slightly higher temperatures.
- The integrated VRM fan operates automatically based on the PWM signal, contributing to overall system stability by cooling critical motherboard components.

6.2. A-RGB Lighting Control

The A-RGB lighting on the fans and pump can be controlled via your motherboard's A-RGB software (e.g., ASUS Aura Sync, MSI Mystic Light Sync, ASRock Polychrome Sync, Gigabyte RGB Fusion 2.0). Ensure the A-RGB cable is correctly connected to a compatible 3-pin 5V A-RGB header on your motherboard.




Image 6.1: The ARCTIC Liquid Freezer III 240 A-RGB installed in a PC, showcasing its individually addressable RGB LEDs.

7. MAINTENANCE

Regular maintenance helps ensure optimal performance and extends the lifespan of your cooler.

- **Dust Removal:** Periodically clean the radiator fins and fan blades to prevent dust buildup, which can impede airflow and reduce cooling efficiency. Use compressed air or a soft brush.
- **Cable Inspection:** Check all cables for secure connections and signs of wear.
- **Liquid Level:** The AIO unit is a closed loop system and does not require refilling. If you suspect a leak or significant performance drop, contact support.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
High CPU Temperatures	Improper thermal paste application, loose cold plate, dust buildup on radiator, incorrect fan orientation, pump failure.	Reapply thermal paste, ensure cold plate is securely mounted, clean radiator/fans, verify fan direction, check pump connection.
Excessive Fan Noise	Aggressive fan curve settings, fan obstruction, faulty fan.	Adjust fan curve in BIOS, ensure no cables are hitting fans, replace faulty fan if necessary.
A-RGB Lighting Not Working	Incorrect cable connection, incompatible motherboard header, software issue.	Verify A-RGB cable is connected to a 3-pin 5V A-RGB header, check motherboard software settings, ensure motherboard header is enabled.
Cooler Does Not Fit	Case clearance issues, motherboard component interference.	Double-check case and motherboard compatibility before purchase. Refer to ARCTIC's compatibility checker.

9. SPECIFICATIONS

- **Model:** ACFRE00150A
- **Product Dimensions:** 10.91"L x 4.72"W x 2.48"H (277mm x 120mm x 65.5mm)
- **Brand:** ARCTIC
- **Power Connector Type:** 4-Pin PWM
- **Voltage:** 12 Volts
- **Wattage:** 5 watts
- **Cooling Method:** Liquid (Water)
- **Compatible Devices:** Intel LGA1851, LGA1700; AMD AM5, AM4
- **Material:** Aluminium (Radiator), Copper, Micro Skived Fins (Cold Plate)
- **Maximum Rotational Speed:** 2000 RPM (Fans)
- **Air Flow Capacity:** 48.8 Cubic Feet Per Minute (Fans)
- **Item Weight:** 3.31 pounds (1.5 kg)
- **Included Components:** ARCTIC Liquid Freezer III 240 A-RGB (White)

10. WARRANTY AND SUPPORT




10.1. Warranty Information

The ARCTIC Liquid Freezer III 240 A-RGB comes with a **6-year manufacturer's warranty**. Please retain your proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use.

10.2. Technical Support

For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please visit the official ARCTIC support website or contact their customer service department. Contact details can typically be found on the ARCTIC website.

Related Documents - ACFRE00150A

 The image shows the top section of the ARCTIC online manual and compatibility check page. It features the ARCTIC logo, a wrench and screwdriver icon, and the text 'ONLINE MANUAL & COMPATIBILITY CHECK'. Below this is a QR code and a section titled 'Liquid Freezer III 360 A-RGB Black White' with icons for 'PREPARATION', 'INSTALLATION', and 'TROUBLESHOOTING'. At the bottom, it says 'CONNECT WITH US' with social media icons.	ARCTIC Liquid Freezer III 360 A-RGB CPU Cooler - Technical Specifications and Overview Comprehensive technical specifications, dimensions, performance data, and shipping information for the ARCTIC Liquid Freezer III 360 A-RGB All-in-One CPU Water Cooler. Compatible with Intel LGA1851/1700 and AMD AM5/AM4 sockets.
 The image shows a page from the ARCTIC Liquid Freezer III 240 AIO CPU Cooler manual. It features the ARCTIC logo, a product image, and a table of specifications. The table includes 'Model', 'Dimensions', 'Weight', 'Fan Speed', 'Flow Rate', 'Power Consumption', and 'Compatibility'. It also includes a section for 'Installation' and 'Shipping Information'.	ARCTIC Liquid Freezer III 240 AIO CPU Cooler: Specifications and Compatibility Detailed specifications, compatibility, and performance data for the ARCTIC Liquid Freezer III 240 All-in-One CPU Water Cooler, including fan speeds, dimensions, and shipping information.
 The image shows a page from the ARCTIC Liquid Freezer III 280 CPU Water Cooler manual. It features the ARCTIC logo, a product image, and a table of specifications. The table includes 'Model', 'Dimensions', 'Weight', 'Fan Speed', 'Flow Rate', 'Power Consumption', and 'Compatibility'. It also includes a section for 'Installation' and 'Shipping Information'.	ARCTIC Liquid Freezer III 280 CPU Water Cooler - Technical Specifications Comprehensive technical specifications, performance data, and dimensional details for the ARCTIC Liquid Freezer III 280 All-in-One CPU Water Cooler. Covers compatibility, pump and fan performance, and shipping information.
 The image shows a page from the ARCTIC Liquid Freezer III 420 A-RGB manual. It features the ARCTIC logo, a product image, and a table of specifications. The table includes 'Model', 'Dimensions', 'Weight', 'Fan Speed', 'Flow Rate', 'Power Consumption', and 'Compatibility'. It also includes a section for 'Installation' and 'Shipping Information'.	ARCTIC Liquid Freezer III 420 A-RGB: High-Performance CPU Water Cooler Detailed specifications and features of the ARCTIC Liquid Freezer III 420 A-RGB All-in-One CPU Water Cooler, including compatibility, performance data, dimensions, and shipping information.
 The image shows a page from the ARCTIC Liquid Freezer III 360 All-in-One CPU Water Cooler manual. It features the ARCTIC logo, a product image, and a table of specifications. The table includes 'Model', 'Dimensions', 'Weight', 'Fan Speed', 'Flow Rate', 'Power Consumption', and 'Compatibility'. It also includes a section for 'Installation' and 'Shipping Information'.	ARCTIC Liquid Freezer III 360 All-in-One CPU Water Cooler Specifications and Features Detailed specifications, features, and dimensions for the ARCTIC Liquid Freezer III 360, a multi-compatible all-in-one CPU water cooler. Includes information on pump, radiator, fans, compatibility, and shipping.
 The image shows a page from the ARCTIC Liquid Freezer II 240 manual. It features the ARCTIC logo, a product image, and a table of specifications. The table includes 'Model', 'Dimensions', 'Weight', 'Fan Speed', 'Flow Rate', 'Power Consumption', and 'Compatibility'. It also includes a section for 'Installation' and 'Shipping Information'.	ARCTIC Liquid Freezer II 240: Multi-Compatible All-In-One CPU Water Cooler Detailed information on the ARCTIC Liquid Freezer II 240, a multi-compatible all-in-one CPU water cooler featuring an in-house developed PWM-controlled pump, high-performance P-fans, and a maintenance-free water loop. Includes specifications, features, and compatibility information.


lang:de score:31 filesize: 424.5 K page_count: 3 document date: 2023-11-14



lang:en score:29 filesize: 188.48 K page count: 1 document date: 2023-11-14



lang:en score:29 filesize: 199.61 K page count: 1 document date: 2023-11-14



[pdf] Specifications Dimension Guide Guide Warranty

User Guide ARCTIC Liquid Freezer III 240 A RGB Water Cooling PC CPU AIO Cooler Intel AMD Efficient PWM Controlled Pump Fan 200 2000 rpm LGA1851 and LGA1700 Contact Frame Black Amazon nl Electronics Photo 91ReRtZO2 L m media amazon images I |||

Liquid Freezer III 240 A-RGB Multi Compatible All-in-One CPU Water Cooler with A-RGB LIMITED W A R ... III 240 A-RGB White Box Dimension Gross Weight SKU EAN UPC 294 L x 171 W x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multi Comp... lang:en score:28 filesize: 888.93 K page_count: 3 document date: 2024-02-19




[pdf] Documentation Declaration of Conformity

ACFRE00150A Liquid Freezer III 240 A RGB White RoHS REACH declaration of Compliance Vincent Andre 206 8KB ARCTIC Documentation PAHs 2023 11 07 support arctic de products liquid freezer iii a rgb CE ||| ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid ... : Brand : Product Name : Part Number : UPC : EAN : ARCTIC Liquid Freezer III 240 A-RGB White **ACFRE00150A** 84003340231-6 489521370454-0 We hereby certify that the Product is fully compliant with... lang:en score:28 filesize: 206.84 K page_count: 1 document date: 2023-11-14



[pdf] Documentation Declaration of Conformity

ACFRE00150A Liquid Freezer III 240 A RGB White CE Declaration Vincent Andre 441 3KBARCTIC Rev 2 DocumentationACFRE00150A 2025 03 06support arctic de products liquid freezer iii a rgb2 06 3KBACFRE00150A DocumentationARCTIC 06ACFRE00150A rgb ||| ||| ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid Freezer III 240 A-RGB White EC Declaration of Conformity We, ARCTIC HK Ltd., hereby declare under our sole responsibility that the product desc ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid ... ow : Brand : Product Name : Part Number : UPC : EAN : ARCTIC Liquid Freezer III 240 A-RGB White **ACFRE00150A** 84003340231-6 489521370454-0 Is in conformity with: - EC Directive 2011/65/EC incl. 20... lang:de score:28 filesize: 441.26 K page_count: 3 document date: 2025-03-24



[pdf] Documentation

ACFRE00150A Liquid Freezer III 240 A RGB White COO Vincent Andre 188 5KBARCTIC Rev 2 DocumentationACFRE00150A 2023 11 07support arctic de products liquid freezer iii a rgrbr2 CE 07 ||| ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid ... ina. Brand : Product Name : Part Number : UPC : EAN : ARCTIC Liquid Freezer III 240 A-RGB White **ACFRE00150A** 84003340231-6 489521370454-0 To comply with international requirements, the wording Ma... lang:en **score:27** filesize: 188.48 K page_count: 1 document date: 2023-11-14




[pdf] Documentation Declaration of Conformity

ACFRE00150A Liquid Freezer III 240 A RGB White UKCA Declaration Vincent Andre 199 6KBARCTIC Rev 2 DocumentationACFRE00150A 2023 11 07support arctic de products liquid freezer iii a rgrbr2 CE 07 ||| ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid ... ow : Brand : Product Name : Part Number : UPC : EAN : ARCTIC Liquid Freezer III 240 A-RGB White **ACFRE00150A** 84003340231-6 489521370454-0 Is in conformity with: - The Restriction of the use of cer... lang:en **score:27** filesize: 199.61 K page_count: 1 document date: 2023-11-14



[pdf] Documentation Declaration of Conformity

ACFRE00150A Liquid Freezer III 240 A RGB White RoHS REACH declaration of Compliance Vincent Andre 206 8KBARCTIC Rev 2 DocumentationACFRE00150A PAHs Complisupport arctic de products liquid freezer iii a rgrbr2 CE 2023 11 07 ||| ARCTIC HK Ltd. Unit 1302-05, The Octagon 6 Sha Tsui Road Tsuen Wan, N.T. Hong-Kong ARCTIC Liquid ... : Brand : Product Name : Part Number : UPC : EAN : ARCTIC Liquid Freezer III 240 A-RGB White **ACFRE00150A** 84003340231-6 489521370454-0 We hereby certify that the Product is fully compliant with... lang:en **score:27** filesize: 206.84 K page_count: 1 document date: 2023-11-14



[pdf]

Dane techniczne Arctic Liquid Freezer III 240 A RGB biały ACFRE00150A od PLN 499 00 2024

Porównanie cen Cenowarka Polska a2c469d1ccd5d2b426348233d76f03119235 gzhls at blob ldb 0 d 9 f

|||

Liquid Freezer III 240 A-RGB Multikompatibler All-in-One CPU-Wasserkhler mit A-RGB LIMITED W A R R ... 240 A-RGB White Box Abmessungen Brutto Gewicht SKU EAN UPC 294 L x 171 B x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multikompa... lang:de score:26 filesize: 889.87 K page_count: 3 document date: 2024-02-20




[pdf]

User Manual Specifications Guide Warranty Accessories

User Manual ARCTIC Liquid Freezer III 240 A RGB Water Cooling PC All in One CPU AIO Cooler Intel AMD compatible efficient PWM controlled pump fan 200 1800 rpm LGA1851 1700 Contact Frame Black Computers Accessories A10RgnnHjXL m media amazon images I |||

ONLINE MANUAL COMPATIBILITY CHECK Please check the compatibility with your motherboard ONLINE MA ... III 240 A-RGB White Box Dimension Gross Weight SKU EAN UPC 294 L x 171 W x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multi Comp... lang:en score:25 filesize: 1.02 M page_count: 4 document date: 2024-03-08




[pdf]

Liquid Freezer III 280 2D Drawing FREDDIE PC Freddie So 240 A RGB support arctic de products liquid freezer iii a rgb techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...

lang:af score:22 filesize: 1.04 M page_count: 2 document date: 2024-01-31




[pdf]

Documentation

Liquid Freezer III 420 2D Drawing FREDDIE PC Freddie So 1 2MB ARCTIC Documentation support arctic de products liquid freezer iii techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...

lang:af score:22 filesize: 1.24 M page_count: 2 document date: 2024-01-31




[\[pdf\]](#) Documentation

Liquid Freezer III 240 2D Drawing FREDDIE PC Freddie So 1 0MB ARCTIC Documentation support
arctic de products liquid freezer iii techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A
ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A
ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A
Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm
3.58 in Front...

lang:af score:22 filesize: 1.04 M page_count: 2 document date: 2024-01-31




[\[pdf\]](#) Documentation

Liquid Freezer III 280 2D Drawing FREDDIE PC Freddie So 1 1MB ARCTIC Documentation support
arctic de products liquid freezer iii techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A
ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A
ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A
Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm
3.58 in Front...

lang:af score:22 filesize: 1.1 M page_count: 2 document date: 2024-01-31




[\[pdf\]](#) Documentation

Liquid Freezer III 280 2D Drawing FREDDIE PC Freddie So 1 0MBARCTIC 240 A RGB Rev 2
DocumentationLiquid Drawingsupport arctic de products liquid freezer iii a rgb2 techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A
ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A
ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A
Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm
3.58 in Front...

lang:af score:21 filesize: 1.04 M page_count: 2 document date: 2024-01-31




[\[pdf\]](#) Documentation

Liquid Freezer III 420 A RGB 2D Drawing FREDDIE PC Freddie So 1 1MB ARCTIC Documentation
support arctic de products liquid freezer iii a rgb techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A
ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A
ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A
Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm
3.58 in Front...

lang:af score:21 filesize: 1.12 M page_count: 2 document date: 2024-01-31




[\[pdf\]](#) Documentation

Liquid Freezer III 360 2D Drawing FREDDIE PC Freddie So 1 2MB ARCTIC Rev 2 Documentation
support arctic de products liquid freezer iii 360r2 techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A
ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A
ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A
Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm
3.58 in Front...

lang:af score:21 filesize: 1.16 M page count: 2 document date: 2024-01-31




[pdf]

Liquid Freezer III 360 A RGB 2D Drawing FREDDIE PC Freddie So ARCTIC Mobile Supportsupport arctic de â² techdocs support products liquid freezer iii a rgb |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...

lang:af score:21 filesize: 1.16 M page_count: 2 document date: 2024-01-31




[pdf] Documentation

Liquid Freezer III 280 A RGB 2D Drawing FREDDIE PC Freddie So 1 0MB ARCTIC Rev 2

Documentation support arctic de products liquid freezer iii a rgb2 techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...

lang:af score:21 filesize: 1.01 M page_count: 2 document date: 2024-01-31




[pdf]

Спецификация RUS Liquid Freezer III 240 A RGB White Арктик М 6 arctic m 2024 03 |||

Liquid Freezer III 240 A-RGB LIMITED W A R R A N T Y PI NNPI Intel LGA1851, LGA170 ... 4502 840033402279 LF III 240 A-RGB White EAN UPC 294 L x 171 W x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB 4500 400...

lang:de score:20 filesize: 934.37 K page_count: 3 document date: 2024-03-28



[pdf] Documentation

Liquid Freezer III 420 A RGB 2D Drawing FREDDIE PC Freddie So 1 1MBAARCTIC Rev 2

Documentationsupport arctic de products liquid freezer iii a rgb2 techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...

lang:af score:20 filesize: 1.12 M page_count: 2 document date: 2024-01-31


[\[pdf\]](#) Documentation

Liquid Freezer III 360 A RGB 2D Drawing FREDDIE PC Freddie So 1 2MBARCTIC Rev 2

Documentationsupport arctic de products liquid freezer iii a rrgb2 techdocs |||

Liquid Freezer III 240 / 280 / 360 / 420 / A-RGB P/N: ACFRE00134A ACFRE00135A ACFRE00136A ACFRE00137A ACFRE00142A ACFRE00143A ACFRE00144A ACFRE00145A **ACFRE00150A** ACFRE00151A ACFRE00152A ACFRE00153A Scale 1:2 Rev. Date: 31/1/2024 Pump VRM Fan Top View 68.5 mm 2.7 in 91.0 mm 3.58 in Front...


lang:af **score:20** filesize: 1.16 M page_count: 2 document date: 2024-01-31



[\[pdf\]](#)

Liquid Freezer III 240 A RGB podatkovna tablica 3078440 arctic liquid freezer iii a rgb pc vodeno hlaenje asset conrad media10 add 160267 c1 de 003078440DS00 |||


Liquid Freezer III 240 A-RGB Multikompatibler All-in-One CPU-Wasserkhler mit A-RGB LIMITED W A R R ... 240 A-RGB White Box Abmessungen Brutto Gewicht SKU EAN UPC 294 L x 171 B x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multikompa... lang:de **score:19** filesize: 895.03 K page_count: 3 document date: 2024-02-20



[\[pdf\]](#) Specifications Dimension Guide Warranty

Podręcznik użytkownika ARCTIC Liquid Freezer III 240 A RGB Chłodzenie wodne PC All in One CPU AIO Water Cooler kompatybilny z Intel i AMD wydajna pompa sterowana PWM Amazon pl Elektronika 91M7BD8AOSL m media amazon images I |||


Liquid Freezer III 240 A-RGB Multi Compatible All-in-One CPU Water Cooler with A-RGB LIMITED W A R ... III 240 A-RGB White Box Dimension Gross Weight SKU EAN UPC 294 L x 171 W x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multi Comp... lang:en **score:19** filesize: 883.79 K page_count: 3 document date: 2023-12-28



[\[pdf\]](#) Specifications Dimension Guide Warranty

Liquid Freezer III 240 A RGB il y a 18 heures — General 2x P12 PWM Speed 200 2000 rpm Airflow 48 82 cfm 91 m³ h Static Pressure 1 85 mmH2O Bearing Fluid Dynamic c7b23b8c0bf0263d1fba7ab1eeff894c31cd gzhlsl at blob ldb 7 b f 3 |||

Liquid Freezer III 240 A-RGB Multi Compatible All-in-One CPU Water Cooler with A-RGB LIMITED W A R ... III 240 A-RGB White Box Dimension Gross Weight SKU EAN UPC 294 L x 171 W x 142 H mm 1925g **ACFRE00150A** 4895213704540 840033402316 Designed by ARCTIC Liquid Freezer III 240 A-RGB Multi Comp... lang:en **score:15** filesize: 888.88 K page_count: 3 document date: 2024-02-20



[illegible]

[\[pdf\]](#) Specifications Dimension Guide Warranty Catalog

[\[pdf\]](#) Specifications Dimension Guide Warranty