

BODEGA 68A-PT

BODEGA BODEGACOOLER 15 Commercial Beverage Refrigerator User Manual

Model: 68A-PT

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your BODEGA BODEGACOOLER 15 Commercial Beverage Refrigerator. Please read this manual thoroughly before using the appliance and retain it for future reference.

2. SAFETY INFORMATION

WARNING: Risk of Fire or Explosion.

- Flammable refrigerant used. Handle with care when moving or servicing the refrigerator.
- Do not use mechanical devices to defrost the refrigerator.
- Do not puncture refrigerant tubing.
- Ensure proper grounding to reduce the risk of electric shock.
- Keep ventilation openings clear of obstruction.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.

3. PRODUCT OVERVIEW

The BODEGA BODEGACOOLER 15 is a 9 cubic feet commercial beverage refrigerator designed for displaying and cooling various beverages and food items. It features a glass door, adjustable shelving, LED lighting, and a robust cooling system.

Key Features:

- **Capacity:** 9 cubic feet, accommodating approximately 192 standard cans or 120 bottles (750ml).
- **LED Lighting:** Equipped with two LED light control buttons for top light box and internal illumination.
- **Adjustable Shelves:** Four removable shelves with insertion clips for customizable interior height.

Includes one drink organizer.

- **Efficient Insulation:** Materials with UV protection and heat insulation to conserve energy.
- **Magnetic Door Structure:** Automatic closing door with excellent sealing performance.
- **Security:** Includes a security lock and key.
- **Cooling System:** Powerful cooling circulation system with an energy-saving fan motor and high-efficiency compressor.
- **Defrost:** Automatic defrost system.
- **Mobility:** Four strong casters for easy movement, with front brakes for stability.



BODEGACOOLER LARGE CAPACITY DISPLAY COOLER

Dimensions: 20.7"D * 69.6"H * 21.1"W	
Large capacity : 120 standard bottles or 192 standard cans.	Watts: 165W/60Hz
Noise: <45db	Volts: 110V
 120 bottles capacity (750ml)	 192 Cans capacity (12oz)

Image 3.1: Product dimensions and capacity overview.

420 cans & 120 Bottles Commercial Beverage Refrigerator

Product Features:

- 1, R600a Environmental Refrigerant
- 2, 5 Adjustable Shelves
- 3, Double-layer Glass Door with Low-E
- 4, 2 Independent LED lights
- 5, 4 Strong Castors (front 2 with brake)
- 6, Low temperature range: 32°F - 50°F
- 7, Including 2 Drink Rrganizers



Image 3.2: Key product features including refrigerant type, shelves, glass door, LED lights, casters, and temperature range.



Image 3.3: Diagram illustrating the sturdy LOW-E double-layered tempered glass door and microcellular foaming technology for effective insulation.

4. SETUP INSTRUCTIONS

4.1 Unpacking

Carefully remove the refrigerator from its packaging. Inspect for any damage. It is recommended to keep the original packaging for future transport or service needs.

4.2 Placement

Place the refrigerator on a flat, stable surface. Ensure there is adequate ventilation around the unit. This appliance is designed for freestanding installation.

4.3 Shelf Installation and Adjustment

The refrigerator comes with four removable shelves. To install or adjust the shelves:

1. Locate the insertion clips on the interior side walls.
2. Insert the shelf into the desired clips, ensuring it is level and secure.

3. Adjust as needed to accommodate different beverage heights.

Your browser does not support the video tag.

Video 4.1: Demonstrates the installation and adjustment of shelves within the refrigerator, along with a view of the internal fan and temperature control knob.

Your browser does not support the video tag.

Video 4.2: Shows the process of adjusting shelves to fit various bottle and can sizes, optimizing internal storage.

4.4 Caster Installation and Brakes

The refrigerator is equipped with four casters for mobility. The front casters include brakes to secure the unit in place.

1. Ensure the refrigerator is unplugged before moving.
2. To move, release the brakes on the front casters.
3. Once in the desired location, engage the brakes to prevent movement.

Your browser does not support the video tag.

Video 4.3: Illustrates the functionality of the casters and how to engage/disengage the brakes for easy movement and secure placement.

5. OPERATING INSTRUCTIONS

5.1 Power Connection

Plug the refrigerator into a grounded electrical outlet. Allow the unit to stand upright for at least 2-4 hours before plugging it in to allow refrigerants to settle.

5.2 Temperature Control

The refrigerator features a 1 to 7-speed mechanical knob for temperature adjustment. The temperature range is from 32°F to 50°F (0°C to 10°C).

1. Locate the temperature control knob, typically inside the unit or at the bottom front.
2. Turn the knob to your desired setting. A higher number indicates a colder temperature.




Image 5.1: Internal view highlighting the temperature control knob and other features.

5.3 LED Light Operation

The refrigerator has two separate LED light control buttons. One controls the top LED light box, and the other controls the internal LED lights.

1. Press the respective buttons to turn the lights on or off.
2. Turning off the lights when not needed can help save energy.



Image 5.2: Illustration of the energy-efficient interior lighting and its benefits.

5.4 Door Lock

For security, the refrigerator is equipped with a lock and key.

1. Insert the key into the lock located near the bottom of the door.
2. Turn the key to lock or unlock the door.



Image 5.3: Close-up of the built-in safety lock and keys.

5.5 Customizable LED Logo Sign

The top LED light box features a customizable sign. You can replace the default sign with your own design.

1. Carefully remove the screws securing the existing sign.
2. Slide out the default sign.
3. Insert your custom design.
4. Secure the sign with the screws.

6. MAINTENANCE

6.1 Cleaning

Regular cleaning helps maintain the refrigerator's performance and appearance.

1. Unplug the unit before cleaning.
2. Clean the interior with a mild detergent and warm water. Avoid abrasive cleaners.
3. Wipe down the exterior with a soft cloth.
4. Clean the condenser coils periodically to ensure efficient cooling.

6.2 Automatic Defrost

This refrigerator features an automatic defrost system, eliminating the need for manual defrosting. During the defrost cycle, water may collect in a drip tray and evaporate.

6.3 Door Seal Check

Periodically check the magnetic door seal for any damage or gaps to ensure optimal sealing and energy efficiency.

7. TROUBLESHOOTING

If you encounter issues with your refrigerator, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Refrigerator not cooling	Power supply issue, temperature setting too high, door not closed properly, condenser coils dirty.	Check power connection, adjust thermostat, ensure door is sealed, clean condenser coils.
Excessive noise	Unit not level, fan obstruction, compressor issue.	Level the unit, check for obstructions around fans, contact support if compressor noise persists.
Water on floor/inside	Drain tube clogged, door left open, high humidity.	Clear drain tube, ensure door is closed, this is normal during defrost in high humidity.
Door difficult to open	Vacuum seal after closing.	Wait a few moments for pressure to equalize before re-opening.

8. SPECIFICATIONS

Feature	Detail
Brand Name	BODEGA
Model Info	68A-PT
Item Weight	89.8 pounds
Product Dimensions	20.67 x 21.14 x 69.65 inches (D x W x H)
Capacity	9 Cubic Feet

Feature	Detail
Installation Type	Freestanding
Form Factor	Wine Cellar (used as a general term for beverage coolers)
Color	Black
Defrost System	Automatic
Door Hinges	Right
Door Material Type	Glass
Shelf Type	Wire
Number Of Doors	1
Special Features	2 LED light control buttons, 4 removable shelves (including 1 drink organizer), Mechanical knob temperature control (1-7 speeds), Efficient heat insulation & energy saving, Magnetic door structure, Energy-saving motor and high-efficiency compressor.

9. WARRANTY AND SUPPORT

For customer support, please refer to the contact information provided at the point of purchase. This product is typically covered by a manufacturer's warranty, details of which can be found in your purchase documentation or by contacting BODEGA customer service.

For returns, a 30-day easy return policy is generally offered by the seller, ONETREE HOME USA.