



Manuals.plus /

› Nilight /

› Nilight ATV Cover XL (82"L x 47"W x 45"H) Instruction Manual

## Nilight XL - 82"L x 47"W x 45"H

# Nilight ATV Cover XL (82"L x 47"W x 45"H) Instruction Manual

Model: XL - 82"L x 47"W x 45"H

## 1. INTRODUCTION

---

This manual provides instructions for the proper use and care of your Nilight ATV Cover. Designed with 420D Oxford cloth, this heavy-duty cover offers comprehensive protection for your All-Terrain Vehicle (ATV) against various environmental elements.

Please read this manual thoroughly before using the product to ensure optimal performance and longevity of your ATV cover.

## 2. PRODUCT FEATURES

---

The Nilight ATV Cover is engineered with several key features to provide superior protection:

- **Upgraded Material:** Constructed from 420D Oxford cloth with reinforced stitching for enhanced durability. The material is tear-resistant and features UV protection to prevent sun fading. A soft inner lining protects your ATV's finish from scratches.
- **All-Weather Protection:** Provides defense against sun, rain, snow, and wind. It blocks harmful UV rays and shields your vehicle from dust, fallen leaves, bird droppings, and environmental pollutants.
- **Waterproof Protection:** Coated with a PU waterproof layer, offering superior water resistance (3000pa water pressure resistance confirmed by laboratory testing). Waterproof strips are integrated into the seams to prevent water penetration.
- **Universal Fit:** Designed to fit a wide range of ATVs. Please measure your ATV before purchasing to ensure the correct size.
- **Secure Fastening:** Features an elastic hem and dual buckles to keep the cover securely in place, even in windy conditions.
- **Reflective Safety Loops:** Includes reflective elements for increased visibility.



Image: Overview of Nilight ATV Cover features, highlighting material, protection, and securing mechanisms.




Image: Visual representation of the cover's all-weather protection capabilities against sun, rain, autumn leaves, and winter snow.

### 3. SETUP AND INSTALLATION

---

Follow these steps to properly install the Nilight ATV Cover:

1. **Prepare Your ATV:** Ensure your ATV is clean and dry before covering. Allow hot engine or exhaust components to cool down completely to prevent damage to the cover.
2. **Unfold the Cover:** Lay the cover flat on the ground near your ATV, identifying the front and rear sections. The reflective safety loops are typically located towards the front.
3. **Position the Cover:** Carefully drape the cover over your ATV, starting from the front. Guide the cover over the handlebars, mirrors, and any other protrusions.
4. **Adjust for Fit:** Pull the cover down evenly over all sides of the ATV. The elasticized hem around the bottom will help secure it around the tires.
5. **Secure the Buckles:** Locate the dual buckles positioned underneath the ATV. Connect the buckles and adjust the straps to achieve a snug fit. This prevents the cover from being lifted by wind.



Image: An ATV fully covered by the Nilight cover, demonstrating proper installation and fit.

## 4. OPERATING INSTRUCTIONS (USAGE)

---

The Nilight ATV Cover is designed for straightforward use:

- **Daily Use:** For regular protection, simply place the cover over your ATV as described in the "Setup and Installation" section. Ensure all buckles are fastened and straps are tightened to prevent wind displacement.
- **Long-Term Storage:** For extended periods of storage, ensure the ATV is thoroughly cleaned and dry before covering. This prevents moisture buildup and potential mildew.
- **Removal:** Unfasten the buckles and carefully lift the cover off the ATV. Fold or roll the cover neatly for storage to prevent creases and damage.

## 5. MAINTENANCE

---

Proper maintenance will extend the life of your ATV cover:

- **Cleaning:** Clean the cover periodically with mild soap and water. Use a soft brush or sponge to remove dirt and debris. Rinse thoroughly with clean water and allow it to air dry completely before folding or storing. Do not use harsh chemicals or abrasive cleaners.
- **Drying:** Always ensure the cover is completely dry before storing it to prevent mildew and odors.
- **Storage:** When not in use, store the cover in a cool, dry place, preferably in its original storage bag.
- **Inspection:** Regularly inspect the cover for any signs of wear, tears, or damage. Promptly repair small tears to prevent them from enlarging.



Image: Water test showing the cover's waterproof coating effectively repelling water.

## 6. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Cover blows off in wind.	Buckles not fastened or straps not tightened sufficiently.	Ensure all buckles are securely fastened and straps are adjusted for a snug fit around the ATV.
Water pooling on cover.	Improper installation, allowing water to collect in depressions.	Ensure the cover is draped tautly over the ATV, minimizing flat areas where water can accumulate. Adjust the cover to allow water to run off.
Mildew or odor.	Cover stored wet or ATV covered while damp.	Always ensure both the ATV and the cover are completely dry before covering or storing the cover. Clean the cover as per maintenance instructions.

## 7. SPECIFICATIONS

Attribute	Detail
Model	XL
Dimensions (L x W x H)	82" x 47" x 45"
Material	420D Oxford cloth
Color	Black
Water Resistance Level	Waterproof (3000pa)
UV Protection	Yes
Fit Type	Universal Fit
Included Components	Nilight ATV/UTV Cover
Item Weight	2.64 Pounds



Image: Size chart for Nilight ATV Covers, including XL (82"L x 47"W x 45"H), XXL (86"L x 38"W x 48"H), and XXXL (100"L x 43"W x 47"H).

## 8. WARRANTY INFORMATION

The Nilight ATV Cover comes with a **2-year warranty** from the manufacturer. This warranty covers defects in materials and workmanship under normal use.

For warranty claims or further details, please contact Nilight customer support.

## 9. CUSTOMER SUPPORT

For any product issues, questions, or assistance, Nilight offers dedicated customer support.

- **Support Availability:** 5x12-hour customer support.

- **Contact:** Please refer to the contact information provided on the product packaging or the official Nilight website for the most current support channels.