

[manuals.plus](#) /

› [VECELO](#) /

› [VECELO Twin Size Bed Frame Instruction Manual](#)

VECELO Bed Frame

VECELO Twin Size Bed Frame Instruction Manual

1. INTRODUCTION

Thank you for choosing the VECELO Twin Size Bed Frame. This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your new bed frame. Designed for comfort and durability, this bed frame features a linen fabric upholstered headboard and footboard, a heavy-duty metal platform, and sturdy slats, ensuring a noise-free and supportive foundation for your mattress.



Image 1.1: VECELO Twin Size Bed Frame, Light Grey

2. SAFETY INFORMATION

Please read and understand all safety instructions before assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- **Weight Limit:** The maximum weight capacity for this Twin size bed frame is 500 pounds. Do not exceed this limit.
- **Assembly:** Ensure all components are correctly assembled and all screws are securely tightened before use. Periodically re-tighten all screws to maintain stability.
- **Mattress Compatibility:** This bed frame is designed for use with 6, 8, 10, or 12-inch mattresses. No box spring is required.
- **Children:** Keep children away from the assembly area. Small parts can be a choking hazard.
- **Placement:** Place the bed frame on a level and stable surface.

3. PACKAGE CONTENTS

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Headboard (1)
- Footboard (1)
- Side Rails (2)
- Center Support Legs (3)
- Metal Slats (10)
- Hardware Pack (bolts, washers, nuts)
- Assembly Tool (Allen wrench)



Image 3.1: Overview of Bed Frame Components

4. SETUP (ASSEMBLY INSTRUCTIONS)

Assembly of the VECELO Twin Size Bed Frame is designed to be straightforward. It is recommended to assemble the bed frame with two people.

- 1. Prepare the Area:** Clear a spacious area for assembly. Lay out all components and hardware on a soft, clean surface to prevent scratches.
- 2. Attach Side Rails:** Connect the side rails to the headboard and footboard using the provided bolts and the Allen wrench. Do not fully tighten the bolts until all major components are connected.
- 3. Install Center Supports:** The mid-frame with legs is foldable. Unfold these sections and attach them to the designated points on the side rails. Ensure the support legs are oriented correctly to provide maximum stability.



Image 4.1: Detail of Frame Connection and Foldable Leg

- 4. Secure Slats:** Place the metal slats across the frame. This bed frame features a snap-in slat design for easy installation. Ensure each slat is securely snapped into place on both side rails.



Soft Velvet Padded Headboard & Footboard

Image 4.2: Snap-in Slat Installation

5. **Final Tightening:** Once all components are in place and correctly aligned, fully tighten all bolts using the Allen wrench. Ensure all connections are firm and secure.

5. OPERATING INSTRUCTIONS

After successful assembly, your VECELO Twin Size Bed Frame is ready for use.

- **Mattress Placement:** Place your mattress directly onto the metal slat system. A box spring is not required for this bed frame.
- **Under-Bed Storage:** The bed frame provides 12.5 inches of under-bed clearance, offering ample space for storage containers, boxes, or other items. The footboard is designed to conceal stored items for a tidy appearance.



Image 5.1: Under-Bed Storage Space



Image 5.2: Utilizing Under-Bed Storage

6. MAINTENANCE

Proper maintenance will help prolong the life and appearance of your bed frame.

- Cleaning:** Wipe the metal frame and upholstered surfaces with a damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these may damage the finish or fabric.
- Screw Tightening:** Periodically check and re-tighten all assembly screws to ensure the bed frame remains stable and noise-free.

7. TROUBLESHOOTING

If you encounter any issues with your VECELO Twin Size Bed Frame, please refer to the following common solutions:

Problem	Possible Cause	Solution
Bed frame is noisy or squeaks	Loose connections or uneven placement.	Ensure all bolts are fully tightened. Verify the bed frame is on a level surface.
Mattress slides on the frame	Incorrect mattress size or lack of friction.	Confirm mattress dimensions match the Twin size frame. Consider using a non-slip mattress pad.
Bed frame feels unstable	Incomplete assembly or damaged parts.	Review assembly instructions to ensure all steps were followed correctly. Check for any damaged components. Contact support if parts are damaged.

8. SPECIFICATIONS

Detailed specifications for the VECELO Twin Size Bed Frame:

Feature	Detail
Size	Twin
Product Dimensions (L x W x H)	77.5" x 39.7" x 39.3"
Under-Bed Height	12.5 inches
Weight Capacity	500 lbs
Material	Metal, Linen Fabric
Color	Light Grey
Assembly Required	Yes
Recommended Mattress Thickness	6/8/10/12 inches
Model Number	Bed Frame
UPC	810144978512

Standarded Twin Size

Max Capacity: 500 lbs



Image 8.1: Product Dimensions Diagram

9. WARRANTY AND CUSTOMER SUPPORT

VECELO is committed to providing high-quality products and customer satisfaction.

- **Limited Warranty:** This product comes with a limited warranty. Please refer to your purchase documentation for specific terms and conditions.
- **Customer Support:** If you have any questions, require assistance with assembly, or need replacement parts, please do not hesitate to contact VECELO customer service. Our team is available to provide support and ensure your satisfaction.
- **Contact Information:** Please refer to your purchase receipt or the VECELO official website for the most current customer service contact details.

