

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [SICOTAS](#) /

› [SICOTAS SDINA1 Modern Sideboard Buffet Cabinet Instruction Manual](#)

SICOTAS SDINA1

SICOTAS SDINA1 Modern Sideboard Buffet Cabinet Instruction Manual

Model: **SDINA1** | Brand: **SICOTAS**

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your SICOTAS Modern Sideboard Buffet Cabinet (Model SDINA1). Please read these instructions carefully before beginning assembly and retain this manual for future reference.

The SICOTAS SDINA1 cabinet features a sturdy cold-rolled steel frame, tempered corrugated glass doors, and an adjustable interior shelf, designed for versatile storage in various home environments.

KEY FEATURES

- **Stable and Durable Construction:** Manufactured with cold-rolled steel for enhanced strength and longevity, offering resistance to wear and weather.
- **Aesthetic Design:** Features translucent corrugated glass double-doors and a textured matte black metal frame, suitable for various interior styles.
- **Healthy Materials:** Constructed primarily from recyclable glass and metal, ensuring a formaldehyde-free and healthy product.
- **Adjustable Shelf:** Includes one adjustable shelf with 5 height levels, providing flexible storage options for items of varying sizes.
- **Dimensions:** 43.3 inches (W) x 13.78 inches (D) x 35.43 inches (H).

PACKAGE CONTENTS

Before assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Cabinet Frame (Cold-rolled steel)

- Tempered Glass Doors (2)
- Adjustable Shelf (1)
- Hardware Pack (Screws, Allen wrench, etc.)
- Instruction Manual (This document)


SETUP AND ASSEMBLY

Assembly is required for this cabinet. It is recommended to have two people for easier and safer assembly. Please follow the steps carefully.

1. **Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a clean, soft surface (e.g., a blanket or cardboard) to prevent scratches.
2. **Identify Parts:** Refer to the included parts list and diagrams to identify each component.
3. **Assemble Frame:** Begin by assembling the main cold-rolled steel frame. Secure all connections with the provided screws and Allen wrench. Do not overtighten until all frame pieces are loosely connected.
4. **Attach Side Panels:** Secure the side panels to the assembled frame. Ensure they are aligned correctly.
5. **Install Back Panel:** Attach the back panel. Note that some customer feedback indicates potential alignment issues; ensure careful positioning before tightening screws.
6. **Install Doors:** Attach the tempered glass doors to the frame using the provided hinges. Ensure the doors open and close smoothly. The cabinet features magnetic door holders for secure closure.
7. **Insert Adjustable Shelf:** Place the adjustable shelf into the desired position. The shelf offers 5 levels of height adjustment.
8. **Final Tightening:** Once all components are in place and aligned, fully tighten all screws.
9. **Attach Foot Pads:** Secure the protective foot pads to the bottom of the cabinet legs to prevent floor scratches.



Figure 1: Cabinet dimensions and weight capacities. The cabinet measures 43.31 inches wide, 13.78 inches deep, and 35.43 inches high, with legs measuring 7 inches. The top surface supports up to 55 lbs, and the interior shelf supports up to 33 lbs.



Accessible Gold Handle



Protective Foot Pads



Multi-level Adjustable Shelf



Magnetic Door Holder

Figure 2: Detailed view of cabinet features, including accessible gold handles, protective foot pads, multi-level adjustable shelf mechanism, and magnetic door holders for secure closure.



Figure 3: The adjustable shelf feature, demonstrating its ability to accommodate items of various heights, from tall bottles to smaller dishes, with 5 distinct height levels.

Your browser does not support the video tag.

Video 1: Assembly and usage demonstration of the SICOTAS Modern Black Sideboard Buffet Cabinet. This video illustrates the assembly process and highlights the cabinet's features and versatility in a home setting.

OPERATING INSTRUCTIONS

The SICOTAS Sideboard Buffet Cabinet is designed for straightforward use.

- **Opening/Closing Doors:** Gently pull the gold handles to open the doors. Push the doors firmly to close them, allowing the magnetic holders to engage.
- **Adjusting Shelves:** To adjust the shelf height, remove all items from the shelf. Lift the shelf and reposition the shelf supports to one of the 5 available height levels. Ensure the shelf is securely seated on all four supports before placing items back.
- **Weight Capacity:** Do not exceed the maximum weight capacity of 55 lbs for the top surface and 33 lbs for the interior shelf.



Figure 4: The SICOTAS Modern Sideboard Buffet Cabinet with its corrugated glass doors closed, showcasing its sleek design and providing a glimpse of stored items.

MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your cabinet.

- **Cleaning the Frame:** Wipe the cold-rolled steel frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the matte finish.
- **Cleaning the Glass:** Use a standard glass cleaner and a soft, lint-free cloth for the tempered glass doors.
- **Hardware Check:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Avoid Excessive Moisture:** While the steel is wear-resistant, avoid prolonged exposure to excessive moisture to prevent potential rust.

TROUBLESHOOTING

If you encounter any issues with your SICOTAS cabinet, refer to the following common solutions:

- **Difficulty during Assembly:**

- Ensure all parts are correctly oriented according to the diagrams.
- Do not fully tighten screws until all components are loosely assembled and aligned.
- If screw holes do not align, double-check the orientation of the panels. Slight adjustments may be needed.

- **Doors Not Closing Properly:**

- Check hinges for proper installation and tightness.
- Ensure the magnetic door holders are correctly positioned and functional.

- **Cabinet Wobbles:**

- Verify that all screws are fully tightened.
- Ensure the cabinet is placed on a level surface. Adjust foot pads if necessary.

If problems persist, please contact SICOTAS customer support.

SPECIFICATIONS

Attribute	Detail
Brand	SICOTAS
Model Number	SDINA1
Color	Black
Product Dimensions (W x D x H)	43.31" x 13.78" x 35.43" (110 x 35 x 90 cm)
Item Weight	73.8 pounds (33.5 kg)
Material	Cold-rolled Steel (Frame), Tempered Glass (Doors)
Number of Shelves	1 (Adjustable, 5 levels)
Mounting Type	Free-standing
Assembly Required	Yes
Recommended Uses	Buffet Cabinet, Sideboard, Storage Cabinet, Console Table

WARRANTY AND SUPPORT

For any questions, missing parts, or assistance with assembly, please contact SICOTAS customer support. While specific warranty details are not provided in this manual, please refer to your purchase documentation or the retailer's website for warranty information.

For customer support, please visit the [SICOTAS Store on Amazon](#) or contact the seller directly.

