

Lindy 43348

Lindy 3m USB 3.2 Gen2 Type-C Active Cable User Manual

Model: 43348 | Brand: Lindy

1. PRODUCT OVERVIEW

The Lindy 3m USB 3.2 Gen2 Type-C Active Cable (Model Number: 43348) is designed for high-performance data transfer, video transmission, and charging. This active cable ensures reliable signal integrity over longer distances, making it ideal for connecting various USB-C enabled devices.



Figure 1.1: The Lindy 3m USB 3.2 Gen2 Type-C Active Cable, showcasing both ends of the cable with their reversible USB-C connectors and Lindy branding.

Key Features:

- Supports USB 3.2 Gen 2 (10Gbps) transmission and charging standards.
- Supports DisplayPort 1.4 Alternate Mode for audio and video transmission.
- Supports high resolution 8K@60Hz, high definition audio and video transmission.
- Enhanced Active IC Signal Adjustment, providing longer transmission distance.
- Type-C connector is reversible, allowing connection without checking orientation.

2. SETUP

Setting up the Lindy USB 3.2 Gen2 Type-C Active Cable is straightforward due to its plug-and-play design. No additional drivers or software are typically required for basic functionality.

Connection Steps:

1. Identify the USB-C ports on your source device (e.g., laptop, tablet, docking station) and your target device (e.g., monitor, external hard drive, USB-C hub).
2. Gently insert one end of the Lindy USB-C Active Cable into the USB-C port of your source device. The Type-C connector is reversible, so there is no incorrect way to insert it.
3. Insert the other end of the Lindy USB-C Active Cable into the USB-C port of your target device.
4. Ensure both connections are firm and secure. The cable will automatically establish the necessary data, video, or power connection.



Figure 2.1: A detailed view of the Lindy USB-C connectors, highlighting their design for easy and reversible connection.

3. OPERATING INSTRUCTIONS

Once connected, the Lindy USB 3.2 Gen2 Type-C Active Cable operates automatically, facilitating various functions depending on the capabilities of your connected devices.

Data Transfer:

The cable supports USB 3.2 Gen 2 speeds, allowing for data transfer rates up to 10 Gigabits per second (Gbps). This is suitable for transferring large files quickly between compatible devices such as external SSDs, hard drives, and computers.

Video Output (DisplayPort Alternate Mode):

For devices that support DisplayPort Alternate Mode (DP Alt Mode) over USB-C, this cable can transmit high-resolution video and audio. It supports resolutions up to 8K at 60Hz, providing a clear and vibrant display experience on compatible monitors or televisions.

Power Delivery/Charging:

The cable also supports power delivery, enabling charging of compatible devices. The actual charging speed and power output will depend on the power source and the connected device's power requirements.

Active IC Signal Adjustment:

The integrated active IC (Integrated Circuit) within the cable enhances signal integrity, allowing for stable and reliable performance over its 3-meter length. This is particularly beneficial for maintaining high data and video quality over longer cable runs.

4. MAINTENANCE

Proper care and maintenance will extend the lifespan of your Lindy USB 3.2 Gen2 Type-C Active Cable.

- **Storage:** When not in use, coil the cable loosely. Avoid tight coiling or sharp bends, as this can damage the internal wires and active components.
- **Cleaning:** Use a soft, dry, lint-free cloth to clean the cable and its connectors. Do not use liquid cleaners or solvents, as they may damage the cable's insulation or internal electronics.
- **Handling:** Always grasp the connector housing when plugging or unplugging the cable. Avoid pulling directly on the cable itself, as this can strain the connection points and lead to damage.
- **Environment:** Keep the cable away from extreme temperatures, direct sunlight, and excessive moisture.

5. TROUBLESHOOTING

If you encounter issues with your Lindy USB 3.2 Gen2 Type-C Active Cable, consider the following troubleshooting steps:

No Signal or Intermittent Connection:

- **Check Connections:** Ensure both ends of the cable are fully and securely inserted into the respective ports on your devices.
- **Test Different Ports:** Try connecting the cable to a different USB-C port on both your source and target devices, if available.
- **Restart Devices:** Sometimes, a simple restart of the connected devices can resolve connectivity issues.
- **Verify Device Compatibility:** Ensure that both your source and target devices support the functions you are trying to use (e.g., USB 3.2 Gen 2 for 10Gbps data, DisplayPort Alt Mode for video output). Not all USB-C ports support all functionalities.
- **Test with Another Cable/Device:** If possible, test your devices with a different known-working USB-C cable, or test the Lindy cable with different compatible devices to isolate the problem.

Slow Data Transfer Speed:

- **Verify USB 3.2 Gen 2 Support:** Ensure both connected devices (source and target) support USB 3.2 Gen 2 (10Gbps) speeds. If either device only supports an older USB standard (e.g., USB 2.0 or USB 3.0/3.1 Gen 1), the transfer speed will be limited to the lowest common denominator.
- **Check Device Performance:** The speed of your storage device (e.g., SSD, HDD) can also be a bottleneck. Ensure your storage device is capable of the desired transfer speeds.

No Video Output or Low Resolution:

- **DisplayPort Alt Mode Support:** Confirm that your source device's USB-C port supports DisplayPort Alternate Mode. Not all USB-C ports are capable of video output.
- **Monitor Input:** Ensure your monitor is set to the correct input source (e.g., USB-C, DisplayPort).
- **Resolution Settings:** Check your computer's display settings to ensure the desired resolution and refresh rate are selected and supported by both your device and monitor.

6. SPECIFICATIONS

Detailed technical specifications for the Lindy 3m USB 3.2 Gen2 Type-C Active Cable (Model Number: 43348):

Feature	Value
Brand	Lindy
Item Model Number	43348
Connector Type	USB Type C
Cable Type	USB
Special Feature	Data Transfer, High Speed
Data Transfer Rate	Up to 10Gbps (USB 3.2 Gen 2)
Video Support	DisplayPort 1.4 Alternate Mode (up to 8K@60Hz)
Active IC	Yes, for signal adjustment
Cable Length	3 meters
Package Dimensions	7.87 x 7.09 x 0.71 inches
Item Weight	5.29 ounces
Date First Available	October 23, 2023
Manufacturer	LINDY

7. WARRANTY AND SUPPORT

Lindy products are designed for reliability and performance. For specific warranty information regarding your Lindy 3m USB 3.2 Gen2 Type-C Active Cable (Model Number: 43348), please refer to the warranty card included with your purchase or visit the official Lindy website.

For technical support, product inquiries, or assistance with troubleshooting beyond the scope of this manual, please contact Lindy customer service through their official channels. Contact information can typically be found on the Lindy website or on your product packaging.

Online Resources:

- Official Lindy Website: www.lindy.com (Please note: This is a placeholder URL. Refer to actual product documentation for correct URL.)

© 2023 Lindy. All rights reserved. Information in this manual is subject to change without notice.

Documents - Lindy – 43348

[pdf] User Manual Specifications Warranty

LINDY 43308 348 MAN 0223 jschreiber Lindy 3m USB 3 2 10Gbps C Active Cable 43348 — Screen Moove65bcf3f9b2155454LINDY 0223cdn shopify s files 1 0581 5556 5242 65bcf3f9b2155454LINDY v 1755246337 DownloadsLindy MooveLindy 022365bcf3f9b2155454LINDY 1755246337cdn Manual for 43308Downloads3m Cables Adapters from International Ltd UKLindy 0223int lindy ||| ||| Active USB 3.2 Gen 2 C/C Cable User Manual Benutzerhandbuch Manuel Utilisateur Manuale Manual de Usuario English Deutsch Franais Italiano Espaol No. 43348 3m No. 43308 V2 5m lindy.com LINDY Group - FOURTH EDITION February 2023 User Manual E ||| Active USB 3.2 Gen 2 C/C Cable User Manual Benutzerhandbuch Manuel Utilisateur Manuale Manual de Usuario English Deutsch Franais Italiano Espaol No. 43348 3m No. 43308 V2 5m lindy.com LINDY Group - FOURTH EDITION February 2023 User Manual E Active USB 3.2 Gen 2 C/C Cable User Manual Benutzerhandbuch Manuel Utilisateur Manuale Manual de Usuario English Deutsch Franais Italiano Espaol No. **43348** 3m No. 43308 V2 5m lindy.com LINDY Group - FOURTH EDITION February 2023 User Manual English Introduction Thank you for purchasing ... lang:en score:38 filesize: 166.05 K page_count: 9 document date: 2023-03-07



[pdf] User Manual Specifications Warranty

LINDY 43308 348 43411 MAN 0824 jschreiber Manual for 43348 V23m USB 3 2 10Gbps C Active Cable Cables Adapters from Lindy International Ltd UK676552e3c49f4661LINDY 0824int lindy 676552e3c49f4661LINDY ||| Active USB 3.2 Gen 2 C/C Cable User Manual Benutzerhandbuch Manuel Utilisateur Manuale Manual de Usuario English Deutsch Franais Italiano Espaol No. **43348** V2 3m No. 43308 V3 5m No. 43411 8m lindy.com LINDY Group - SIXTH EDITION August 2024 User Manual English Introduction Thank you ... lang:en score:36 filesize: 137.19 K page_count: 9 document date: 2024-08-29



[pdf] User Manual Specifications Warranty Catalog

LINDY Manual Johanna Schreiber 43308 348 MAN 0921 lindy au media catalog manuals ||| USB 3.2 Gen 2 C/C Active Extension User Manual Benutzerhandbuch Manuel Utilisateur Manuale English Deutsch Franais Italiano No. **43348** 3m No. 43308 5m Hersteller / Manufacturer EU : LINDY-Elektronik GmbH Markircher Str. 20 68229 Mannheim Germany Email: info.lindy.com T: 49 0 621 470050 M... lang:en score:35 filesize: 227.11 K page_count: 2 document date: 2021-09-22






[\[pdf\]](#) User Manual Specifications Warranty Catalog

LINDY 43308 348 MAN 0223 jschreiber lindy au media catalog manuals |||

Active USB 3.2 Gen 2 C/C Cable User Manual Benutzerhandbuch Manuel Utilisateur Manuale Manual de Usuario English Deutsch Français Italiano Español No. **43348** 3m No. 43308 V2 5m lindy.com LINDY Group - FOURTH EDITION February 2023 User Manual English Introduction Thank you for purchasing ...


lang:en **score:33** filesize: 166.05 K page_count: 9 document date: 2023-03-07



[Lindy Active USB 3.2 Gen 2 C/C Cable User Manual](#)

User manual for the Lindy Active USB 3.2 Gen 2 C/C Cable, detailing its features, specifications, installation, and operation. This cable supports data transfer rates up to 10Gbps, DisplayPort 1.4 Alternate Mode, and Power Delivery up to 100W.

lang:en **score:29** filesize: 137.19 K page_count: 9 document date: 2024-08-29



[\[pdf\]](#) Decleration of Conformity

Ryan Patterson UKCA DoC for 43348 3m USB 3 2 Gen C Active Cable Cables Adapters from LINDY UK 673b42a9c26ce406CE lindy co uk UK3m 10Gbps Lindy International Ltd UK673b42a9c26ce406CE 43348673b42a9c26ce406CE 43348lindy 43348int ||| ||| Declaration of Conformity We, LINDY Electronics LTD, hereby declare that the product s LINDY USB 3.1 Gen 2 Type C Active Cable No. 43348 conforms to with the requirements of the following UK Legislation and EU Directives: Electromagnetic Co Declaration of Conformity We, LINDY Electronics LTD, hereby declare that the product s LINDY USB 3.1 Gen 2 Type C Active Cable No. **43348** conforms to with the requirements of the following UK Legislation and EU Directives: Electromagnetic Compatibility Regulations 2016 / EU Directive 2014/30/EU The ...

lang:en **score:27** filesize: 111.76 K page_count: 1 document date: 2021-10-08



ZyPerUHD60 4K IP Video Distribution System

User Manual
Updated October, 2024




Important Note: Please see Appendix 3 regarding the use of PoE Switches and Shielded Ethernet cable.

[pdf] User Manual

ZyPerUHD60 Manual Oct 2024 KramerLindy No 43348 3 0m lindy co uk cables adapters c1 usb · c449
3m 2 gen c active cable p14214 Lindy 43308 5 lindy kramer zuhd6 2da user manualcdn kramerav web
manuals kramer manual |||


ZyPerUHD60 4K IP Video Distribution System -----

-- ... KA Comprehensive USB10G-CC-15PROBLKA Cables to Go C2G28885
C2G28886 C2G28887 iVANKY VBD10 Lindy No. **43348** Lindy No. 43308 Pluggable
TBT3-40G80CM Length 10 ft 15 ft 1.0m 2.0m 3 ft 6 ft 10 ft 15 ft 0.5...
lang:en score:26 filesize: 2.03 M page_count: 99 document date: 2025-04-02




[pdf] Decleration of Conformity

Yogesh Kumar UKCA DoC for 43348 V2 3m USB 3 2 Gen C Active Cable Cables Adapters from LINDY
UK 673b41aea12f2881UKCA 43308 lindy co uk Doc V25m UK3m 10Gbps Lindy International Ltd
UK673b41500fe81988UKCA V2673b41aea12f2881UKCA V2lindy 673b41500fe81988UKCA V2int ||| |||
Docusign Envelope ID: 23357553-BC6B-4475-90D3-B41CFBC9A1B8 UK Declaration of Conformity We,
LINDY Electronics LTD, hereby declare that the product s LINDY Active USB 3.2 Gen 2 C/C Cable, V2
No.: 43308 and 43348 conforms to with the requirem
Docusign Envelope ID: 23357553-BC6B-4475-90D3-B41CFBC9A1B8 UK Declaration
of Conformity We, LINDY Electronics LTD, hereby declare that the product s LINDY
Active USB 3.2 Gen 2 C/C Cable, V2 No.: 43308 and **43348** conforms to with the
requirements of the following UK Legislation: Electromagnetic Comp...
lang:en score:26 filesize: 261.93 K page_count: 1 document date: 2024-11-15



[pdf]

Datenblatt %product title% Conrad Electronic Schweiz datenblatt 2842274 lindy usb kabel 32 gen2 31 c
stecker 300 m schwarz 43348 asset conrad media10 add 160267 c1 de 849585961DS00 |||
Lindy USB-Kabel - USB-C M zu USB-C M - USB 3.1 Gen2 3 m - rund - aktiv -
Signalverstrker - Schwarz Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Kabel /
Adapter Lindy **43348** 4002888**433488** Beschreibung Lindy - USB-Kabel - USB-C M zu
USB-C M - USB 3.1 Gen2 - 3 m - rund, aktiv, Signalverstrke...
lang:de score:25 filesize: 78.98 K page_count: 1 document date: 2023-02-03




[pdf]

LINDY France Votre produit Fiche technique de l'article Lindy Câble USB 3 2 Gen type C Actif 3m

LINDY43348 381422 945e sidev fr media akeneo connector asset files L I |||

Cble USB 3.2 Gen 2 type C/C Actif, 3m No.:**43348** Extension USB 3.1 Gen 2 Data Vido 3m Description Cble rpteur actif USB 3.2 Gen 2 de 3 mtrres pour l extension des donnes et de la vido Taux de transfert de donnes jusqu 10Gbit/s Prise en charge la fonction DisplayPort 1.4 Alternate Mode et des rsolu...

lang:fr score:20 filesize: 37.67 K page_count: 2 document date: 2023-03-09



[pdf] Datasheet

LINDY I tuoi prodotti Cavo USB 3 1 Gen 2 Tipo C Attivo 3mIl cavo attivo Lindy utilizza l elettronica

incorporata per estendere la lunghezza del di un dispositivo ulteriori 3m cavo usb type c m data sheet

1media bechtle asrc 180712 1c4b3d4ee288fc9434f5175bf56070570 c3

501efd222c2049d2972c167c356d3f0e |||

Cavo USB 3.1 Gen 2 Tipo C/C Attivo, 3m No.:**43348** Prolunga attiva USB 3.1 Gen 2 per estendere segnali video e trasferimento dati Descrizione Cavo attivo USB 3.1

Gen 2 per estendere segnali video e trasferimento dati Velocit di trasferimento dati fino a 10Gbps Supporta la funzione DisplayPort 1.4 Alt...

lang:it score:20 filesize: 37.84 K page_count: 2 document date: 2022-02-14



[pdf] User Manual

ZyPerUHD60 Manual May 2024 ZeeVee ZUHD60 2D Signal Distribution IP zuhd602d manual

assetserver net assets zeevee |||

ZyPerUHD60 4K IP Video Distribution System -----

-- ... KA Comprehensive USB10G-CC-15PROBLKA Cables to Go C2G28885

C2G28886 C2G28887 iVANKY VBD10 Lindy No. **43348** Lindy No. 43308 Plugable

TBT3-40G80CM Length 1.0m 2.0m 3 ft 6 ft 10 ft 15 ft 0.5m 0.8m 2.0m 1...

lang:en score:17 filesize: 22.26 M page_count: 89 document date: 2024-05-30

[pdf] User Manual

ZyPerUHD60 Manual Sept 2024 ZeeVee ZUHD60 2DA Signal Distribution IP zuhd602da manual

assetserver net assets zeevee |||

ZyPerUHD60 4K IP Video Distribution System -----

-- ... KA Comprehensive USB10G-CC-15PROBLKA Cables to Go C2G28885

C2G28886 C2G28887 iVANKY VBD10 Lindy No. **43348** Lindy No. 43308 Plugable

TBT3-40G80CM Length 10 ft 15 ft 1.0m 2.0m 3 ft 6 ft 10 ft 15 ft 0.5...

lang:en score:17 filesize: 23.14 M page_count: 99 document date: 2024-09-12



ZyPerUHD60

4K IP Video Distribution System

User Manual
Updated July, 2024



Important Note: Please see Appendix 3 regarding the use of PoE Switches and Shielded Ethernet cable.

[\[pdf\]](#) User Manual

ZyPerUHD60 Manual July 2024 Zeevee ZUHD60 1EA 3015000001 manual en 1 pimcore dev kindermann de default upload bucket |||

ZyPerUHD60 4K IP Video Distribution System -----

-- ... KA Comprehensive USB10G-CC-15PROBLKA Cables to Go C2G28885

C2G28886 C2G28887 iVANKY VBD10 Lindy No. **43348** Lindy No. 43308 Plugable

TBT3-40G80CM Length 1.0m 2.0m 3 ft 6 ft 10 ft 15 ft 0.5m 0.8m 2.0m 1...

lang:en **score:16** filesize: 23.13 M page_count: 99 document date: 2024-07-17

ZyPerUHD60

4K IP Video Distribution System

User Manual
Updated May, 2025



Important Note: Please see Appendix 3 regarding the use of PoE Switches and Shielded Ethernet cable.

[ZyPerUHD60 4K IP Video Distribution System User Manual](#)

User manual for the Kramer | ZeeVee ZyPerUHD60 4K IP Video Distribution System, detailing its features, part numbers, system description, and technical specifications.

lang:en **score:13** filesize: 1.99 M page_count: 101 document date: 2025-06-10