

## Xerial YU59

# Xerial YU59 Baseball Player Wall Decal Instruction Manual

Model: YU59

## 1. INTRODUCTION

Thank you for choosing the Xerial YU59 Baseball Player Wall Decal. This instruction manual provides essential information for the safe and proper installation, use, and maintenance of your new wall decal. Please read this manual thoroughly before beginning installation and retain it for future reference.

## 2. PRODUCT OVERVIEW

The Xerial YU59 is a self-adhesive, removable wall decal designed to decorate interior spaces. It features a baseball player design, made from environmentally friendly Polyvinyl Chloride (PVC) material. This decal is intended for application on smooth, clean, and dry surfaces.




Figure 2.1: Detailed illustration of the Xerial YU59 Baseball Player Wall Decal design.

### 3. SAFETY INFORMATION

- This product is for decorative purposes only and is not a toy.
- Keep out of reach of small children to prevent accidental ingestion or choking hazards from detached pieces.
- Ensure the application surface is clean and dry to prevent the decal from peeling prematurely, which could create a tripping hazard if it falls.
- Do not apply to freshly painted walls; wait at least 2-3 weeks for paint to fully cure.

### 4. PACKAGE CONTENTS

Please verify that all items are present before beginning installation:

- 1 x Xerial YU59 Baseball Player Wall Decal (Model YU59, approximately 53x75 cm)

### 5. SETUP AND APPLICATION INSTRUCTIONS

Follow these steps carefully for optimal application of your wall decal.

## 5.1 Surface Preparation

1. **Clean the Surface:** Ensure the wall or desired application surface is clean, dry, and free from dust, dirt, grease, or moisture. Use a damp cloth to wipe the surface, then allow it to dry completely.
2. **Smooth Surface:** Decals adhere best to smooth surfaces. Avoid applying to textured walls, brick, or uneven surfaces.
3. **Fresh Paint:** If the wall has been recently painted, wait at least 2-3 weeks for the paint to fully cure before applying the decal.

## 5.2 Decal Application

1. **Unroll and Flatten:** Carefully unroll the decal and lay it flat on a clean, hard surface. If it has creases, gently smooth them out.
2. **Positioning:** Without removing the backing paper, temporarily tape the decal to the desired location on the wall using painter's tape. Step back to ensure the positioning is correct.
3. **Peel Backing (Top Down):** Once satisfied with the position, secure the top edge of the decal to the wall with a long piece of tape, creating a hinge. Slowly peel the backing paper downwards from the top, exposing a small section of the adhesive side.
4. **Apply and Smooth:** As you peel the backing paper down with one hand, use a squeegee or a credit card wrapped in a soft cloth to smooth the decal onto the wall from the center outwards, working downwards. This helps prevent air bubbles.
5. **Continue Application:** Repeat the process, slowly peeling more of the backing paper and smoothing the decal onto the wall until the entire decal is applied.
6. **Final Smoothing:** Once the entire decal is on the wall, firmly rub over the entire surface of the decal with the squeegee or cloth-wrapped card to ensure maximum adhesion and remove any remaining small air bubbles.
7. **Enjoy:** Your Xerial YU59 Baseball Player Wall Decal is now successfully applied.



Figure 5.1: Example of the Xerial YU59 Baseball Player Wall Decal applied to a wall.

## 6. MAINTENANCE

To keep your Xerial YU59 Wall Decal looking its best:

- **Cleaning:** Gently wipe the decal with a soft, dry, or slightly damp cloth. Avoid using harsh chemicals, abrasive cleaners, or excessive moisture, as these can damage the decal or its adhesive.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight may cause the decal colors to fade over time.
- **Removal:** To remove the decal, gently peel it off the wall. If it resists, use a hairdryer on a low setting to warm the decal slightly, which can soften the adhesive for easier removal. Peel slowly to avoid damaging the wall surface.

## 7. TROUBLESHOOTING

- **Decal Not Sticking:**
  - Ensure the surface is completely clean, dry, and smooth.

- Verify that the wall paint is fully cured (wait 2-3 weeks after painting).
- Press firmly with a squeegee or cloth-wrapped card during application.

- **Air Bubbles:**

- For small bubbles, gently press them towards the edge of the decal with your finger or a soft cloth.
- For stubborn bubbles, carefully prick them with a fine needle and then smooth the air out.

- **Creases:**

- If creases appear during application, gently lift the decal back to the crease and reapply slowly, smoothing as you go.

## 8. SPECIFICATIONS

Brand	Xerial
Model Number	YU59
Material	Polyvinyl Chloride (PVC)
Approximate Dimensions	53 cm x 75 cm (20.9 in x 29.5 in)
Number of Pieces	1
Color	Black (as per product title, actual color may vary by specific variant)

## 9. WARRANTY AND SUPPORT

Specific warranty information for the Xerial YU59 Baseball Player Wall Decal is not provided in this manual. For any questions regarding warranty, product support, or assistance with your decal, please contact the retailer or manufacturer directly through their official customer service channels. Please have your purchase details and model number (YU59) available when contacting support.