

- [Manuals.plus](#) /
- › [Ohniyou](#) /
 - › Ohniyou 42 Inch Retractable Ceiling Fan with Lights User Manual

Ohniyou B0CLP6H39Z

Ohniyou 42 Inch Retractable Ceiling Fan with Lights User Manual

Model: B0CLP6H39Z
Brand: Ohniyou

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Ohniyou 42 Inch Retractable Ceiling Fan with Lights. This product combines the functionality of a ceiling fan with the aesthetic of a crystal chandelier, featuring remote and APP control, dimmable LED lighting, and a quiet DC motor. Please read this manual thoroughly before installation and use to ensure safe and efficient operation.



Figure 1: Ohniyou 42 Inch Retractable Ceiling Fan with Lights (Gold)

SAFETY INFORMATION

- Always turn off the power at the circuit breaker before beginning installation, cleaning, or maintenance.
- All electrical connections must comply with local codes and ordinances, and the National Electrical Code (NEC). If you are unfamiliar with proper electrical wiring, consult a qualified electrician.
- Ensure the installation site can support the weight of the fan (approximately 5.9 kg).
- Do not bend the fan blades when installing or cleaning the fan.
- Keep children away from the fan during operation.
- Do not insert objects into the path of the fan blades.
- Use only the replacement parts specified by the manufacturer.

PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- Ceiling Fan Body with Retractable Blades
- Crystal Lampshade
- Mounting Bracket
- Downrods (4-inch and 8-inch)
- Remote Control
- Receiver/Controller Box
- Hardware Pack (screws, wire nuts, washers)
- Instruction Manual



Figure 2: Key components of the ceiling fan, including the stable ceiling canopy, downrods, retractable fan blades, reversible silent DC motor, and crystal lampshade.

SETUP AND INSTALLATION

1. Pre-Installation

1. Turn off power at the main circuit breaker.
2. Ensure the ceiling junction box is securely mounted and capable of supporting the fan's weight.
3. Determine the appropriate downrod length (4-inch or 8-inch) for your ceiling height. The fan dimensions are approximately 18.5 inches (closed) to 42 inches (extended) in diameter, with a height of 18.7 to 22.64 inches depending on the downrod.



Figure 3: Product dimensions showing the fan's diameter (18.5" closed, 42" extended) and height with different downrods.

2. Mounting the Fan

1. Attach the mounting bracket to the ceiling junction box using the provided screws. Ensure it is firmly secured.
2. Feed the electrical wires from the ceiling through the center hole of the downrod.

3. Insert the downrod into the fan motor housing and secure it with the pin and screw.
4. Carefully lift the fan assembly and hang it on the mounting bracket hook.

3. Wiring Connections

Connect the wires according to the following scheme, using wire nuts:

- Green/Bare Copper wire (Ground) from fan to Green/Bare Copper wire (Ground) from ceiling.
- White wire (Neutral) from fan to White wire (Neutral) from ceiling.
- Black wire (Live) from fan to Black wire (Live) from ceiling.
- Ensure the receiver/controller box is properly connected between the fan and the main power supply as per the diagram in the included manual.

4. Final Assembly

1. Carefully tuck all wires into the junction box and secure the fan canopy to the mounting bracket.
2. Attach the crystal lampshade to the fan body, ensuring it is securely fastened.

5. APP and Remote Pairing

The fan can be controlled via the included remote or a smartphone APP. For APP control, download the "FanLampPro" APP by scanning the QR code provided in the product packaging or visiting <http://www.jasonghost.com/fanlamppro/index-en.html>.

- **APP Control Pairing:** Ensure Bluetooth is enabled on your phone. Turn the ceiling fan light on and off 5 times to initiate pairing mode. Follow the APP instructions.
- **Remote Control Pairing:** Within 3 seconds of turning on the fan, press and hold the "SETUP" button on the remote control for 3 seconds until you hear a beep or see the light flash, indicating successful pairing.



LED Light Dimming by Remote Control and APP



Figure 4: Overview of control methods, including the smart APP and remote control, highlighting features like 6-speed fan, dimmable light, 2-hour timer, and memory function.

OPERATING INSTRUCTIONS

Remote Control Functions:

- **Fan On/Off:** Powers the fan on or off.
- **Fan Speed:** Adjusts fan speed through 6 levels (1-6).
- **Light On/Off:** Powers the LED light on or off.
- **Light Color Temperature:** Cycles through 3 color temperatures: 3000K (Warm Light), 4500K (Natural Light), and 6000K (Cool Light).
- **Light Dimming:** Adjusts brightness from 10% to 100%.
- **Timer:** Sets a 2-hour timer for automatic fan shutdown.
- **Reversible Motor:** Changes the direction of fan rotation for summer (downward airflow) or winter (upward airflow) modes.

- **Memory Function:** The fan remembers the last light setting (color temperature and brightness) when turned off and on.

Reversible DC Motor for Summer & Winter



Feeling cool in Summer



Keep the room warm by circulating the warm air

Figure 5: Demonstrates the LED light dimming capabilities and color temperature options (3000K Warm, 4500K Natural, 6000K Cool) controllable via remote and APP.



Silent Motor Bring you
a quiet & comfortable life



Noise<30dB



6 Gear Fan Speed



Timer 2H

Figure 6: Illustrates the reversible DC motor function, providing a downdraft mode for cooling in summer and an updraft mode for circulating warm air in winter.

APP Control Functions:

The APP provides comprehensive control over the fan and light functions, including:

- Fan On/Off and 6-speed adjustment.
- Light On/Off, color temperature adjustment (3000K-6000K), and brightness dimming (10%-100%).
- Setting the 2-hour timer.
- Changing fan direction (reversible motor).
- Accessing a night light mode.

MAINTENANCE

- **Cleaning:** To clean the fan, wipe with a soft, damp cloth. Do not use abrasive cleaners or solvents, as they may

damage the finish or crystal. Ensure power is off before cleaning.

- **Blade Care:** The retractable blades are made of ABS acrylic. Wipe them gently to remove dust. Avoid bending or applying excessive force.
- **Crystal Care:** The crystal lampshade can be cleaned with a soft, lint-free cloth. For stubborn marks, a mild glass cleaner can be used sparingly on the cloth, not directly on the crystals.
- **Motor:** The DC motor is designed for long-term, quiet operation and typically requires no lubrication.
- **Regular Checks:** Periodically check all connections and mounting screws to ensure they remain secure.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Fan does not operate.	No power supply; Loose wire connections; Remote/APP not paired; Faulty receiver.	Check circuit breaker. Ensure all wires are securely connected. Re-pair remote/APP (refer to Setup section). Contact customer support if receiver is suspected faulty.
Light does not turn on.	No power to light; Loose wire connections; LED driver issue; Remote/APP issue.	Verify power. Check light wiring. Re-pair remote/APP. If problem persists, contact customer support.
Fan makes excessive noise.	Loose mounting screws; Blades unbalanced; Obstruction in fan path.	Tighten all mounting screws. Ensure blades are clean and free of debris. The DC motor is designed for quiet operation (below 30dB).
Remote control not working.	Batteries low/dead; Remote not paired; Obstruction between remote and receiver.	Replace remote batteries. Re-pair the remote control. Ensure clear line of sight to the fan.
Blades do not retract/extend.	Mechanism obstruction; Motor issue.	Check for any physical obstructions. Do not force the blades. Contact customer support if the mechanism is faulty.

SPECIFICATIONS

Brand	Ohniyou
Model	B0CLP6H39Z
Product Dimensions	47.8L x 47.8W x 41.9H Centimetres (18.5" closed / 42" extended diameter)
Item Weight	5.9 kg
Material	Metal shell, Acrylic fan blade, Crystal lampshade
Color	Gold
Power Source	DC

Motor Type	Reversible DC Motor
Fan Speeds	6 speeds
Light Type	LED, Dimmable
Color Temperature	3000K (Warm), 4500K (Natural), 6000K (Cool)
Control Method	Remote Control, APP Control
Timer Function	2-hour timer available
Noise Level	Below 30dB
Energy Use (Fan Only)	29 Watts (based on EnergyGuide)
Airflow	3,679 Cubic Feet Per Minute (based on EnergyGuide)




Figure 7: EnergyGuide label providing estimated yearly energy cost and airflow information for the fan.

WARRANTY AND SUPPORT

The Ohniyou Retractable Ceiling Fan with Lights comes with a **2-year manufacturer's guarantee**. This warranty covers defects in materials and workmanship under normal use.

For technical assistance, warranty claims, or any questions regarding your product, please contact Ohniyou customer support through the retailer's platform where you purchased the item or refer to the contact information provided in your product packaging.

Please have your model number (B0CLP6H39Z) and purchase date ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CLP6H39Z>

More documents and user manuals: **<https://manuals.plus/>**