

[Manuals.plus](#) /

> [AIDENOY](#) /

> AIDENOY Traditional LED Floor Lamp User Manual

AIDENOY HYFLOOR004

AIDENOY Traditional LED Floor Lamp User Manual

Model: HYFLOOR004

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and use. Retain this manual for future reference.

- Ensure the power is disconnected before assembly, installation, or maintenance.
- This lamp is designed for indoor use only. Do not expose to water or high humidity.
- Use only the specified bulb type (E26) and wattage to avoid overheating.
- Do not attempt to modify the lamp's electrical components. Refer all servicing to qualified personnel.
- Keep the lamp away from flammable materials.
- Ensure the lamp base is stable on a flat surface to prevent tipping.

2. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with assembly.

- Floor Lamp Base and Pole Sections
- Lamp Shade (Faux Silk Fabric)
- LED Bulb (E26)
- Remote Control
- Instruction Manual



Image: All components of the AIDENOEY Traditional LED Floor Lamp, including the lamp base, pole with integrated tray, adjustable swing arm, faux silk shade, remote control, and an E26 LED bulb.

3. PRODUCT OVERVIEW

The AIDENOEY Traditional LED Floor Lamp features a vintage design with modern functionalities, including an adjustable swing arm, integrated storage tray, and remote-controlled lighting options.

- **Adjustable Swing Arm:** The 350° adjustable swing arm allows for flexible light positioning.

- **Integrated Storage Tray:** A convenient middle tray provides space for small items.
- **Faux Silk Shade:** Provides soft, eye-friendly illumination.
- **Dimmable LED:** Stepless brightness adjustment from 10% to 100%.
- **3 Color Temperatures:** Switch between White Light (6000K), Neutral Light (4000K), and Warm Light (3000K).
- **Remote Control:** Full control over brightness, color temperature, and special modes.
- **Non-Toxic Coating:** Ensures safety for homes with children and pets.



Image: Close-up of the lamp's resin decorative parts, showcasing the intricate design.



Image: Detail of the 350-degree adjustable swing arm, highlighting its rotational joint.



Image: Close-up view of the circular storage rack, integrated into the lamp pole.



Image: Detail of the carved leafwork design on the lamp's square base.

4. SETUP AND ASSEMBLY

Assembly of the AIDENOEY Floor Lamp is straightforward and requires no tools.

1. Carefully unpack all components from the packaging.
2. Begin by screwing the lamp pole sections together, starting from the base and working upwards towards the socket. Ensure each section is securely tightened.
3. Attach the lamp shade to the lamp holder.
4. Screw the provided E26 LED bulb into the lamp socket.
5. Place the lamp on a stable, flat surface.
6. Plug the power cord into a standard electrical outlet.



Image: An exploded view diagram illustrating the lamp's dimensions and various components for assembly reference.

5. OPERATING INSTRUCTIONS

The lamp can be operated using the integrated rotary switch or the included remote control.

5.1 Using the Rotary Switch

- Locate the rotary switch on the lamp socket.
- Turn the switch clockwise to turn the lamp ON.
- Turn the switch counter-clockwise to turn the lamp OFF.



Image: A hand demonstrating the operation of the ON/OFF rotary switch located on the lamp socket.

5.2 Using the Remote Control

The remote control provides comprehensive functionality for your lamp.



Image: An illustration of the remote control, detailing the function of each button for lamp operation.

- **ON/OFF:** Press to turn the lamp on or off.
- **Luminance + / -:** Adjust the brightness level. Long press for stepless dimming.
- **Temperature + / -:** Cycle through the three color temperatures (3000K, 4000K, 6000K).
- **Timing:** Set a timer for the lamp to turn off automatically.
- **MAX:** Instantly set the lamp to maximum brightness.
- **Temperature Conversion:** Directly switch between color temperatures.
- **Working Mode:** Pre-set lighting modes (e.g., Night light mode, Feeding pattern, Reading mode).

5.3 Adjusting Brightness and Color Temperature



Image: The lamp demonstrating its three color temperature options: 6000K (White Light), 4000K (Neutral Light), and 3000K (Warm Light).



Image: The lamp illustrating its stepless dimming capability, ranging from 10% to 100% brightness.

6. MAINTENANCE

Proper care will ensure the longevity and optimal performance of your AIDENOEY Floor Lamp.

- **Cleaning:** Disconnect power before cleaning. Wipe the lamp pole and base with a soft, dry cloth. For the faux silk shade, use a lint roller or a soft brush to remove dust. Do not use abrasive cleaners or solvents.
- **Bulb Replacement:** Ensure the lamp is unplugged and the bulb has cooled before attempting to replace it. Use only E26 base LED bulbs.
- **Cord Care:** Regularly inspect the power cord for any damage. Do not place heavy objects on the cord or run it under carpets.

7. TROUBLESHOOTING

If you encounter issues with your lamp, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Lamp does not turn on.	Power cord not plugged in, bulb loose or faulty, remote control battery dead.	Ensure cord is securely plugged in. Tighten or replace bulb. Replace remote control batteries.
Remote control not working.	Batteries are dead, remote is too far from the lamp, obstruction between remote and lamp.	Replace batteries. Move closer to the lamp. Remove any obstructions.
Light flickers or dims unexpectedly.	Loose bulb, unstable power supply, faulty bulb.	Tighten bulb. Check power outlet. Replace bulb.
Lamp is unstable.	Not on a flat surface, pole sections not fully tightened.	Place on a flat, level surface. Ensure all pole sections are securely tightened.

8. SPECIFICATIONS

Feature	Detail
Brand	AIDENOEY
Model Number	HYFLOOR004
Product Dimensions	12"D x 13"W x 65"H
Item Weight	10 Pounds
Material	Resin, Metal
Finish Type	Resin
Shade Material	Silk Fabric Shade
Shade Color	Beige
Bulb Base	E26
Light Source Type	LED
Control Method	Remote, Rotary Switch
Special Features	3 Color Temperature Light, Remote Control, Stepless Dimming, Integrated Table
Power Source	Corded Electric

Feature	Detail
Indoor/Outdoor Usage	Indoor
Assembly Required	Yes

9. WARRANTY AND SUPPORT

AIDENOY is committed to customer satisfaction and product quality.

- **One-Year Warranty:** This product is covered by a one-year warranty from the date of purchase, covering manufacturing defects.
- **Customer Service:** For any questions, concerns, or dissatisfaction with your product, please contact the AIDENOY customer service team. Contact information can typically be found on the product packaging or the official AIDENOY website.
- **Free Bulbs:** As an AIDENOY customer, you will receive free bulbs with your lighting product purchase.