

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [Westfield](#) /

> [Westfield Pluto XL 11 2.0 - Circumference 1051-1085 cm - Model 2024 - Portable Freestanding Inflatable Awning Tent - For Camping & Hiking User Manual](#)

## Westfield Pluto XL 11 2.0

# Westfield Pluto XL 11 2.0 Inflatable Awning Tent User Manual

Model: Pluto XL 11 2.0 | Brand: Westfield

## INTRODUCTION

This user manual provides comprehensive instructions for the assembly, operation, maintenance, and troubleshooting of your new Westfield Pluto XL 11 2.0 Inflatable Awning Tent. Designed for ease of use and comfort, this tent offers an expansive living space for your camping and hiking adventures. Please read this manual thoroughly before initial use to ensure safe and optimal performance.

## IMPORTANT SAFETY WARNINGS

**Attention:** Before inflating and using the tent, carefully read and understand all instructions. Ensure the tent is properly secured and protected from wind, rain, and UV radiation. Failure to follow these instructions may result in injury or damage to the product.

- Always secure the tent with all provided guy ropes and pegs, especially in windy conditions.
- Do not use open flames or heating appliances inside the tent.
- Ensure adequate ventilation to prevent condensation and maintain air quality.
- Protect the tent from sharp objects and abrasive surfaces.
- Avoid prolonged exposure to direct sunlight when not in use to prevent UV degradation.

## SETUP INSTRUCTIONS

The Westfield Pluto XL 11 2.0 features an integrated inflatable design, eliminating the need for traditional poles. Follow these steps for quick and easy setup:

- Unpack and Lay Out:** Remove the tent from its carry bag and lay it flat on a clean, level surface. Ensure the tent is oriented correctly with the attachment points facing your caravan or vehicle.
- Connect to Vehicle (if applicable):** Slide the tent's keder bead into the awning rail of your caravan or motorhome. Secure the corners.
- Inflate Air Beams:** Locate the inflation valves on the tent's air beams. Using the provided pump, inflate each air beam to the recommended pressure (refer to the pressure gauge on your pump or tent label). Inflate evenly to ensure proper structure.



*Image: Interior view of the tent showcasing the robust inflatable air beams that form the main structural support.*

- 4. Secure the Tent:** Once fully inflated, secure the tent to the ground using all provided pegs and guy ropes. Adjust tension to ensure stability and prevent flapping in the wind.



*Image: The Westfield Pluto XL 11 2.0 inflatable awning tent fully erected and secured, demonstrating its spacious design.*

- 5. Adjust and Optimize:** Open and close doors and windows to ensure smooth operation. Adjust any internal dividers or features as desired.



*Image: Detail of the tent's roof and the connection mechanism, highlighting the robust construction and secure attachment points.*

## OPERATING FEATURES

---

The Pluto XL 11 2.0 is designed with user comfort and versatility in mind:

- **Panoramic Three-Part Windows:** The newly designed front elements feature large, three-part windows that offer excellent views and can be opened for ventilation.



*Image: Inside view demonstrating the expansive three-part panoramic windows, providing ample natural light and views.*

- **Integrated Door Function with Mosquito Nets:** The front windows also incorporate a new door function, allowing for easy access. These doors can be equipped with mosquito nets and privacy screens for added comfort and protection.





*Image: A side door within the tent, featuring a clear window panel and the option for a mesh screen for ventilation while keeping insects out.*



*Image: Detailed view of a tent window zipper, illustrating the quality of the fabric and the smooth operation of the closure system.*

- **Ventilation:** The three-part front elements and other openings provide excellent ventilation, allowing for a pleasant breeze inside the tent.
- **Lightweight Cotton Material:** The new lighter cotton material enhances the feeling of space and allows more daylight into the tent, improving your camping experience.

## MAINTENANCE

---

Proper maintenance will extend the lifespan of your tent:

- **Cleaning:** Clean the tent with mild soap and water. Do not use harsh detergents or abrasive cleaners. Rinse thoroughly and allow to air dry completely before packing.
- **Drying:** Always ensure the tent is completely dry before storing to prevent mildew and fabric degradation.
- **Storage:** Store the tent in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Air Beam Care:** Periodically check the air beams for any signs of damage or leaks. If a leak is detected, use the provided repair kit or contact customer support.

## TROUBLESHOOTING

---

Here are solutions to common issues you might encounter:

- **Tent Not Inflating Properly:**
  - Check all inflation valves are securely closed after inflation.

- Ensure the pump hose is properly connected to the valve.
- Inspect air beams for punctures or damage.

- **Water Leaks:**

- Ensure all zippers are fully closed.
- Check seams for any damage or areas where waterproofing may have worn off. Apply seam sealer if necessary.
- Ensure the tent is pitched on level ground to prevent water pooling.

- **Condensation Inside Tent:**

- Increase ventilation by opening windows or doors when weather permits.
- Avoid cooking or using unvented heaters inside the tent.

## SPECIFICATIONS

Feature	Detail
Model	Pluto XL 11 2.0
Brand	Westfield
Circumference (Umlaufmaß)	1051-1085 cm
Material Composition	HydroTech® Cotton Touch
Pole Material Type	Plastic (referring to inflatable beams)
Material Type	Fabric
Color	Black
Recommended Use	Camping & Hiking
UV Protection	Yes

## WARRANTY AND SUPPORT

For warranty information, product support, or to purchase replacement parts, please contact Westfield customer service. Keep your proof of purchase for warranty claims.

For further assistance, please visit the official Westfield website or contact their support team directly.