

VOUNOT 8695717462365

VOUNOT Door Awning Instruction Manual

MODEL: 8695717462365 (120x80cm, BLACK)

1. Product Overview

The VOUNOT Door Awning is designed to provide reliable protection for your entrance from various weather conditions. Constructed from durable polycarbonate and aluminum, this awning offers both functionality and an attractive design.

- **Best Protection:** Our awning canopy effectively shields you from rain, harsh weather, snow, and filters harmful UV rays. Enjoy comfortable entry to your home, protected from the elements.
- **Good Resistance:** Made with a 6mm thick polycarbonate plate, the awning is resistant to corrosion and impacts. The arched PPO frame, reinforced with aluminum end strips, ensures enhanced stability and security. The special material also helps reduce the noise of raindrops.
- **Attractive Design:** This door awning features a curved surface and transparent panels, making it suitable for installation above windows, French doors, shop windows, or balconies, enhancing your home's aesthetic appeal.
- **Key Features:** Weight: 3kg; Size: 120cm x 80cm; Materials: Polycarbonate, Aluminum; Designed for wall mounting.



Image 1.1: The VOUNOT Door Awning installed above a modern white door, providing shelter.

FILTRE LES UV

UV FILTER
UV-FILTER

PROTÈGE DE LA PLUIE

PROTECT AGAINST THE RAIN
VOR REGEN SCHÜTZEN




Image 1.2: Visual representation of the awning's UV filtering and rain protection features.




Image 1.3: Illustration of the awning's resistance to impacts and its ability to reduce rain noise.

2. Setup and Installation

The VOUNOT Door Awning is designed for straightforward installation. All necessary accessories and clear instructions are included. While the manufacturer suggests a 5-minute installation, some users have found that having two people can make the process easier, especially when bending the polycarbonate plates into the frame.

2.1. Package Contents

- Polycarbonate Plate(s)
- PPO Curved Frame Brackets
- Aluminum End Strips
- Mounting Hardware (Expansion bolts, screws, caps)
- Instruction Manual

2.2. Required Tools (Not Included)

- Drill

- Drill bits appropriate for your wall type
- Measuring tape
- Level
- Pencil
- Wrench or spanner

2.3. Important Considerations Before Installation

- Ensure the mounting surface (wall) is capable of supporting the awning's weight and potential load from snow or strong winds.
- The provided mounting hardware is intended for uncracked concrete walls without thermal insulation. For other wall types (e.g., brick, wood, hollow walls), consult a professional or use appropriate alternative fasteners.
- Avoid overtightening screws during assembly, as this may damage components.

2.4. Installation Steps

1. **Assemble the Frame:** Attach the aluminum end strips to the polycarbonate plate(s). Carefully slide the polycarbonate plate(s) into the grooves of the PPO curved frame brackets. This step may require two people to manage the bending of the plates.
2. **Mark Drilling Points:** Hold the assembled awning against the wall at the desired height. Use a level to ensure it is straight. Mark the drilling points for the brackets.
3. **Drill Holes:** Drill holes at the marked points using an appropriate drill bit for your wall material.
4. **Insert Expansion Bolts:** Insert the expansion bolts into the drilled holes.
5. **Mount the Awning:** Align the awning brackets with the expansion bolts and secure them tightly with the provided nuts and washers. Ensure all connections are firm but do not overtighten.
6. **Attach Caps:** Place the protective caps over the screw heads for a finished look and added weather protection.


EU standard = CM
US/UK standard = IN



Image 2.1: Awning dimensions and included mounting hardware.



Image 2.2: Detailed view of the awning's individual components.



Images 2.3-2.6: Detailed views of the bracket, polycarbonate sheet, aluminum strip, and mounting hardware.

3. Operating Instructions

The VOUNOT Door Awning is a static fixture designed to provide continuous protection. Once correctly installed, no further operational steps are required. It functions passively to shield your entrance from sun, rain, and snow.

4. Maintenance

Regular maintenance will ensure the longevity and appearance of your awning.

- **Cleaning:** Clean the polycarbonate surface and aluminum frame periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals, as these can damage the materials. Rinse thoroughly with clean water.
- **Inspection:** Annually inspect all mounting points and fasteners to ensure they remain secure. Tighten any loose screws or bolts if necessary. Check the polycarbonate panels for any cracks or damage.
- **Snow Removal:** In areas with heavy snowfall, gently remove accumulated snow from the awning to prevent excessive load, which could potentially damage the structure.

5. Troubleshooting

Here are some common issues and their potential solutions:

- **Awning feels unstable or wobbly:**
 - Ensure all mounting bolts and screws are securely tightened.
 - Verify that the wall material is suitable for the provided fasteners. If not, consider using stronger anchors or consulting a professional.
 - For increased wind resistance, some users have reinforced the edges with silicone sealant after installation.
- **Water leakage from the top:**
 - Check if the polycarbonate panels are correctly seated within the aluminum end strips and frame grooves.
 - Ensure the awning is properly sealed against the wall. Apply a weather-resistant sealant along the top edge where the awning meets the wall if gaps are present.
- **Difficulty assembling the polycarbonate sheets into the frame:**
 - This step can be challenging due to the flexibility of the polycarbonate. It is highly recommended to have a second person assist with this part of the installation to hold and guide the sheets.

6. Specifications

Brand	VOUNOT
Model Number	8695717462365
Product Dimensions (L x W x H)	80 x 120 x 23 cm
Projection Distance	120 Centimeters

Item Weight	3 Kilograms
Material	Aluminium, Polycarbonate
Color	Black
Assembly Required	Yes
Country of Origin	China

7. Warranty and Support

7.1. Return Policy

This product is eligible for a refund or replacement within 30 days of purchase, as per Amazon's return policy.

7.2. Customer Support

For further assistance, technical support, or warranty claims, please contact VOUNOT customer service through the retailer's platform or visit the official VOUNOT website for contact information.