

P978-870

Instruction Manual: Generic Slim Flip Case for Yestel T15 11-inch Tablet - CSLX Model

1. PRODUCT OVERVIEW

This manual provides instructions for the Generic Slim Flip Case, model CSLX, designed specifically for the Yestel T15 11-inch tablet. This case offers protection and versatile viewing options for your device.



Image 1: The Generic Slim Flip Case (CSLX model) in a closed position, showcasing its patterned exterior.

2. SETUP AND INSTALLATION

Follow these steps to properly install your Yestel T15 11-inch tablet into the case:

1. **Open the Case:** Gently open the flip cover of the case.
2. **Align the Tablet:** Carefully align your Yestel T15 11-inch tablet with the protective frame of the case. Ensure that all ports, buttons, and camera cutouts on the case match those on your tablet.
3. **Insert the Tablet:** Press the tablet firmly but gently into the case, starting with one corner and working your way around until the tablet is securely seated within the frame. The four protective corners are designed to minimize drop risk.
4. **Verify Fit:** Confirm that the tablet is snug and all edges are protected. Ensure that all ports and buttons are accessible and functional.

ALL-OVER PROTECTION

Goes into every side & corner



Device ports, speakers, buttons all work fine



Slim & Lightweight



Image 2: Illustration of the case providing all-over protection, including precise cutouts for device ports, speakers, and buttons. The image also highlights the slim and lightweight design.

3. OPERATING INSTRUCTIONS

This case offers several features to enhance your tablet experience:

- **Magnetic Closure:** The side magnets ensure the case closes securely, protecting your screen when not in use. This design contributes to the case's thin and light profile.
- **Integrated Stand:** The flip cover can be folded to create a stable stand for your tablet, allowing for comfortable viewing or typing angles.
- **Enhanced Protection:** The case features four protective corners designed to absorb impact and minimize damage from accidental drops.

Ergonomic Structure



Built-in magnets bolster different positions.



Viewing
Angle

Typing
Angle

Image 3: The case configured to provide both a viewing angle and a typing angle for the tablet, illustrating its ergonomic structure.

4. MAINTENANCE

To keep your tablet case in optimal condition:

- **Cleaning:** Wipe the exterior of the case with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these may damage the polyurethane material or the inkjet pattern.
- **Storage:** Store the case in a cool, dry place away from direct sunlight when not in use for extended periods.
- **Avoid Sharp Objects:** Prevent contact with sharp objects to avoid scratches or punctures to the case material.

5. TROUBLESHOOTING

If you encounter any issues with your tablet case, consider the following:

- **Case Not Closing Securely:** Ensure no debris is caught between the tablet and the case, or between the magnetic flaps. Re-seat the tablet to ensure it is properly aligned.
- **Stand Instability:** Make sure the tablet is positioned correctly in the stand grooves. Adjust the angle to find a stable position on a flat surface.
- **Tablet Not Fitting:** Double-check that your tablet is indeed a Yestel T15 11-inch model. This case is specifically designed for this model.

6. SPECIFICATIONS

Feature	Detail
Model Number	P978-870-CSLX
Compatible Devices	Yestel T15 11-inch Tablet
Material	Polyurethane
Case Type	Flip Case with Stand (Hybrid)
Special Features	Thick anti-drop corner protection, Foldable stand, Magnetic closure, Inkjet pattern
Dimensions (L x W x H)	1 x 1 x 1 cm (Product); 10 x 10 x 10 mm (Item)
Weight	70 grams
Color/Pattern	CSLX (Colorful, Fashion Personality Pattern)
Contents	1 Tablet Case

7. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided with your purchase or contact the seller directly. As this is a Generic branded product, specific warranty terms may vary by retailer.
Manufacturer: Generic