Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

JINJUNYE JC-28SFW-1

JINJUNYE 12 Bottle Wine Cooler Refrigerator

User Manual

Model: JC-28SFW-1

Introduction

Thank you for choosing the JINJUNYE 12 Bottle Wine Cooler Refrigerator. This manual provides essential information for the safe and efficient operation of your new appliance. Please read these instructions thoroughly before use and retain them for future reference.

Important Safety Instructions

To reduce the risk of fire, electric shock, or injury when using your wine cooler, follow these basic precautions:

- Read all instructions before using the appliance.
- Connect only to a properly grounded 110V electrical outlet.
- Do not operate if the power cord is damaged.
- Ensure proper ventilation around the unit. Maintain at least 4 inches of space from walls.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Unplug the appliance before cleaning or performing any maintenance.

Product Overview

The JINJUNYE Wine Cooler Refrigerator is designed to provide an optimal storage environment for your wine collection. It features advanced thermoelectric cooling technology, ensuring stable temperatures and quiet operation.

Key Features:

- **Temperature Control:** Adjustable range from 46°F to 66°F (8°C to 18°C) for ideal wine preservation.

- **Capacity:** Designed to hold up to 12 standard 750ml wine bottles, with removable wire shelves for flexible storage.
- **Quiet Operation:** Advanced cooling system operates at less than 38dB, ensuring minimal disturbance.
- **Dual Semiconductor Chip:** Utilizes upgraded dual semiconductor chip refrigeration for stable, silent, and vibration-free cooling.
- **Digital Display & LED Light:** Easy-to-use touch screen controls for temperature adjustment and a soft internal LED light for visibility.
- **Double-Layer Glass Door:** Provides good sealing and protection against heat and UV rays.
- **360° Cooling Fan:** Built-in fan promotes air circulation, prevents odors, and maintains uniform temperature.

Components:

- Control Panel (Digital Display, Temperature Up/Down, Light Button)
- Double-Layer Glass Door
- Removable Wire Shelves (3 shelves)
- Internal LED Light
- Adjustable Feet
- Cooling Fan



Figure 1: Front view of the JINJUNYE 12 Bottle Wine Cooler Refrigerator. This image shows the sleek black exterior, glass door revealing wine bottles inside, and the digital control panel. A wine glass with splashing red wine is positioned to the left.



Figure 2: Detailed view of the control panel, internal LED light, and high elastic door seal. The control panel features a digital temperature display and touch buttons for temperature adjustment and light control.

Setup and Installation

1. **Unpacking:** Carefully remove all packaging materials, including foam and tape. Inspect the cooler for any shipping damage. Keep the original packaging for future transport if needed.
2. **Placement:**
    - This unit is designed for freestanding or countertop installation.
    - Place the wine cooler on a flat, stable, and level surface away from direct sunlight or heat sources (e.g., ovens, radiators).
    - Ensure adequate ventilation. Allow at least 4 inches (10 cm) of space around the back and sides of the unit for proper air circulation.

- Avoid placing the unit in areas with high humidity.

3. **Leveling:** The wine cooler is equipped with adjustable feet. Use a spirit level to ensure the unit is perfectly level. Adjust the feet by turning them clockwise or counter-clockwise until the cooler is stable and level. Proper leveling is crucial for efficient operation and door alignment.
4. **Initial Power-On:** After placement and leveling, wait at least 2-4 hours before plugging the unit into a grounded 110V electrical outlet. This allows the cooling system's fluids to settle.
5. **First Use:** Allow the wine cooler to operate empty for at least 24 hours to reach its set temperature and stabilize before loading bottles.



Figure 3: The wine cooler positioned on a kitchen countertop, demonstrating a typical installation scenario.



Figure 4: Dimensional diagram of the wine cooler, indicating its height, width, and depth, along with a note about fitting standard 750ml wine bottles.

Operating Instructions

Control Panel:

The control panel is located on the top front of the unit and features a digital temperature display and touch-sensitive buttons.

- **Digital Display:** Shows the current internal temperature.
- **Temperature Up Button (▲):** Press to increase the desired temperature.
- **Temperature Down Button (▼):** Press to decrease the desired temperature.
- **Light Button (☼):** Press to turn the internal LED light on or off.

Setting the Temperature:

The temperature can be set between 46°F and 66°F (8°C and 18°C).

1. Tap the Temperature Up or Down button. The display will flash, indicating it's in setting mode.
2. Continue tapping the buttons until your desired temperature is displayed.
3. The display will stop flashing and return to showing the actual internal temperature after a few seconds, confirming the new setting.

Internal LED Light:

The soft LED light illuminates the interior, making it easier to view your wine collection. Press the Light button to toggle the light on or off as desired.



Figure 5: Illustration of the intelligent temperature control system, highlighting the built-in cooling fan, ETL listing, and the removable shelf feature.




Figure 6: Visual representation of the upgraded dual semiconductor chip refrigeration technology, emphasizing stable, silent, vibration-free, and physical cooling.

Maintenance and Cleaning

Regular cleaning and maintenance will ensure the longevity and optimal performance of your wine cooler.

Cleaning the Interior:

1. Always unplug the unit before cleaning.
2. Remove all bottles and shelves.
3. Wash the interior surfaces with a solution of lukewarm water and mild baking soda (2 tablespoons of baking soda to 1 quart of water).
4. Rinse thoroughly with clean water and wipe dry with a soft cloth.
5. The shelves can be washed with mild detergent and water, then dried completely before reinserting.

Cleaning the Exterior:

- Wipe the exterior with a soft cloth dampened with mild soap and water.
- Do not use abrasive cleaners or solvents, as they may damage the finish.
- Clean the door gasket regularly to ensure a proper seal.

Defrosting:

The JINJUNYE Wine Cooler features an automatic defrost system, eliminating the need for manual defrosting under normal operating conditions.

Power Outage:

Most power failures are corrected within a few hours and should not affect the temperature of your appliance if you minimize the number of times the door is opened. For longer power outages, consider placing dry ice in the upper part of the cooler.

Vacation Time:

For short vacations, leave the cooler operating. For long periods, remove all contents, unplug the unit, clean the interior, and leave the door slightly ajar to prevent odor and mold formation.

Troubleshooting Guide

Before contacting customer service, please refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Appliance does not operate.	Not plugged in; Circuit breaker tripped/fuse blown; Power switch off.	Ensure plug is securely inserted; Check circuit breaker/fuse box; Turn power switch on.
Appliance is not cold enough.	Temperature set too high; Door not closed properly; Excessive door openings; Poor ventilation; Unit placed near heat source.	Lower temperature setting; Ensure door is fully closed; Minimize door openings; Ensure adequate space around unit; Relocate away from heat sources. Note: Initial cooling to set temperature may take up to 24-48 hours.
Vibrations.	Appliance is not level.	Adjust the leveling feet to ensure the unit is stable and level.
Noise.	Normal operation sounds (fan, cooling system); Unit not level.	This unit operates quietly (below 38dB). If noise is excessive, check leveling. Contact support if unusual noises persist.
Door does not close properly.	Appliance not level; Gasket dirty/damaged; Shelves out of position.	Level the appliance; Clean or replace gasket; Ensure shelves are correctly inserted.
Digital display not functioning or showing error.	Power issue; Internal sensor issue.	Unplug the unit for 5 minutes, then plug back in. If issue persists, contact customer support.



Figure 7: The wine cooler operating silently, with a noise level of less than 38dB, ensuring a peaceful environment.



Figure 8: The double-layer glass door effectively blocks heat and UV rays, protecting the wine and restoring cellar-like conditions.

Product Specifications

Feature	Specification
Brand	JINJUNYE
Model Number	JC-28SFW-1
Capacity	12 Standard Wine Bottles (28 Liters)
Temperature Range	46°F - 66°F (8°C - 18°C)
Dimensions (D x W x H)	20 x 15.7 x 15.3 inches (50.8 x 39.9 x 38.9 cm)

Feature	Specification
Item Weight	24.4 pounds (11.07 kg)
Installation Type	Freestanding, Countertop
Voltage	110 Volts
Defrost System	Automatic
Noise Level	≤ 38dB
Certification	ETL
Included Components	1*Wine Cooler, 1*Instructions Manual

Warranty and Customer Support

JINJUNYE provides a **1-year warranty** for this wine cooler, covering manufacturing defects from the date of purchase. Additionally, lifetime technical support is available to assist you with any questions or issues you may encounter.
For warranty claims, technical assistance, or any other inquiries, please contact JINJUNYE customer support through the retailer's platform or the official brand website. Please have your model number (JC-28SFW-1) and purchase date ready when contacting support.
For more information, visit the official JINJUNYE store:JINJUNYE Store on Amazon

© 2024 JINJUNYE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CM3W9Y4C

More documents and user manuals: **https://manuals.plus/**