

[Manuals.plus](#) /

> [ZEZEFUFU](#) /

> ZEZEFUFU Charging Port Board for JBL Xtreme 3 GG Speaker - Instruction Manual

ZEZEFUFU JBL Xtreme 3 GG

ZEZEFUFU Charging Port Board for JBL Xtreme 3 GG Speaker - Instruction Manual

Model: JBL Xtreme 3 GG

INTRODUCTION

This document provides essential instructions for the ZEZEFUFU Charging Port Board, designed as a replacement power motherboard for the JBL Xtreme 3 GG Version speaker. This component is intended to restore charging functionality and proper operation to your device.

COMPATIBILITY

Important: This charging port board is exclusively compatible with the **JBL Xtreme 3 GG Version** speaker. Please verify your speaker's version before attempting installation to ensure proper fit and function.

For JBL Xtreme 3 GG




Figure 1: ZEZEUFU Charging Port Board, highlighting compatibility with JBL Xtreme 3 GG.

PRODUCT FEATURES

- Direct replacement for old or damaged power motherboards.
- Designed to resolve issues with damaged or defective charging ports.
- Ensures proper charging and operational functionality of the speaker.
- Specifically engineered for the JBL Xtreme 3 GG Version.

PACKAGE CONTENTS

The package includes:

- 1 x ZEZEUFU Charging Port Board (Power Motherboard) for JBL Xtreme 3 GG Version.



Figure 2: Included ZEZEUFU Charging Port Board.

SETUP AND INSTALLATION

Replacing internal electronic components requires technical expertise and specialized tools. **It is strongly recommended to seek assistance from qualified professionals for the installation of this part to prevent potential damage to your speaker or the replacement board.**

General steps for professional installation typically involve:

1. **Disassembly:** Carefully open the JBL Xtreme 3 speaker enclosure.
2. **Disconnect:** Disconnect the existing charging port board from the main circuit and any attached cables.
3. **Remove:** Extract the old, damaged board.
4. **Install New Board:** Position the new ZEZEUFU Charging Port Board and securely connect all necessary cables and connectors.
5. **Reassembly:** Carefully reassemble the speaker, ensuring all components are correctly seated and secured.
6. **Testing:** Verify charging functionality and audio output after reassembly.




Figure 3: Detailed view of the board's ports and connectors, crucial for installation.

OPERATING THE SPEAKER AFTER INSTALLATION

Once the ZEZEUFU Charging Port Board is correctly installed, your JBL Xtreme 3 GG speaker should resume normal operation, including:

- **Charging:** The speaker should charge when connected to a power source via the USB-C port.
- **USB Playback/Charging Out:** The USB-A port should function for charging other devices or playing media, if supported by the speaker's original firmware.
- **Auxiliary Input:** The 3.5mm auxiliary port should allow for wired audio input.

MAINTENANCE

The charging port board itself requires minimal maintenance once installed. To ensure longevity and proper function of your speaker and its new component:

- **Keep Ports Clean:** Periodically inspect the charging and auxiliary ports for dust, debris, or moisture. Use a soft, dry brush or compressed air to gently clean them.
- **Avoid Physical Damage:** Protect the speaker from drops, impacts, and excessive force on the ports.
- **Use Appropriate Chargers:** Always use the original JBL charger or a certified compatible charger to prevent damage to the charging circuitry.

TROUBLESHOOTING

If you encounter issues after installing the ZEZEUFUFU Charging Port Board, consider the following:

- **No Charging:**

- Ensure the charging cable and power adapter are functional and correctly connected.
- Verify that all internal connections to the new board are secure.
- Confirm the speaker is the correct "GG Version" for compatibility.

- **No Audio from Auxiliary Port:**

- Check the auxiliary cable for damage and ensure it's fully inserted.
- Test with a different audio source and cable.

- **General Malfunction:**

- If the speaker exhibits unexpected behavior, it may indicate an issue with the installation or another internal component.
- **Re-emphasize professional assistance:** Due to the complexity of internal repairs, if basic troubleshooting does not resolve the issue, it is highly recommended to consult a professional technician.

SPECIFICATIONS

Brand	ZEZEUFUFU
Model Compatibility	JBL Xtreme 3 GG Version
Part Type	Charging Port Board / Power Motherboard
Part Number	JZUKD376600000
Package Dimensions	10 x 8 x 2 cm
Item Weight	20 g

WARRANTY AND SUPPORT

Information regarding specific warranty terms for this ZEZEUFUFU product is not provided in the available documentation. For any support inquiries or warranty claims, please refer to the retailer or the manufacturer, ZEZEUFUFU, directly.