

Rinnai CXP160iN

Rinnai CXP160iN High Efficiency Plus Natural Gas Interior Tankless Water Heater (9 GPM)

INSTRUCTION MANUAL

Model: CXP160iN

Brand: Rinnai

1. INTRODUCTION

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your Rinnai CXP160iN High Efficiency Plus Natural Gas Interior Tankless Water Heater. This innovative gas tankless water heater is designed for various applications, delivering unlimited hot water on demand with an impressive thermal efficiency of 97%. It features Smart Sense Gas Valve Technology for automatic gas type adjustment and Smart Circ Intelligent Recirculation for optimized hot water delivery.

2. SAFETY INFORMATION

WARNING: Improper installation, adjustment, alteration, service, or maintenance can cause property damage, injury, or death. Read the installation, operating, and maintenance instructions thoroughly before installing or servicing this equipment.

- Always ensure the unit is installed by a qualified professional in accordance with all local codes and regulations.
- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- Ensure proper ventilation as specified in the installation instructions.
- Never attempt to repair or modify the unit yourself. Contact a qualified service technician.

3. PRODUCT OVERVIEW


3.1. External View

The Rinnai CXP160iN features a compact design with a clear display for operational status and settings.



2025 Consumer National Propane Rebate

- SENSEI™ and Condensing Tankless Water Heaters
- RE•SERIES™ Non-Condensing Tankless Water Heaters
- Non-Condensing Value Series Tankless Water Heaters
- Commercial Water Heating Products
- Condensing Boilers-Natural Gas
- EnergySaver® Direct Vent Heaters
- Hydronic Air Handler
- Vent-Free Fan Convectors
- Commercial Water Heating Products
- Heat Pump Companion Kit



Rinnai Rebate Website

Figure 3.1: Front View of the CXP160iN Unit

3.2. Control Panel and Connections

The unit's interface allows for easy control and monitoring, with clearly marked vent and supply connections.

Rinnai



Controller



**Vent
Connections**



**Supply
Connections**

Figure 3.2: Controller, Vent, and Supply Connections

3.3. Internal Components

Understanding the internal layout aids in maintenance and troubleshooting. Key components include the burner assembly, heat exchangers, and control board.



Rinnai.
SENSEI[®] RX
SERIES
Built for the PRO, by the PRO

NEW

Superior Performance Requires Superior Components™

SENSEI[®] RX featuring Smart-Circ[™] Intelligent Recirculation[™], makes it easier than ever to sell, install, and service the best-performing condensing tankless water heater Rinnai has ever made.

Now you can provide the latest in lifestyle comfort, smart-design, and built-in technology by installing the premium, unlimited hot water experience that only SENSEI[®] RX can provide.





Figure 3.3: Internal Components Diagram (SENSEI RX Series)

3.4. Bottom Connections

The bottom of the unit houses the essential plumbing and gas connections.

Bottom View




Figure 3.4: Bottom Connections

4. SPECIFICATIONS

- **Brand:** Rinnai
- **Model Number:** CXP160iN
- **Product Dimensions:** 18.5"W x 30.11"H x 15"D
- **Color:** Silver
- **Maximum Flow Rate:** 9 Gallons Per Minute (GPM)
- **Maximum Temperature:** 185 Degrees Fahrenheit
- **Efficiency:** Super High Efficiency (97%)
- **Mounting Type:** Wall
- **Item Weight:** 59.9 pounds
- **UPC:** 766156017339
- **Power Source:** Natural Gas (with Smart Sense Gas Valve Technology)

5. INSTALLATION

5.1. General Requirements

Professional installation is highly recommended for the Rinnai CXP160iN to ensure safety, optimal performance, and

compliance with all local codes. The unit is designed for natural gas, and its Smart Sense Gas Valve Technology automatically adjusts, eliminating the need for conversion kits.

5.2. Indoor/Outdoor Versatility

This model can be installed indoors or outdoors. For outdoor installation, the optional Versa-Vent outdoor vent cap (RX-OVC) is required.

5.3. Dimensions and Venting

Careful consideration of dimensions and venting requirements is crucial for proper installation.




Figure 5.1: Front Panel View with Dimensions and Venting Information

Vent Connection: 2 in. (51 M) nominal PVC/CPVC/Polypropylene or 3 in./5 in. Concentric.

5.4. Plumbing Connections

The unit features 3/4" connectors for water and gas lines. When replacing older water heaters, be aware that older homes may have 1/2" pipes, requiring adapters or plumbing modifications.

5.5. Typical Installations

The CXP160iN is suitable for various settings, including commercial and multi-unit residential applications, often installed in banks for increased capacity.




Figure 5.2: Multiple Units in a Commercial Installation



Figure 5.3: Rooftop Installation Example

6. OPERATION

6.1. Smart Circ Intelligent Recirculation

The built-in Smart Circ system learns your hot water usage patterns within approximately one week. It then intelligently schedules pump and tankless recirculation to ensure hot water is available when needed, optimizing energy usage and

convenience without requiring external controllers.

6.2. Smart Connect and Rinnai Central App

For enhanced control and monitoring, the Rinnai CXP160iN can be connected to the Rinnai Central App via your smartphone. This app allows you to:

- Set up and manage your water heater.
- Monitor performance and energy usage.
- Receive service alerts and troubleshoot issues.

Download the Rinnai Central App: <https://l.ead.me/bdbmQq>

7. MAINTENANCE

7.1. Quick Flush System

The CXP160iN features a user-friendly quick-flush system designed to simplify routine maintenance. Regular flushing helps prevent mineral buildup and ensures the unit continues to operate efficiently.

7.2. Recommended Maintenance Schedule

To maintain optimal performance and extend the lifespan of your tankless water heater, it is recommended to:

- Perform annual flushing using the quick-flush system.
- Schedule periodic inspections by a qualified service technician to check all components, connections, and ventilation.

8. TROUBLESHOOTING

If you encounter issues with your Rinnai CXP160iN, consider the following steps:

- **Check the Display:** The unit's digital display may show error codes that indicate specific problems. Refer to the Rinnai Central App or the full service manual for a list of codes and their meanings.
- **Power and Gas Supply:** Ensure the unit has a stable power supply and that the gas valve is open.
- **Water Flow:** Verify that there is adequate water flow to the unit.
- **Rinnai Central App:** Utilize the troubleshooting features within the Rinnai Central App for diagnostics and potential solutions.
- **Contact Support:** For persistent or complex issues, contact a qualified Rinnai service technician. Do not attempt repairs yourself.

9. WARRANTY AND SUPPORT

9.1. Warranty Information



Rinnai tankless water heaters are built to commercial-grade standards and undergo rigorous quality testing. Specific warranty details are provided with your product documentation. Please retain your proof of purchase for warranty claims.

9.2. Customer Support

Rinnai is committed to providing industry-leading customer support. If you require assistance with your CXP160iN unit, you can:

- Consult the Rinnai Central App for immediate assistance and resources.
- Visit the official Rinnai Brand Store for more information and support options [Rinnai Brand Store](#)
- Contact Rinnai customer service directly (contact details typically found on the Rinnai website or in the product packaging).

Related Documents - CXP160iN


	Rinnai Tankless Water Heaters: Endless Hot Water, Energy Savings, and Smart Control Explore Rinnai's advanced tankless water heaters, offering a continuous supply of hot water, significant energy savings up to 40%, compact and space-saving designs, and smart home integration. Learn about their eco-friendly technology, innovative features like ThermaCirc360™ recirculation, and the Control-R™ Wi-Fi module for remote management.
	Rinnai RUS65e (REU-KCM2025W-US) Condensing Tankless Water Heater - Specifications and Features Detailed specifications, features, and installation information for the Rinnai RUS65e (REU-KCM2025W-US) external condensing tankless water heater, designed for residential use.
	Rinnai Tankless Water Heater Gas Conversion Manual This manual provides instructions for converting Rinnai tankless water heaters from natural gas (NG) to liquid propane gas (LPG) and vice versa. It covers safety precautions, technical data, parts lists, conversion steps, and operational checks for various Rinnai models.
	Rinnai CXP199i & CXP160i Commercial Condensing Tankless Water Heater: Specs, Features, Accessories Explore the Rinnai CXP199i and CXP160i commercial condensing tankless water heaters. This document details their super-high efficiency, flexible venting options, ease of installation, technical specifications, performance curves, and a comprehensive list of optional accessories.
	Rinnai Tankless Water Heater Installation and Operation Manual Comprehensive guide for installing, operating, and maintaining Rinnai residential tankless water heaters. Covers safety precautions, specifications, troubleshooting, and warranty information. Visit www.rinnai.us for more details.
	Rinnai Residential Tankless Water Heater Installation and Operation Manual This manual provides comprehensive installation and operation instructions for Rinnai residential tankless water heaters. It covers safety precautions, model specifications, installation guidelines, maintenance, and troubleshooting for Rinnai's SENSEI series.



[Rinnai Tankless Water Heater Outdoor Conversion Manual](#)

This manual provides instructions for converting Rinnai indoor tankless water heaters to outdoor installations. It covers safety, location selection, installation steps, and parameter adjustments for models RX199i, RX180i, RX160i, RX130i, RXP199i, RXP160i, CX199i, CX160i, CXP199i, and CXP160i.


lang:fr **score:27** filesize: 3.78 M page_count: 29 document date: 2024-03-18



[\[pdf\] User Manual Instructions](#)

Kimberly Woods Rinnai CXP160IN Installation Manual 9 GPM Commercial 160000 BTU Exterior Interior Propane Natural Gas Tankless Water Heater 766156017339 66313720 lowes productdocuments 3e800291 df4a 4eab bc8a 8688e22e1c47 ||| C US WARNING If the information in these instructions is not followed exactly, a fire or explosion may result causing property damage, personal injury, or death. Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance. WHAT TO DO IF YO...

lang:fr **score:27** filesize: 9.36 M page_count: 112 document date: 2023-07-03



[Rinnai Tankless Water Heater Gas Conversion Manual](#)

This Rinnai manual provides comprehensive instructions for converting tankless water heaters between Natural Gas (NG) and Liquid Propane Gas (LPG). It covers safety warnings, technical specifications, parts lists, detailed gas conversion steps, parameter adjustments, and operational checks using a gas analyzer or flame observation for models including RX199i, RX180i, RX160i, RX130i, RXP199i, RXP160i, CX199i, CX160i, CXP199i, and CXP160i.


lang:fr **score:27** filesize: 2.97 M page_count: 18 document date: 2024-03-18



[pdf] Brochure

Commercial Water Heating Solutions CX Brochure manuals totalhomesupply |||

Commercial Water Heating Solutions For Trade Professionals Application Engineering Center of Excel ... r test OCFR, Part 430 . Side note: the isolation valves are on the unit. Learn more at rinnai.us CXP160iN 18.5 x 26.4 x 11.5 470 x 670 x 290 62 / 28 indoor / outdoor No 15,000 / 160,000 15,000 / ... lang:en score:26 filesize: 15.11 M page_count: 36 document date: 2024-04-08



[pdf] Specifications Guide

Rinnai CXP160iN Energy Guide 9 GPM Commercial 160000 BTU Exterior Interior Propane Natural Gas Tankless Water Heat 766156017339 66313772 lowes productdocuments cbe09d5b c9cd 434f ab0a 52e2be1d7347 Instantaneous Rinnaimedia rinr us â° salsify asset CXP160iN Sensei™ 160 000 Indoor Heaters 133510956309569227 a39d5314753b520fb9e6316a4672824 cxp160in energy guide media s b950006e abb8 4a9f 8ce6 0ac4fbf86cd5 acwholesalers manuals ecomfort s1 img b compactappliance mediabase specifications 2006737 assetRinnai GuideRinnai IndoorRinnai CXP160iNrinnai guidemedia 133510956309569227lowes 66313772acwholesalers a39d5314753b520fb9e6316a46728241ecomfort a39d5314753b520fb9e6316a46728241acwholesalers a39d5314753b520fb9e6316a46728241s1 guideecomfort 73W 120 Volt rinn1391 CXP160iNInstantaneous CXP160iNRinnai guidesecond img1 ag wfdcn dm document 51ebc51c e1df 4225 b48f 06b740df6dd7 133510956309569227media |||

... lang:en score:25 filesize: 1.76 M page_count: 2 document date: 0000-00-00




[pdf] User Manual Accessories Label

SENSEI® to SENSEI®RX Cross reference Operation Manual Wall mounting Bracket Template Field Convertible in RGB CTW 3 2 1 104000336 * Leak Detection Kit RXLeakKit Bottom plate Rinnai RX130iN Product Overview s3 amazonaws supplyhous product files ||| ||| SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor fro Natural Gas/Propane 24 MODELS to 6 Current Max KBTU NEW NEW SEBNUSEiil RiXi/orXRpThe PRO, by the PROTM Default is Indoor Natural Gas Only. Unit can

SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdo from ... peration Manual provided with the unit MC-195T-US Condensate Neutralizer: 103000067/804000074 CXP160iN 160 UEF: 0.97 TE: 0.97 Wall mounting Bracket Template Scale Cutter 103000038 , Scale...

lang:en score:24 filesize: 1.64 M page_count: 2 document date: 2024-02-07



[pdf] Warranty

2024161 SENSEI RX CX Comparison Sell Sheet US V3 110724 indd Sheetrinnai ca path s zdvT20Mk

1afd94c1942c77b71c76f5a4e4a1598c23b5c9e1 filename hqps398kmunxb63hspfaUS Sheetmedia distributordatasolutions

1419 xlsx rinnai 3f57f1110b8c77161ab3e0c5bc3065621c96d435frrinnai RXP160iN Rinnaihqps398kmunxb63hspfaSensei

EnglishUS 3f57f1110b8c77161ab3e0c5bc3065621c96d435fdev bkl6TUiu hqps398kmunxb63hspfa Sensei Englishrinnai ||| ||| X

XP CX CXP QSuick CoEmparison Refel rencEGuideS RINNAI TANKLESS PRODUCTS Min Btu Input Max Btu Input

SENSEITM Model Rinnai UEF 199,000 RX199iN 0.98 Pump Model No 199,000 RXP199iN 0.98 Yes 180,000 RX180iN 0.98 †

160,000 RX160iN 0.97 No 16 ||| X XP CX CXP QSuick CoEmparison Refel rencEGuideS RINNAI TANKLESS PRODUCTS

Min Btu Input Max Btu Input SENSEITM Model Rinnai UEF 199,000 RX199iN 0.98 Pump Model No 199,000 RXP199iN 0.98

Yes 180,000 RX180iN 0.98 No 160,000 RX160iN 0.97 No 16

X XP CX CXP QSuick CoEmparison Refel rencEGuideS RINNAI TANKLESS PRODUCTS Min Btu

Input Max Btu ... 7 No 199,000 CX199iN 0.98 No 199,000 CXP199iN 0.98 Yes 160,000 CX160iN 0.97

No 160,000 **CXP160iN** 0.97 Yex RINNAI PRODUCT REPLACEMENT FOR Navien UEF NPE240S2

0.96 NPE240A2 0.95 NPE210S2...

lang:en score:23 filesize: 1.34 M page_count: 2 document date: 2024-11-07




[pdf] Accessories Label

US Sensei to RX Cross referenceRU130iP by Rinnai RU130iP RU Model Series The Appliance Plugfrncltdhfcubimages webfronts cache frncltdhfcub referenceSENSEI® SENSEI®RX Plugfrfrisrkykamimages frncltdhfcubimages frfrisrkykam ||| SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor from ... peration Manual provided with the unit MC-195T-US Condensate Neutralizer: 103000067/804000074 CXP160iN 160 UEF: 0.97 TE: 0.97 Wall mounting Bracket Template Scale Cutter 103000038 , Scale... lang:en score:22 filesize: 1.6 M page_count: 2 document date: 2018-10-31




[pdf] Accessories Label

SENSEI® to SENSEI®RX Cross reference RinnaiRinnai Wireless Module RWM200 * EZConnect Cable REU EZC 3 RU160iN RU160iP RU160eN RU160eP 160 RX160iN 97 RU130iN RU130iP RU130eNCU199eP RinnaiCommercial Model Crossover mix EnglishCommercial Englishrinnai ca path s j0M7wlz q1fpkqqrizid6vgi63qv filename Commercial English EnglishSensei Sensei RX CX Reference with FeaturesCommercial Englishmanuals totalhomesupply manuals Featuresrinnai RinnaiRXP160i Englishdev rinnai EnglishUS referencerinnai 61T9oDp6 9f0d15ebd6872e795476a4b502c105ebac4e0959 US ||| ||| SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor from Natural Gas/Propane 24 MODELS to 6 Current Max KBTU NEW NEW SEBNuSEiII RtXf/oRXrPthe PRO, by the PROTM Default is Indoor Natural Gas Only. Unit can ||| SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor from Natural Gas/Propane 24 MODELS to 6 Current Max KBTU NEW NEW SEBNuSEiII RtXf/oRXrPthe PRO, by the PROTM Default is Indoor Natural Gas Only. Unit can ||| SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor from Natural Gas/Propane 24 MODELS to 6 Current Max KBTU NEW NEW SEBNuSEiII RtXf/oRXrPthe PRO, by the PROTM Default is Indoor Natural Gas Only. Unit can SENSEI to SENSEIRX Cross-reference NEW X SE IES REDUCE SENSEI YOUR SKUs Indoor/Outdoor from ... peration Manual provided with the unit MC-195T-US Condensate Neutralizer: 103000067/804000074 CXP160iN 160 UEF: 0.97 TE: 0.97 Wall mounting Bracket Template Scale Cutter 103000038 , Scale... lang:en score:21 filesize: 1.64 M page_count: 2 document date: 2024-02-07




[pdf] Warranty

2024161 SENSEI RX CX Comparison Sell Sheet US V3 110724 indd RXP CXP 3 мая 2025 r — Smart Circ™ starts learning users hot water patterns from the first day and automatically schedules recirculation to provide when they need it Sensei English rinnai us path s bkl6TUui hqps398kmunxb63hspfa filename ||| X XP CX CXP QSuick CoEmparision Refel renceEGuideS RINNAI TANKLESS PRODUCTS Min Btu Input Max Btu ... 7 No 199,000 CX199iN 0.98 No 199,000 CXP199iN 0.98 Yes 160,000 CX160iN 0.97 No 160,000 **CXP160iN** 0.97 Yex RINNAI PRODUCT REPLACEMENT FOR Navien UEF NPE240S2 0.96 NPE240A2 0.95 NPE210S2... lang:en score:21 filesize: 1.34 M page_count: 2 document date: 2024-11-07



[pdf] Catalog

Rinnai Overview Larry Moores RinnaiOverview2024productcatalog plumbingonline ca DocServer DSAonDownloadServlet action type product artifacts key DS9be07b2d 4cd8 481b a26f e41f8f1909b4 ||| Rinnai Overview CREATING A HEALTHIER WAY OF LIVING Rinnai Global Based in Nagoya, Japan Establi ... X180iN RXP160iN RX160iN RX130iN Commercial Without Pump With PUMP CX199iN CXP199iN CX160iN CXP160iN IDENTICAL to current Sensei in terms of BTU Only indoor natural gas version offered with... lang:en score:20 filesize: 5.74 M page_count: 74 document date: 2024-03-13




[pdf] Documentation Catalog

24fc1cb9 21c6 4c74 aacd 02d24cf23d94 images thdstatic catalog Images 24 |||

Rinnai 2024 Consumer National Propane Rebate Product Type SENSEITM and Condensing Tankless Water He ... EP199eP, RL94iP, RL94eP, RL75iP, RL75eP V53eP CU199iP, CU199eP, CU160iP, CU160eP, CX160iN, CX199iN, CXP160iN, CXP199iN Rebate Amount 100 100 50 100 Condensing Boilers-Natural Gas i150SN, i120SN...

lang:en score:19 filesize: 351.21 K page_count: 1 document date: 2024-01-22




[pdf] Documentation Flyer

2024013 Update 2024 National Propane Flyer V3 6 hvacdlist 01 |||

Rinnai 2024 Consumer National Propane Rebate Product Type SENSEITM and Condensing Tankless Water He ... EP199eP, RL94iP, RL94eP, RL75iP, RL75eP V53eP CU199iP, CU199eP, CU160iP, CU160eP, CX160iN, CX199iN, CXP160iN, CXP199iN Rebate Amount 100 100 50 100 Condensing Boilers-Natural Gas i150SN, i120SN...

lang:en score:19 filesize: 353.05 K page_count: 1 document date: 2024-01-23



[pdf] Documentation Catalog

fd3b1efd 3772 4351 baac c1e377f72076 images thdstatic catalog Images fd |||

Rinnai 2024 Consumer National Propane Rebate Product Type SENSEITM and Condensing Tankless Water He ... EP199eP, RL94iP, RL94eP, RL75iP, RL75eP V53eP CU199iP, CU199eP, CU160iP, CU160eP, CX160iN, CX199iN, CXP160iN, CXP199iN Rebate Amount 100 100 50 100 Condensing Boilers-Natural Gas i150SN, i120SN...

lang:en score:19 filesize: 353.05 K page_count: 1 document date: 2024-04-09



[pdf] User Manual

Rinnai CXP160iN Use and Care Manual 9 GPM Commercial 160000 BTU Exterior Interior Propane Natural Gas Tankless Water Heater 766156017339 66313737 lowes productdocuments 055c6662 a0ee 421c 8adb eac646e098e8 |||

...

lang:en score:19 filesize: 21.06 M page_count: 36 document date: 2024-02-19

Rinnai

Référence croisée SENSEI® à SENSEI® RX

SENSEI®

SENSEI® RX

SENSEI®		SENSEI® RX		NOUVEAU SENSEI® RX TRS	
Modèle	Capacité (L/min)	Modèle	Capacité (L/min)	Modèle	Capacité (L/min)
SENSEI® 160	160	SENSEI® RX 160	160	SENSEI® RX TRS 160	160
SENSEI® 180	180	SENSEI® RX 180	180	SENSEI® RX TRS 180	180
SENSEI® 200	200	SENSEI® RX 200	200	SENSEI® RX TRS 200	200
SENSEI® 220	220	SENSEI® RX 220	220	SENSEI® RX TRS 220	220
SENSEI® 240	240	SENSEI® RX 240	240	SENSEI® RX TRS 240	240
SENSEI® 260	260	SENSEI® RX 260	260	SENSEI® RX TRS 260	260
SENSEI® 280	280	SENSEI® RX 280	280	SENSEI® RX TRS 280	280
SENSEI® 300	300	SENSEI® RX 300	300	SENSEI® RX TRS 300	300

[pdf]

FRENCH Sensei to RX Cross referencerinnai ca path s uauir87pP 4d54d2a3090d37a40183be42904d8968c35a5207 filename reference |||

Rfrence croise SENSEI SENSEIRX NOUVEAU X SE IES RDUISEZ SENSEI VOTRE NOMBRE Intrie / Extrie ... version de gaz 104000330 * tiquette Manuel de capacit d installation et de nominale de gaz CXP160iN 160 FU:- 0,97 TE: 0,97 fonctionnement propane fournie avec l unit Gabarit pour suppo...

lang:fr score:17 filesize: 1.65 M page_count: 2 document date: 2024-02-01

Rinnai

Tankless Rack System (TRS) with SENSEI® CX Tankless Water Heaters

SPECIFICATIONS

Free-Standing Rack with Six Rinnai SENSEI® CX Condensing Tankless Water Heaters

SENSEI® CX Condensing Commercial Tankless Water Heater

Models:

- CX160
- CX180
- CX200
- CX240
- CX280
- CX300

For complete details on commercial water heating solutions and maintenance services, call 800-383-0707 or email commercial@rinnai.com

[pdf] Rinnai TRS with SENSEI CX Tankless Water Heater Rack Systems Specification Sheet

Detailed specification sheet for Rinnai's Tankless Rack Systems (TRS) featuring SENSEI CX tankless water heaters. Covers configurations, dimensions, materials, electrical requirements, BTU/flow rates, venting options, and cascading capabilities for commercial applications.

lang:en score:17 filesize: 1.8 M page_count: 15 document date: 2024-03-11

Rinnai

2025 Suggested List Price Residential and Commercial Products

Effective Date May 2025

[pdf] Confidentiality Request Letter

2025 Suggested List Price Residentialv1tri statedistributors customer docs skudocs rinnai price book 05 01 sm |||

2025 Suggested List Price Residential and Commercial Products Effective Date May, 2025 Copyright 20 ... x 795 x 290 55 25 199,000 22.1 x 33.9 x 14.8 561 x 861 x 376 74 34 97 0.98 2,261 CXP160iN In CTWH 160k Btu 18 x 31.3 x 11.4 Pump 11 GPM 457 x 795 x 290 57 26 160,000 22.1...

lang:en score:16 filesize: 8.48 M page_count: 75 document date: 2025-04-21

Rinnai.

2025 Suggested List Price
Residential and Commercial Products
Effective Date February, 2025



[pdf] Confidentiality Request Letter

2025 Suggested List Price Residential and Commercial Products2025 Rinnai BookCatalogs Pricing Tri State DistributorsRinnai
Book February smRinnai smtri statedistributors customer Books sm |||

2025 Suggested List Price Residential and Commercial Products Effective Date February, 2025

Copyrig ... x 795 x 290 55 25 199,000 22.1 x 33.9 x 14.8 561 x 861 x 376 74 34 97 0.98 2,261

CXP160iN Int CTWH 160k Btu 18 x 31.3 x 11.4 Pump 11 GPM 457 x 795 x 290 57 26 160,000 22.1...

lang:en score:15 filesize: 8.3 M page_count: 72 document date: 2025-01-27

Rinnai.

Commercial Water Heating Solutions For Trade Professionals



[Rinnai Commercial Water Heating Solutions: Efficiency, Reliability, and Support](#)

Explore Rinnai's comprehensive range of commercial water heating solutions, including tankless, hybrid, and rack systems. Discover features, benefits, specifications, and support designed for trade professionals.

lang:en score:15 filesize: 16.14 M page_count: 36 document date: 2024-10-01

Rinnai.

Commercial Water Heating Solutions For Trade Professionals



[pdf] Borchure Catalog

Commercial Water Heating Solutions Brochure Canadian Englishrinnai ca path s zkNosEFO gicqeyqtowlpwwh5r3l7 filename
English Solutions3a4662d2 985a 4c0a ad55 615dccee8d37Commercial Englishimages thdstatic catalog Images 3a 3a4662d2
615dccee8d37rinnai SolutionsCommercial 615dccee8d3770097197Commercial 615dccee8d37lowes productdocuments
a7547777 5da2 4ea2 ba2d 4dff02ac8703 70097197rinnai ||| ||| Commercial Water Heating Solutions For Trade Professionals
Application Engineering Center of Excellence Our team of application engineers is available to provide quotes, size your syste
and provide designs for your specific project -- all ||| Commercial Water Heating Solutions For Trade Professionals Application
Engineering Center of Excellence Our team of application engineers is available to provide quotes, size your system and
provide designs for your specific project -- all

Commercial Water Heating Solutions For Trade Professionals Application Engineering Center of Excel
... ai Tankless Water Heaters, consult the Operation and Installation Manual. Learn more at rinnai.us

CXP160iN 18.5 x 26.4 x 11.5 470 x 670 x 290 62 / 28 indoor / outdoor No 15,000 / 160,000 15,000 / ...

lang:en score:15 filesize: 16.22 M page_count: 36 document date: 2024-10-01


[pdf] User Manual Owner's Manual Specifications Tech Sheet Catalog

Hewlett Packard Company Technical SheetRinnai RXP199IN Sensei RXP 11 GPM 120 Volt Residential Indoor Liquid Propane Natural Gas Tankless Water Heater with Integratedrinnai rxp199in technical sheets1 img b build mediabase specifications rinn 1982074 sheet SheetTechnical IntegratedRinnai RX130iN RX 7 1 Smart Senserinnai sheetrinnai rx130in 2006739 SenseRinn RX160iN 9 Sense Arinnai rx160in 1996288 sheetuhdmjtbjic8det54m84s1 sheetproductcatalog plumbingonline ca DocServer DSAnonDownloadServlet action type product artifacts key DS13a4ffcd 4f27 4c46 8f96 3ce65a918ec5 sheetuhdmjtbjic8det54m84uhdmjtbjic8det54m84s1 3ce65a918ec5productcatalog DS3a05f811 aa9c 4ae0 9420 9abf4c49d59e sheetuhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84s1 9abf4c49d59eproductcatalog DS76dc0c1f 5ee4 4444 8351 83347b2cb69a

sheetuhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84s1 DS4430254f e9a5 4be3 bb4d 08bd1b1a7d6aproductcatalog sheetuhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84s1 DS20cf2d34 1117 474f 8cba b5533133403dproductcatalog sheet100000849 SENSEI CX Tech Sheet Englishuhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84s1 path s Mzb Vriv 3850c169a34acfb21fd451a3222ffbfd1772e979 filename 100000849 Englishproductcatalog Owner Manual RINNAI RX160iN Condensing RX160 features 95 UEF 160k BTU Rinnai rinn1377 RX160iN100000849 English Series 1kw Heatert rinn1389 RX199iNOwner Super High Efficiency Plus 47W 120V 5 rinn1384 RX130iNOwner 76W 6 rinn1385 RX180iNOwner rinn1390 98W rinn1392 CXP199iNOwner 73W rinn1391 CXP160iNOwner rinn1393 CX160iNOwner rinn1379 RXP199iNOwner 276 Gallon rinn1381 RXP160iNTechnical RX160iNRinnai CX199iNRinnai RX130iNRinnai RX180iNRinnai RX199iNRinnai CXP199iNRinnai CXP160iNRinnai CX160iNRinnai RXP199iNRinnai RXP160iNRinnai A100000849 sensei rx tech english100000849 englishrinnai

Englishuhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84uhdmjtbjic8det54m84secu img1 ag wfcndm document ffd99af db0f 400a ad84 1da3e1eed784 englishsecure englishs1 Adaptive Valve Ferguson HomeRinnai WayfairRinnai englishassets RX199iN RX180iN CXP199iN CXP160iN CX160iN RXP199iN RXP160iN CX199iN Wayfair Home Integrated A english uhdmtbjic8det54m84 secure assets s1 productcatalog b5533133403d 08bd1b1a7d6a Englishsecure ARXP160iN Rinnai100000849 sheetSensei Data Englishrinnai sheetdev cJwRO0fY Englishs1 ||| U362-0875 00 REU-NB PERFORMANCE DATA PARAMETER SETTINGS ELECTRICAL DIAGNOSTICS To Obtain Performance Data: 1. Press and hold the down arrow button. 2. While holding the down arrow button for 2 seconds, press and hold the On/Off button hold both buttons simultaneously until 01 appears. 1 2...

lang:en score:14 filesize: 3.61 M page_count: 2 document date: 2023-09-01



[pdf]

Solutions commerciales de chauffe eau d un tuyau évacuation concentrique en métal Se référer au manuel installation et utilisation fourni avec le sans réservoir HE pour les 70097208 lowes productdocuments e0e45c1c 9387 4390 a90a 400219cacea0 ||| Solutions commerciales de chauffe-eau pour les professionnels Centre de l excellence en ingnierie ... ervoir Rinnai, consultez le manuel d installation et de fonctionnement. En savoir plus rinnai.us CXP160iN 18,5 x 26,4 x 11,5 470 x 670 x 290 62 / 28 intrieur/extrieur Non 15 000 / 160 000 15 000 ... lang:fr score:14 filesize: 16.24 M page_count: 36 document date: 2024-10-01



[\[pdf\]](#) Borchure

Commercial Water Heating Solutions Brochure Canadian Frenchrinnai.ca path s WUdo7uLH wt3yex3pbc3chaeoo3oa filename
French |||

Solutions commerciales de chauffe-eau pour les professionnels Centre de l'excellence en ingénierie ...
envoyer Rinnai, consultez le manuel d'installation et de fonctionnement. En savoir plus rinnai.us

CXP160iN 18,5 x 26,4 x 11,5 470 x 670 x 290 62 / 28 intérieur/extérieur Non 15 000 / 160 000 15 000 ...
lang:fr score:14 filesize: 16.24 M page_count: 36 document date: 2024-10-01