

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [toocki](#) /

› [toocki 60W Car Charger USB C Instruction Manual](#)

toocki TQ-CC26A

toocki 60W Car Charger USB C Instruction Manual

Model: TQ-CC26A

INTRODUCTION

The toocki 60W Car Charger USB C is a versatile and efficient charging solution designed for in-vehicle use. It features three charging outputs: a built-in 30W Type-C coiled cable, a 30W USB-C PD/PPS port, and an 18W USB-A QC3.0 port, allowing for simultaneous fast charging of up to three devices. Its compact design and universal compatibility make it an ideal accessory for various vehicles and mobile devices.

SAFETY INFORMATION

Your toocki car charger is equipped with multiple safety features to ensure reliable and secure operation. Please observe the following guidelines:

- Do not disassemble, modify, or repair the device yourself. Refer to qualified service personnel.
- Avoid exposing the charger to extreme temperatures, direct sunlight, or humid environments.
- Ensure the charger is fully inserted into the cigarette lighter socket to prevent loose connections and potential overheating.
- The built-in intelligent safety chip provides protection against over-current, over-voltage, short-circuit, over-temperature, over-power, and under-voltage.
- This product is certified by UL, FCC, CE, and RoHS standards.
- If you notice any unusual heat, smoke, or smell, immediately disconnect the charger from the vehicle's power source.

PRODUCT FEATURES

This 3-in-1 super fast car charger offers a range of features for convenient and efficient charging:

- **60W Total Output:** Supports fast charging for three devices simultaneously.
- **Integrated 3.9FT Coiled USB-C Cable:** Provides 30W Power Delivery (PD) output, optimized for devices like the iPhone 15 series. The coiled design ensures neat storage and extends up to 3.5 feet.
- **USB-C PD/PPS Port:** Delivers up to 30W output, compatible with various fast charging protocols including PD3.0 and PPS.

- **USB-A QC3.0 Port:** Provides up to 18W output, supporting Quick Charge 3.0 and other protocols like AFC, SCP, FCP.
- **Colorful LED Ring Light:** A soft, humanized LED light indicates power connection and helps locate ports in the dark without distracting the driver. The light cycles through red, yellow, white, green, blue, and purple.



Image of the toocki 60W Car Charger USB C with its integrated coiled Type-C cable, showcasing the dual charging ports (USB-C PD/PPS and USB-A QC3.0) and the cigarette lighter plug.

SUPER FAST CHARGING



Diagram illustrating the super fast charging capability of the toocki 60W car charger, highlighting the 60W total output and the two distinct charging ports.

60W Fast Charging For 3 Devices

Ideal For Travel



Infographic demonstrating the ability of the toocki car charger to fast charge three devices simultaneously: one via the coiled Type-C cable (30W PD), one via the USB-C port (30W PD+PPS), and one via the USB-A port (18W QC3.0).

SETUP

Follow these steps to set up your toocki car charger:

1. Locate the cigarette lighter socket in your vehicle. This is typically found in the dashboard or center console.
2. Ensure the vehicle's ignition is off or in the accessory position before inserting the charger.
3. Insert the toocki car charger firmly into the cigarette lighter socket until it is securely seated.

- Once connected, the colorful LED ring light on the charger will illuminate, indicating that it is receiving power and ready for use.




Image showing the toocki car charger installed in a vehicle's cigarette lighter socket, with the coiled Type-C cable extended to charge a smartphone, demonstrating its flexible length.

OPERATING INSTRUCTIONS

Using your toocki car charger is straightforward:

- Charging with the Coiled Cable:** Connect the built-in Type-C coiled cable directly to your compatible device's USB-C port.

- **Charging with USB-C Port:** Use a separate USB-C to USB-C cable (not included) to connect your device to the USB-C PD/PPS port on the charger.
- **Charging with USB-A Port:** Use a separate USB-A to compatible cable (not included) to connect your device to the USB-A QC3.0 port on the charger.
- The charger will automatically detect your device's charging requirements and deliver the optimal power output up to its maximum capacity.
- The colorful LED ring light will remain illuminated during operation, providing visual confirmation of power and assisting in low-light conditions.



Image showing the toocki car charger in use within a car's interior, charging multiple devices simultaneously, highlighting its practical application.

COMPATIBILITY

The toocki 60W Car Charger is designed for wide compatibility with various devices and vehicles:

- **Compatible Devices:** iPhone 15/Pro/Plus/Max, Samsung Galaxy S23/S23 Ultra, Google Pixel, iPad Pro, Macbook Air, iPad mini/Air/Pro, AirPods, Apple Watch, and other smartphones and tablets supporting USB-C PD, QC3.0, AFC, SCP, FCP protocols.
- **Compatible Vehicles:** Works with 12-24V vehicles, including cars, SUVs, trucks, MPVs, and RVs.

Universal Compatibility

Apple Devices



Macbook Air



iPad mini/Air/Pro



iPhone



AirPods



Apple Watch

And More

Android Devices



Samsung Galaxy S Series



Samsung Galaxy A Series



Google/Sony/LG



Chart detailing the universal compatibility of the toocki car charger with various Apple devices (Macbook Air, iPad mini/Air/Pro, iPhone, AirPods, Apple Watch) and Android devices (Samsung Galaxy S/A Series, Google/Sony/LG).

SPECIFICATIONS

Feature	Specification
Brand	toocki
Model Number	TQ-CC26A
Input Voltage	12-24 Volts
Total Max Output	60W
Coiled Cable Output	30W (USB Type C)
USB-C Port Output	30W (PD/PPS)
USB-A Port Output	18W (QC3.0)
Coiled Cable Length	3.9 feet (approx. 1 meter)
Color	Black
Item Weight	1.76 ounces
Package Dimensions	4.69 x 3.19 x 1.54 inches
Mounting Type	Plug in

Compact Size Premium Design



Close-up image of the toocki car charger next to a car key, illustrating its compact size and dimensions (5.96cm/2.34in length, 2.95cm/1.16in diameter).

MAINTENANCE

To ensure the longevity and optimal performance of your car charger, follow these maintenance tips:

- **Cleaning:** Use a soft, dry cloth to wipe the exterior of the charger. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, store the charger in a cool, dry place away from direct sunlight and extreme temperatures.

- **Cable Care:** Avoid excessive pulling or bending of the coiled cable, especially near the connectors, to prevent damage. Allow the coil to retract naturally when not extended.
- **Connection Points:** Periodically check the cigarette lighter socket and charger contacts for any debris or corrosion that might impede connection.

TROUBLESHOOTING

If you encounter any issues with your toocki car charger, refer to the table below for common problems and solutions:



Problem	Possible Cause	Solution
Charger not working / LED light off	No power from vehicle socket; Loose connection; Blown fuse in vehicle.	Ensure charger is fully inserted. Check if the vehicle's cigarette lighter socket is active. Test with another device or socket. Consult vehicle manual for fuse location.
Slow charging or not fast charging	Device not compatible with fast charging; Cable not supporting fast charging; Multiple devices drawing high power.	Verify your device supports PD/QC3.0. Use a high-quality, fast-charging compatible cable. Ensure total power draw does not exceed 60W. Try charging one device at a time.
Charger feels warm during use	Normal operation under load; Excessive load; Poor ventilation.	Slight warmth is normal during charging. Ensure charger is not covered. If it becomes excessively hot, disconnect immediately and reduce the number of devices being charged.
Coiled cable not extending fully	Cable is designed to coil; Physical obstruction.	The cable is designed to be coiled and will extend up to 3.9 feet when stretched. Ensure no objects are preventing its extension.

WARRANTY AND SUPPORT

The toocki 60W Car Charger USB C comes with a **24-month warranty** from the date of purchase. This warranty covers manufacturing defects and issues arising from normal use.

For any questions, technical assistance, or warranty claims regarding this product, please contact the manufacturer or your retailer. Please have your purchase receipt and product model number (TQ-CC26A) ready when contacting support.

Related Documents - TQ-CC26A

	<p><u>toocki 140W GaN Desktop Charger: User Manual & Specifications</u></p> <p>Detailed user manual for the toocki 140W GaN Desktop Charger, featuring 3 USB-C and 2 USB-A ports. Learn about product specifications, usage, safety tips, and customer service.</p>
	<p><u>toocki TQ-PB07A Power Bank User Manual and FCC Compliance</u></p> <p>Official user manual and FCC compliance information for the toocki TQ-PB07A portable power bank. Learn about device operation, safety guidelines, and regulatory adherence.</p>
	<p><u>Toocki TQ-PB07 Power Bank User Manual and FCC Compliance</u></p> <p>This document provides the user manual and FCC compliance information for the Toocki TQ-PB07 Power Bank. Learn about product features, safety warnings, and regulatory compliance.</p>
	<p><u>Xpress Execute XQ11R RC Car Setup Sheet - Azri Amri</u></p> <p>Detailed setup sheet for the Xpress Execute XQ11R radio-controlled car, featuring Azri Amri's race configuration for front and rear suspension, shock settings, and component choices.</p>
	<p><u>Kinetico TQ Series RO Systems Technical Manual</u></p> <p>Comprehensive technical manual for Kinetico TQ Series Reverse Osmosis (RO) and Nanofiltration systems, covering installation, operation, maintenance, troubleshooting, and specifications for models TQ 172, TQ 172N, TQ 173, TQ 173N, TQ 174, and TQ 176.</p>
	<p><u>Turbosound QLight DP Series Digital Power Loudspeaker User Manual</u></p> <p>Comprehensive user manual for the Turbosound QLight DP Series digital power loudspeakers and subwoofers, covering features, specifications, installation, operation, and maintenance.</p>