

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [VINGLI](#) /

> [VINGLI Wooden Wishing Well Outdoor Planter - 22" with 2 Reinforced Rods Instruction Manual](#)

## VINGLI 22" w/ 2 Reinforced Rods

# VINGLI Wooden Wishing Well Outdoor Planter - 22" with 2 Reinforced Rods

Instruction Manual

## INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your VINGLI Wooden Wishing Well Outdoor Planter (Model: 22" w/ 2 Reinforced Rods). Please read this manual thoroughly before assembly and use to ensure proper function and longevity of your product.

The VINGLI Wooden Wishing Well is designed as an outdoor planter and decorative garden accent, featuring durable fir wood construction, reinforced rods for stability, and an adjustable hanging bucket.

## SAFETY INFORMATION

- Always assemble the product on a flat, stable surface.
- Ensure all screws and fasteners are securely tightened before use.
- Keep small parts away from children during assembly to prevent choking hazards.
- Wear appropriate safety gear, such as gloves, during assembly to protect hands from splinters or wood stain.
- Do not overload the hanging bucket or the main planter base to prevent structural damage.
- Periodically check the product for loose parts or damage and address them promptly.
- Position the wishing well in a location where it will not obstruct pathways or pose a tripping hazard.

## PARTS LIST

Before beginning assembly, ensure all parts listed below are present. If any parts are missing or damaged, please contact customer support.

Part	Description	Quantity
A	Main Planter Base Panels	(Varies, typically pre-assembled sections)
B	Vertical Support Posts	2

Part	Description	Quantity
C	Roof Assembly	1
D	Hanging Bucket	1
E	Rope and Handle Mechanism	1 set
F	Hardware Pack (Screws, bolts, etc.)	1 pack

*Note: The main planter base and roof may come partially pre-assembled.*

## SETUP AND ASSEMBLY

---

Tools required: Phillips head screwdriver (power drill recommended), gloves.

### Step 1: Assemble the Planter Base

Carefully unpack the main planter base panels. If not pre-assembled, connect the panels to form the octagonal base using the provided screws. Ensure the reinforced rods are correctly aligned and secured for stability.



Reinforced  
Rods

## Sturdy Construction

4-Layer Crossing  
Fir Boards



Mulch



Soil



Gravel



*Image: Close-up of the reinforced rods and 4-layer crossing fir boards in the planter base, highlighting sturdy construction.*

### Step 2: Attach Vertical Support Posts

Attach the two vertical support posts (B) to the assembled planter base (A). Align the pre-drilled holes and secure them with screws from the hardware pack (F). Ensure the posts are upright and stable.

### Step 3: Install the Roof Assembly

Place the roof assembly (C) onto the top of the vertical support posts (B). Align the holes and secure the roof using the appropriate screws. Ensure the roof is centered and firmly attached.



*Image: Detail of the protective roof, illustrating its design and construction.*

#### **Step 4: Attach the Hanging Bucket and Rope Mechanism**

Thread the rope through the pulley system on the roof structure. Attach one end of the rope to the hanging bucket (D) and the other end to the handle mechanism (E). Ensure the bucket can be smoothly raised and lowered.

# Protective Roof



Sun

Water



Exquisite Craftsmanship



Charming Wood Grain



Solid Fir Wood

*Image: Close-up of the adjustable bucket planter, showing its height adjustment feature and pre-drilled drainage hole.*

## Assembly Video

Your browser does not support the video tag.

*Video: A detailed assembly guide for the VINGLI Wooden Wishing Well, demonstrating each step of the construction process.*

## OPERATING INSTRUCTIONS

---

### Using the Main Planter Base

The main planter base has a diameter of 16.5 inches, providing ample space for multiple plants. Fill the base with appropriate drainage material (e.g., gravel, mulch) followed by soil. Plant your desired flowers, herbs, or succulents.



Image: The main planter base filled with soil, ready for planting, demonstrating its capacity.

### Adjusting the Hanging Bucket

The hanging bucket can be used as an additional planter for smaller plants. It features a pre-drilled drainage hole. Use the rope and handle mechanism to adjust the bucket's height to your preference. To secure the bucket at a specific height, wrap the rope around the handle or tie it off securely.



Image: The VINGLI wishing well in a garden setting, illustrating its use as a decorative cover for outdoor elements such as a well pump, septic tank, or water pipe.

## MAINTENANCE

---

- **Cleaning:** Wipe down the wooden surfaces with a damp cloth as needed. Avoid harsh chemicals that may damage the wood finish.
- **Weather Protection:** While constructed from durable fir wood, applying a weather-resistant sealant annually can extend the product's lifespan and protect it from sun and rain.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary.
- **Drainage:** Ensure the drainage hole in the hanging bucket remains clear to prevent water accumulation.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Product feels wobbly after assembly.	Screws not fully tightened; uneven assembly surface.	Ensure all screws are securely tightened. Assemble on a flat, level surface. Gently coax parts into alignment during assembly.
Hanging bucket does not move smoothly.	Rope tangled or improperly threaded; friction in pulley system.	Check rope for tangles and re-thread if necessary. Ensure the rope is correctly seated in the pulley.
Wood color fading or showing wear.	Exposure to sun and weather without protection.	Apply a clear, weather-resistant wood sealant or stain to protect the wood.

## SPECIFICATIONS

---

**Model:** 22" w/ 2 Reinforced Rods

**Material:** Fir Wood

**Color:** Brown

**Product Dimensions:** 22"D x 21.6"W x 45"H (55.9 cm D x 54.9 cm W x 114.3 cm H)

**Planter Base Diameter:** Approximately 16.5 inches

**Item Weight:** 22.7 pounds (10.3 kg)

**Special Features:** Drainage Hole (in bucket), Weather Resistant (with proper maintenance)

**Style:** Country

**Indoor/Outdoor Usage:** Outdoor

**Mounting Type:** Floor Standing

**Included Components:** Instruction manual, Hardware

# Product Size



Image: Diagram illustrating the overall dimensions of the wishing well, including height, width, and depth measurements.

## WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the purchase documentation or contact VINGLI customer service directly. Keep your purchase receipt for any warranty claims.

**Contact Information:** Please visit the official VINGLI website or refer to your product packaging for the most current contact details.