Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Breezary /
- > Breezary 52-inch 5-Blade Ceiling Fan Instruction Manual

Breezary 30010-NL

Breezary 52-inch 5-Blade Ceiling Fan Instruction Manual

Model: 30010-NL

IMPORTANT SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate, or install the product. Failure to follow the instructions could result in electric shock, fire, or serious personal injury.

- Always disconnect power at the main circuit breaker before installation or maintenance.
- All electrical connections must be in accordance with local codes, ordinances, and the National Electric Code.
- If you are unfamiliar with electrical wiring, consult a qualified electrician.
- Ensure the installation site allows for proper blade clearance from walls and other obstructions.
- The fan is designed for indoor/outdoor usage, but ensure proper wiring and protection from direct water exposure if used outdoors.

PRODUCT OVERVIEW

The Breezary 52-inch 5-Blade Ceiling Fan is designed for efficient air circulation in various spaces. It features a quiet DC motor and reversible blades for year-round comfort.



Key Features:

- 5 Reversible Blades & Quiet DC Motor: Operates smoothly with minimal noise, providing strong airflow. Blades can be reversed for summer (downward) and winter (upward) modes.
- Multi-Function Remote Controller: Allows easy adjustment of fan speed, timer settings, and direction.
- 6 Wind Speed Gears: Offers versatile airflow control from gentle breeze to strong cooling.
- Timer Function: Includes 1-hour, 2-hour, and 4-hour timer settings for convenience.
- Dual Mount Options: Can be installed on flat ceilings or sloping ceilings (up to 12°).
- Durable Construction: Features a sturdy structure for longer life, including a 5-inch downrod and modern black ABS blades.

INCLUDED COMPONENTS

Verify that all components are present before beginning installation:

- 1 x 52 Inch 5-Blade Black/White Ceiling Fan
- 1 x Downrod (1x 5")
- 1 x User Manual
- 1 x Remote Control (Batteries NOT INCLUDED Requires 2x AAA 1.5V batteries)

SETUP AND INSTALLATION

Most functional components of this ceiling fan are pre-assembled to simplify installation. It is recommended that installation be performed by a qualified electrician for safety.

Dimensions and Mounting Options:




Figure 2: Product dimensions and available mounting options (Downrod Mount, Angled Mount ≤12°)

The fan measures approximately 52 inches in diameter and 12.8 inches in height from the ceiling. It is suitable for rooms up to 350 sq. ft. and can be installed on flat or sloped ceilings with an angle of up to 12 degrees.

OPERATING INSTRUCTIONS

The Breezary ceiling fan is operated using the included remote control. Ensure 2x AAA 1.5V batteries are installed in the remote before use.

Remote Control Functions:



Figure 3: Remote control overview with button descriptions.

- OFF/ON: Turns the fan completely off or on.
- Fan Forward Rotating (Summer Mode): Directs air downward for a cooling effect.
- Reversal Rotating (Winter Mode): Directs air upward to circulate warm air.
- Natural Wind: Simulates a natural breeze by varying fan speed.
- Speed Control (1-6): Adjusts fan speed from 1 (lowest) to 6 (highest).
- Timer (1H, 2H, 4H): Sets the fan to automatically turn off after the selected duration.
- Turn OFF the Beeping: Mutes the remote's audible feedback.
- A wall mount remote holder is included to prevent loss.

Reversible Motor Function:



Figure 4: Illustration of downward (Summer) and upward (Winter) airflow modes.

The reversible DC motor allows you to change the direction of the fan blades. In summer, the downward airflow creates a cooling breeze. In winter, the upward airflow helps to circulate warm air trapped near the ceiling, improving heating efficiency.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** To clean the fan, wipe with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure power is disconnected before cleaning.
- Blade Inspection: Periodically check that all blade screws are tight. Over time, they may loosen, causing the fan to wobble
- Motor: The DC motor is designed for quiet operation and requires no lubrication.

TROUBLESHOOTING

If you experience issues with your Breezary ceiling fan, refer to the following common troubleshooting tips:

Problem	Possible Cause	Solution
Fan does not operate.	No power to the fan; Loose wire connections; Remote control battery low or not installed.	Check circuit breaker; Verify all wiring connections are secure (consult electrician if unsure); Replace or install 2x AAA batteries in the remote.
Fan wobbles.	Loose blade screws; Improperly balanced blades.	Tighten all blade screws; Ensure blades are installed correctly and balanced.
Remote control not working.	Batteries are dead or incorrectly inserted; Remote not paired (if applicable).	Replace batteries (2x AAA 1.5V); Refer to remote pairing instructions in the full manual (if provided).
Fan makes unusual noise.	Loose screws; Motor issue.	Check and tighten all screws; If noise persists, contact customer support.

For more detailed troubleshooting or issues not listed here, please contact Breezary customer support.

SPECIFICATIONS

Attribute	Detail
Brand	Breezary
Model Name	52 inch 5-Blade Ceiling Fans without Light
Model Number	30010-NL
Product Dimensions	52"D x 52"W x 12.8"H
Item Weight	11.4 pounds
Color	Black
Number of Blades	5
Blade Material	ABS Plastic
Power Source	DC
Wattage	40 watts
Voltage	120 Volts (DC)
Air Flow Capacity	3710 Cubic Feet Per Minute
Speed	175 RPM
Number of Power Levels	6
Control Method	Remote
Indoor/Outdoor Usage	Outdoor

Attribute	Detail
Special Features	Adjustable Height, Adjustable Tilt, Low Noise, Reversible Motor, Timer

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Breezary customer service. Keep your purchase receipt for any warranty claims.

Visit the official Breezary Store for more products and information:Breezary Store

© 2023 Breezary. All rights reserved.

Related Documents - 30010-NL

