

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Cata](#) /

› [CATA Sygma 9010 BK Wall-Mounted Decorative Hood User Manual](#)

Cata Sygma 9010 BK

CATA Sygma 9010 BK Wall-Mounted Decorative Hood User Manual

Model: Sygma 9010 BK (2075401)

INTRODUCTION

This manual provides essential instructions for the safe installation, operation, and maintenance of your CATA Sygma 9010 BK wall-mounted decorative hood. Please read this manual thoroughly before using the appliance and keep it for future reference.



Image: The CATA Sygma 9010 BK wall-mounted decorative hood, showcasing its sleek black design and integrated control panel.

SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Ensure the power supply matches the voltage specified on the rating plate.
- Installation must be performed by a qualified technician in accordance with local regulations.
- Do not flambé under the hood.
- Regularly clean grease filters to prevent fire hazards.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

WHAT'S IN THE BOX

Verify that all components are present:

- CATA Sygma 9010 BK Hood Unit
- Electronic Control Panel
- Extra Silent BT3 Motor
- High-Efficiency LED Lighting Strip
- Dishwasher-Safe Filters
- Installation Kit (Easy Installation System)
- User Manual

SETUP AND INSTALLATION

The CATA Sygma 9010 BK hood features an easy installation system. Professional installation is recommended.

Mounting

This is a wall-mounted decorative hood. Ensure the wall structure can support the weight of the appliance (17.9 kg). Refer to the provided installation diagram for precise measurements and mounting points.




Image: Installation diagram with dimensions for the CATA Sygma 9010 BK hood. The diagram shows the hood's width (900mm), depth (495mm), and chimney height (Min. 745mm / Max. 990mm).

Ventilation

The hood is designed for ducted/vented operation. Connect the exhaust outlet (150/125 mm diameter) to an external ventilation system.

Electrical Connection

Connect the hood to a 220 Volt power supply. Ensure proper grounding.

OPERATING INSTRUCTIONS

The hood is equipped with an intuitive electronic control panel.



Image: Close-up view of the electronic control panel on the CATA Sygma 9010 BK hood, showing touch buttons for light, three extraction speeds, a Turbo function, and a timer.

Power On/Off

Press the power button (often integrated with speed control or a dedicated button) to turn the hood on or off.

Extraction Levels

Select from 4 extraction levels:

- **Levels 1, 2, 3:** For general cooking and varying intensity of fumes.
- **Turbo (T):** Provides maximum extraction (up to 802 m³/h) for intense cooking fumes.

Lighting

Press the light button (indicated by a bulb icon) to turn the LED lighting on or off. The intensity of the LED strip is adjustable.

Automatic Shut-off Timer

Activate the timer function to set the hood to automatically turn off after a programmed period. Consult the full manual for specific timer settings.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your hood.

Cleaning Grease Filters

The hood is equipped with dishwasher-safe filters. An indicator will remind you when cleaning is necessary.

- Remove the grease filters by releasing their latches.
- Wash them by hand with hot water and mild detergent, or place them in a dishwasher.
- Ensure filters are completely dry before re-installing.
- Frequency: Depending on usage, typically every 2-4 weeks.

Cleaning the Exterior

Clean the black stainless steel exterior with a soft cloth and a non-abrasive cleaner. Avoid harsh chemicals.

LED Lighting

The high-efficiency LED lighting strip has a long lifespan. If replacement is needed, contact qualified service personnel.

TROUBLESHOOTING

Before contacting customer service, review these common issues:

- **Hood not turning on:** Check power supply, circuit breaker.
- **Poor extraction:** Ensure filters are clean, check for obstructions in the ducting, verify correct speed setting.
- **Excessive noise:** Check for loose components, ensure proper installation, clean filters.
- **Lights not working:** Check power, ensure lights are switched on.

For persistent issues, contact CATA customer support.

SPECIFICATIONS

Feature	Specification
Model	Syigma 9010 BK
Product Number	2075401
Brand	Cata
Type	Wall-Mounted Decorative Hood
Color	Black
Material	Stainless Steel
Dimensions (W x D x H)	90 x 49.5 x 74.5-99 cm
Weight	17.9 kg
Extraction Levels	4 (3 + 1 Turbo)
Max. Extraction Capacity	802 m³/h

Min. Extraction Capacity	340 m ³ /h
Noise Level (Min/Max)	50 dB(A) / 67 dB(A) (Turbo)
Motor	BT3 Extra Silent
Max. Power Consumption	280W
Lighting	High-Efficiency Dimmable LED Strip
Filters	Dishwasher-Safe
Control Type	Electronic Touch Control
Energy Efficiency Class	A
Discharge Diameter	150/125 mm
Voltage	220 Volts

WARRANTY AND SUPPORT



For warranty information, please refer to the warranty card included with your product or visit the official CATA website. For technical support, spare parts, or service, please contact CATA customer service.

Spare parts availability in the EU: 3 years.

© 2025 Cata. All rights reserved.

Related Documents - Sygma 9010 BK

	<p><u>CATA GC-DUAL Decorative Extractor Hood User Manual</u> Comprehensive user manual for the CATA GC-DUAL Decorative Extractor Hood, covering installation, safety, operation, maintenance, and legal information. Includes detailed control panel descriptions.</p>
	<p><u>Cata WANDA 600 XGWH Decorative Vertical Hood - Technical Specifications</u> Detailed technical specifications, dimensions, energy efficiency, and features for the Cata WANDA 600 XGWH decorative vertical cooker hood by Cata.</p>

	<p>CATA Cooker Hood User Manual: Operation, Settings, and Troubleshooting</p> <p>Comprehensive user manual for CATA cooker hoods, covering operation, control panel functions, settings for ducted and recirculation modes, lighting, connectivity, fan speed adjustments, timer functions, filter cleaning, and troubleshooting FAQs. Includes instructions in English, Spanish, French, Portuguese, and German.</p>
	<p>CATA LENA & WANDA Kitchen Extractor Hood: Installation, Use, and Maintenance Manual</p> <p>Comprehensive guide for installing, using, and maintaining CATA LENA and WANDA kitchen extractor hoods. Includes safety instructions, troubleshooting, and warranty information.</p>
	<p>CATA ATH-61X Kitchen Hood User Manual and Installation Guide</p> <p>Comprehensive guide for the CATA ATH-61X kitchen hood, covering installation, operation, maintenance, and troubleshooting. Includes safety instructions and FAQs.</p>
	<p>CATA Kitchen Hood Installation, Use, and Maintenance Manual</p> <p>Comprehensive guide for CATA kitchen hoods, covering installation, electrical connection, safe usage, regular maintenance, troubleshooting FAQs, and warranty information. Includes details for suction and filtering versions.</p>