



[Manuals.plus](#) /

> [Lutown-Teen](#) /

> Lutown-Teen 12 Inch Full Size Metal Platform Bed Frame Instruction Manual

Lutown-Teen LTT12-F

Lutown-Teen 12 Inch Full Size Metal Platform Bed Frame Instruction Manual

Model: LTT12-F

[Contents](#) [Assembly](#) [Introduction](#) [Safety Information](#) [Package](#)
[Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

This manual provides instructions for the assembly, operation, and maintenance of your Lutown-Teen 12 Inch Full Size Metal Platform Bed Frame. Please read these instructions carefully before assembly and retain for future reference.

The Lutown-Teen bed frame is designed for durability and ease of use, featuring heavy-duty metal construction and sturdy steel slats that eliminate the need for a box spring. Its minimalist design complements various bedroom decors.

2. SAFETY INFORMATION

WARNING:

- Do not load more than 1000 pounds on the bed frame.
- Exercise caution around sharp edges during assembly and use.
- Ensure all bolts are securely tightened before use.
- Keep small parts away from children during assembly.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- Bed frame sections (main frame, support legs, crossbars)
- Steel slats
- Required hardware (bolts, washers, nuts)
- Assembly tools (Allen wrench, small wrench)
- Anti-scratch foot covers

Product Size		
Item Size	Length and Width	Height
Twin	75" x 38"	4" 6" 8" 9" 12" 14" 16" 18"
Twin XL	80" x 38"	
Full	75" x 54"	
Queen	80" x 60"	
King	80" x 76"	
Cal King	84" x 72"	

Image: All components and tools included in the package for assembly.

4. ASSEMBLY INSTRUCTIONS

Assembly typically takes 20-30 minutes. It is recommended to assemble the bed frame with two people for easier handling.

1. Unpack all components and lay them out on a clean, soft surface to prevent scratches.
2. Identify the main frame sections and connect them using the provided bolts and Allen wrench. Do not fully tighten bolts until all sections are aligned.
3. Attach the support legs to the designated points on the frame.
4. Insert the steel slats into the frame. Ensure they are evenly spaced and securely seated. The steel slats are spaced approximately 6.93 inches apart for Full size frames.
5. Once all components are in place, fully tighten all bolts.
6. Attach the anti-scratch foot covers to the bottom of the legs to protect your floor.

Storage space

Bed frame



Shoes



Traveling case



Carton



Under bed storage

Image: Close-up of the bed frame's connection points, illustrating the easy assembly mechanism.



Image: The fully assembled bed frame structure, ready for a mattress.

Assembly Video Guide

Your browser does not support the video tag.

Video: A detailed installation guide for the bed frame, demonstrating each step of the assembly process.

5. OPERATION

The Lutown-Teen platform bed frame is designed to support your mattress directly, eliminating the need for a box spring. Simply place your mattress on the assembled frame.

- **No Box Spring Needed:** The sturdy steel slats provide ample support for spring, latex, and memory foam mattresses.
- **Noise-Free Design:** The square frame structure and secure connections are engineered to minimize noise from movement and friction.
- **Under-Bed Storage:** The 12-inch height provides approximately 10 inches of clearance for convenient under-bed storage.



Image: The bed frame with a mattress, highlighting the available space underneath for storage.

6. MAINTENANCE

To ensure the longevity and appearance of your bed frame, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the metal frame with a damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Regular Checks:** Periodically check all bolts and connections to ensure they remain tight. Re-tighten if necessary to maintain stability and prevent noise.
- **Weight Limit:** Adhere to the maximum weight recommendation of 1000 pounds to prevent structural damage.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Bed frame creaks or makes noise	Loose bolts or friction between metal parts.	Check and tighten all bolts. Ensure all connections are secure.
Mattress slides on the frame	Smooth mattress bottom or movement during use.	Consider using a non-slip mattress pad or rubber grippers between the mattress and slats.
Mattress sags between slats	Mattress type not suitable for slat spacing, or slats are too far apart for the mattress.	For some mattress types, especially hybrid or older mattresses, a bunkie board or a thin piece of pegboard can be placed over the slats to provide more uniform support.

8. SPECIFICATIONS


Feature	Detail
Model Number	LTT12-F
Size	Full
Material	Metal
Product Dimensions (L x W x H)	74.6"L x 53.6"W x 12"H
Compatible Mattress Size	Full, 75x54 inch
Maximum Weight Recommendation	1000 Pounds
Slat Spacing	6.93 inches (approximate)
Special Features	Fade Resistant, Squeak Resistant
Color	Black
Item Weight	30 Pounds

Product Size


Bed frame

Full


For Mattress Size: L75" x W54"



Easy Assembly



Structural Stability



Noise Free




Image: Diagram illustrating the dimensions of the Full size bed frame.

9. WARRANTY & SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or contact Lutown-Teen directly through their official channels. Keep your purchase receipt for warranty claims.

For additional assistance, you may visit the [Lutown-Teen Store on Amazon](#).