

inova BDTV462G1171-DBF000101L

Schulte Loft Glass Interior Door 90x215cm

Model: BDTV462G1171-DBF000101L

INTRODUCTION

This manual provides essential instructions for the installation, operation, and maintenance of your Schulte Loft Glass Interior Door. Please read these instructions carefully before beginning installation or use to ensure proper function and longevity of the product. Keep this manual for future reference.

PRODUCT OVERVIEW

The Schulte Loft Glass Interior Door is designed for modern living spaces, lofts, and industrial environments. It features a robust steel frame and satin-finished safety glass, offering both durability and aesthetic appeal. The door system includes black-coated steel fittings and a choice of handle.

Key Features:

- **Industrial Style Design:** Black powder coating with high light transmission.
- **Durable Construction:** Scratch and impact-resistant due to powder coating and 4mm thick safety glass.
- **Smooth Operation:** Equipped with a magnetic latch for quiet and fluid closing.
- **Pre-assembled Components:** Designed for straightforward self-assembly.



Image: A full view of the Schulte Loft Glass Interior Door installed in a modern interior setting, showcasing its industrial design and glass panels.

SPECIFICATIONS

Attribute	Detail
Brand	inova

Attribute	Detail
Model Number	BDTV462G1171-DBF000101L
Dimensions (L x W x H)	1.5 x 30 x 1 cm (packaged); 90x215 cm (door size)
Weight	38 kg
Color	Silver (Frame: Black powder-coated)
Style	Industrial
Material	Glass (4mm safety glass), Steel (32mm profile)
Assembly Required	Yes



Image: A technical diagram illustrating the key dimensions of the door and its frame, including width and height measurements.

SETUP AND INSTALLATION

The Schulte Loft Glass Interior Door is designed for easy self-assembly. Ensure you have all components and necessary tools before starting. Installation can be performed on stone, concrete, and plasterboard walls.

Required Tools (Not Included):

- Drill
- Measuring tape
- Level
- Screwdriver set
- Pencil

Installation Steps:

- Unpack and Inspect:** Carefully unpack all components and check against the packing list for completeness and any damage.
- Prepare the Opening:** Ensure the door opening dimensions are suitable for the door frame. Refer to the dimension diagram for recommended passage widths and heights.
- Assemble the Frame:** Follow the manufacturer's instructions to assemble the door frame. The frame is typically pre-drilled for ease of assembly.
- Mount the Frame:** Position the assembled frame in the door opening. Use a level to ensure it is perfectly plumb and square. Secure the frame to the wall using appropriate fasteners for your wall type.
- Install the Door Panel:** Attach the door panel to the frame using the provided hinges. Ensure the hinges are securely fastened and the door swings freely.
- Install Handle and Latch:** Mount the chosen handle and magnetic latch mechanism according to the instructions.
- Adjustments:** Make any necessary adjustments to the hinges or latch to ensure the door closes smoothly and seals properly.



Image: The Schulte Loft Glass Interior Door and its components neatly packed in a cardboard box, ready for installation.



Image: A diagram illustrating recommended passage width and height measurements for optimal door installation, with a table of corresponding door sizes.

OPERATING INSTRUCTIONS

The Schulte Loft Glass Interior Door operates as a standard pivot door. To open, gently pull the handle. To close, push the door until the magnetic latch engages with the frame, securing the door in a closed position.



Image: A close-up view of the sleek, black handle integrated into the door's steel frame, highlighting its design.



Image: A detailed view of the door hinge, showing its robust construction and black finish, ensuring smooth pivoting action.

MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your door.

Cleaning:

- **Glass Panels:** Clean glass surfaces with a standard glass cleaner and a soft, lint-free cloth. Avoid abrasive cleaners or tools that could scratch the glass.
- **Frame:** Wipe the steel frame with a damp cloth and mild detergent. Dry immediately with a clean cloth. Do not use harsh chemicals or abrasive materials, as they may damage the powder coating.

Hardware Check:

- Periodically check all screws and fasteners on hinges, handles, and the frame to ensure they are tight. Tighten if necessary.
- Inspect the magnetic latch for proper function. Clean any debris that might interfere with its operation.

TROUBLESHOOTING

If you encounter issues with your door, refer to the following common problems and solutions:

- **Door does not close smoothly:**
 - Check if the door frame is plumb and square. Adjust if needed.
 - Inspect hinges for proper alignment and tightness.
 - Ensure the magnetic latch is free of obstructions and aligns correctly with the strike plate.
- **Squeaking hinges:**
 - Apply a small amount of silicone-based lubricant to the hinge pins.
- **Glass appears dirty or streaky after cleaning:**

- Ensure you are using a clean, lint-free cloth and a streak-free glass cleaner.
- Avoid cleaning in direct sunlight, which can cause quick drying and streaking.

For issues not covered here, please contact customer support.

WARRANTY AND SUPPORT

Information regarding specific warranty terms for this product is not explicitly provided in the product details. For warranty claims or detailed support, please contact the manufacturer, inova, or your point of purchase directly. Please have your model number (BDTV462G1171-DBF000101L) and proof of purchase available. Spare parts availability information is currently unavailable. Please inquire with the manufacturer for specific part needs.

© 2026 inova. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question