



[Manuals.plus](#) /

> [X](#) /

> Mountain Top Red Rock Roller Shutter Release Lever User Manual

**X X8R0279**

# Mountain Top Red Rock Roller Shutter Release Lever User Manual

Model: X8R0279

## INTRODUCTION

---

This user manual provides comprehensive instructions for the installation, operation, and maintenance of the Mountain Top Red Rock Roller Shutter Release Lever. Designed specifically for pickup trucks, this durable component ensures reliable functionality of your roller shutter system. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

## PRODUCT OVERVIEW AND COMPONENTS

---

The Mountain Top Red Rock Roller Shutter Release Lever is a robust replacement part crafted from anodized aluminum, designed to replace original plastic components that may be prone to breakage. It includes all necessary mounting hardware for a complete replacement.

- **Strong and Durable Release Lever:** Made from anodized aluminum for enhanced strength and longevity.
- **Replaceable Pull Strap:** Comes complete with all necessary fastening materials for easy installation.



*Image 1: All components included in the kit. This includes the black anodized aluminum lever, a replacement pivot screw, a billet anodized aluminum pivot bush, and a strap retaining bolt with locking compound coated thread.*



Image 2: Detailed diagram illustrating each component: the billet anodized aluminum lever, replacement pivot screw, billet anodized aluminum pivot bush, and strap retaining bolt with locking compound coated thread. Note the smooth collar designed to protect the strap.



Image 3: Comparison showing the original plastic/3D printed lever (left) which snaps easily, versus the new billet anodized aluminum lever (right) with an interchangeable strap design, highlighting improved durability.

## INSTALLATION (SETUP)

Follow these steps carefully to install the Mountain Top Red Rock Roller Shutter Release Lever. It is recommended to have basic tools available, such as a screwdriver or wrench, depending on the existing hardware.


1. **Prepare the Area:** Ensure the roller shutter is in a stable position. Clear any debris or obstructions around the existing release mechanism.
2. **Remove Existing Lever:** Carefully identify the current release lever. Depending on the design, this may involve

unscrewing a pivot screw or detaching a retaining pin.



*Image 4: Illustration of a hand removing the existing release lever from the roller shutter mechanism.*

- 3. Attach New Lever to Strap:** If your existing strap is reusable, attach it to the new billet anodized aluminum lever using the provided strap retaining bolt. Ensure the bolt passes through the strap and the lever's designated hole. The smooth collar on the bolt is designed to protect the strap from wear.



*Image 5: Close-up view of the black anodized aluminum lever with a black fabric strap attached, demonstrating the secure connection.*

- 4. Install New Lever Assembly:** Position the new lever assembly into the roller shutter mechanism. Insert the replacement pivot screw through the lever and the pivot bush, securing it into place. Ensure the screw is tightened firmly but do not overtighten. The locking compound on the screw thread helps prevent loosening.



Image 6: A hand installing the new release lever assembly into the roller shutter mechanism, showing the pivot point.

5. **Test Functionality:** After installation, gently pull the strap to test the release mechanism. Ensure it operates smoothly and the roller shutter unlocks as expected.

## OPERATION

---

To operate the Mountain Top Red Rock Roller Shutter Release Lever, simply pull the attached strap downwards. This action will disengage the locking mechanism of your pickup truck's roller shutter, allowing it to be opened or closed. Release the strap to re-engage the lock.



Image 7: A hand demonstrating the operation of the release lever, showing the pulling motion required to unlock the roller shutter.

## MAINTENANCE

---

The Mountain Top Red Rock Roller Shutter Release Lever is designed for durability and requires minimal maintenance. To ensure optimal performance and longevity:

- **Regular Cleaning:** Periodically wipe the lever and surrounding area with a clean, damp cloth to remove dirt and grime. Avoid abrasive cleaners.
- **Check Fasteners:** Occasionally inspect the pivot screw and strap retaining bolt to ensure they remain securely tightened. Retighten if necessary.
- **Lubrication (Optional):** If the pivot point feels stiff over time, a small amount of silicone-based lubricant can be applied to the pivot bush to ensure smooth operation.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Lever does not move freely or lock cannot be opened after installation.	<p>Incorrect assembly of components (e.g., screw and bushing misalignment).</p> <p>Overtightened pivot screw.</p> <p>Obstruction in the mechanism.</p>	<p>Disassemble and reassemble the lever, ensuring the pivot screw and pivot bush are correctly aligned and fit together without binding.</p> <p>Loosen the pivot screw slightly to allow free movement, then re-tighten just enough to secure without restricting motion.</p> <p>Inspect the roller shutter mechanism for any foreign objects or damage preventing movement.</p>
Strap detaches from the lever.	Strap retaining bolt is loose or improperly installed.	Ensure the strap retaining bolt is fully inserted and tightened. Verify the strap is correctly positioned around the bolt.
General stiffness or squeaking during operation.	Lack of lubrication or accumulation of dirt.	Clean the pivot area and apply a small amount of silicone-based lubricant to the pivot bush.

## SPECIFICATIONS

<b>Brand</b>	X
<b>Manufacturer</b>	X8R
<b>Model Number</b>	X8R0279
<b>Item Weight</b>	80 g
<b>Package Dimensions</b>	32.6 x 18 x 2 cm
<b>Material</b>	Anodized Aluminum
<b>Included Components</b>	Release Lever, Replacement Pivot Screw, Billet Anodized Aluminum Pivot Bush, Strap Retaining Bolt

## WARRANTY AND SUPPORT

Specific warranty information for this product is not provided in the available documentation. For any warranty claims or detailed support, please contact the seller, X8R Ltd, directly through your purchase platform or their official website. Ensure you have your purchase details and product model number (X8R0279) ready when contacting support. For additional resources and tutorials, you may visit the manufacturer's official channels, as indicated by "YOUTUBE TUTORIALS" in some product imagery, though specific links are not provided here.