


## Dylect DTPWTB1900

# DYLECT Ultra Flow Plus High Pressure Car Washer Pump

## MODEL: DTPWTB1900 USER MANUAL

### 1. Introduction

Thank you for choosing the DYLECT Ultra Flow Plus High Pressure Car Washer Pump. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new pressure washer. Please read this manual thoroughly before first use and keep it for future reference.



The DYLECT Ultra Flow Plus Pressure Washer delivers precision cleaning with unmatched versatility.

### 2. Safety Information

Your safety is paramount. Always adhere to the following safety guidelines when operating the pressure washer:

- Maintain a Safe Distance:** Keep a safe distance from the cleaning surface to avoid accidental contact with the high-pressure water jet.
- IPX5 Waterproofing:** The unit features IPX5 waterproofing, ensuring reliable performance even in wet conditions.
- Automatic Shut-off:** The pressure washer is equipped with an automatic shut-off feature that stops the motor when the trigger is released, saving energy and enhancing safety.

- **Built-in Exhaust System:** Ensures proper ventilation and prevents overheating.
- **Self-resetting Thermal Protector:** Protects the motor from damage due to overheating.
- **Safety Lock:** Always engage the safety lock on the spray gun when not actively spraying to prevent accidental starts.



The pressure washer incorporates advanced safety features for secure and stress-free operation.

### 3. Package Contents

Carefully unpack your DYLECT Ultra Flow Plus Pressure Washer and ensure all items are present:

- 1 x 1.4KW High Pressure Washer Unit
- 1 x Spray Gun
- 1 x 5M PVC Outlet Hose
- 1 x 5M Power Cable with Plug
- 1 x Water Filter

- 1 x Needle (for nozzle cleaning)
- 1 x Quick Connector
- 1 x 2M Inlet Hose
- 1 x Extension Rod
- 1 x Soap Bottle (400 ml)
- 1 x Tap Connector



The complete set of the DYLECT Ultra Flow Plus Pressure Washer and its accessories.

### Upgrade Your Pressure Washer with

India's Widest Range of Genuine Accessories



Nozzle (45° Angle)



Tap Connector



Outlet Hose Pipe  
Available in: 5M, 8M, 10M



Soap Bottle  
400 ML



Wheel Brush



Quick Connector



Tap Adapter



Water Filter



Fix Brush

Embark on Every Adventure with Confidence Using

### Dylect Pressure Washers

Your Ultimate Cleaning Companion – Versatile and Powerful for Every Task



Detailed view of the versatile accessories included for comprehensive cleaning.

## 4. Setup

Follow these steps for quick and easy setup of your pressure washer:

- Connect the Inlet Hose:** Securely connect the inlet hose to your water source (e.g., tap). Ensure a tight fit to prevent leaks.
- Attach the Outlet Hose:** Connect the 5-meter PVC outlet hose between the pressure washer unit and the spray gun.
- Add Desired Nozzle/Attachment:** Select the appropriate nozzle or attachment (e.g., extension rod, adjustable nozzle, soap bottle) and securely attach it to the spray gun.
- Plug In and Start:** Plug the power cable into a suitable electrical outlet. Ensure the circuit is ready before turning on the unit.

## Accessories for Versatile, Powerful & Comprehensive Cleaning



### Extension Rod

Effortlessly clean rooftops and hard-to-reach spots



### Adjustable Nozzle

Change spray patterns to clean patios, rinse vegetables or wash outdoor furniture



### Soap Bottle

Add detergent for thorough cleaning of your driveways, pathways, and grease grills

Visual guide for the quick and easy setup process.

## 5. Operating Instructions

The DYLECT Ultra Flow Plus is designed for user-friendly operation and versatile cleaning tasks.

### General Operation:

- Ensure all connections are secure and the water supply is turned on before powering the unit.
- Turn on the pressure washer. The motor will start when the spray gun trigger is pressed and stop when released (automatic shut-off).
- Always hold the spray gun firmly with both hands when operating due to the high pressure.

### Adjustable Nozzle for Seamless Cleaning:

The adjustable nozzle allows you to switch between different spray patterns for various cleaning needs:

- **Low Speed Foam Spray:** Ideal for applying detergent or foam for pre-soaking vehicles or surfaces.
- **Medium Speed Regular Spray:** Suitable for general cleaning tasks on cars, bikes, and other surfaces.
- **Jet Speed Precise Spray:** Provides a concentrated, high-pressure stream for stubborn dirt, grime, and tough stains on concrete, stone, or heavily soiled areas.

## Adjustable Nozzle for Seamless Cleaning



**Low Speed**  
Foam spray



**Medium Speed**  
Regular Spray



**Jet Speed**  
Precised Spray



The adjustable nozzle provides versatile spray patterns for different cleaning requirements.

### Versatile Usage:

This pressure washer is an indispensable tool for a wide range of cleaning applications:

- **Vehicles:** Cars, bikes, motorcycles, and other automobiles.
- **Outdoor Equipment:** Lawn mowers, garden tools, and grills.
- **Surfaces:** Patios, pathways, driveways, fences, stone and brick walls, and swimming pools.

# Versatility Redefined

From Patios to Pathways, Cars to Driveways



The DYLECT Ultra Flow Plus is versatile for cleaning patios, pathways, cars, and driveways.

## 6. Maintenance

Regular maintenance ensures the longevity and optimal performance of your pressure washer:

- **Clean Nozzles:** Use the provided needle to clear any blockages in the nozzle after each use.
- **Drain Water:** After each use, disconnect the water supply and run the pump for a few seconds to drain any remaining water. This prevents freezing in cold weather.
- **Clean Water Filter:** Regularly check and clean the water inlet filter to prevent debris from entering the pump.
- **Proper Storage:** Store the pressure washer in a dry, frost-free environment. Coil hoses neatly and store accessories securely.
- **Inspect Hoses and Connections:** Periodically check hoses for kinks, cuts, or wear, and ensure all connections are tight.

## 7. Troubleshooting

Refer to the table below for common issues and their solutions:

Problem	Possible Cause	Solution
Motor does not start	No power supply; tripped circuit breaker; safety lock engaged	Check power connection; reset circuit breaker; disengage safety lock
Low pressure	Insufficient water supply; clogged nozzle; air in pump; worn pump seals	Ensure adequate water flow; clean nozzle; purge air from pump; contact service
Water leaks	Loose connections; damaged O-rings; cracked hose	Tighten connections; replace O-rings; replace damaged hose
Motor stops during operation	Overheating (thermal protector activated); low voltage	Allow unit to cool down; ensure stable power supply

## 8. Specifications

Key technical specifications for the DYLECT Ultra Flow Plus Pressure Washer:

Feature	Specification
Brand	Dylect
Model	Dylect ULTRA Flow Plus (DTPWTB1900)
Power Source	Corded Electric
Motor Power	1900 Watts (Copper Winding Motor)
Maximum Pressure	130 Bars
Maximum Flow Rate	6.5 Liters Per Minute
Hose Length	5 Metres (Outlet Hose)
Item Weight	5.2 Kilograms
Product Dimensions (L x W x H)	23.6L x 45.1W x 26.5H Centimeters
Assembly Required	Yes
Country of Origin	China

## Quick & Easy Setup for Efficient Cleaning

Step 1



Connect the inlet hose to the water source

Step 2



Attach the outlet hose between the washer and spray gun

Step 3



Add your desired nozzle or attachment

Step 4



Plug in and check the circuit to start

Engineered for peak performance with a robust copper winding motor and high-pressure pump.

## 9. Warranty & Support

**Warranty Information:** The DYLECT Ultra Flow Plus Pressure Washer comes with a 12+3 month warranty from the date of purchase. This warranty covers manufacturing, material, or assembly flaws.


**Customer Support:** For any queries, technical assistance, or warranty claims, please contact Dylect customer support:

**Toll-Free Number:** 18002586618

**Email:** [care@dylect.in](mailto:care@dylect.in)

# Enjoy Additional 3 Months of Coverage

Register Now and **Unlock 3 More Months**  
on Your 12-Month Protection Plan!



Register your product to unlock an additional 3 months of warranty coverage.